

SAFETY DATA SHEET



Krytox™ 240AC

Version 8.1	Revision Date: 2025/04/16	SDS Number (Internal): 1765520-00018	Date of last issue: 2025/02/12 Date of first issue: 2017/06/23
----------------	------------------------------	---	---

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Krytox™ 240AC

SDS-Identcode : 130000024138

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : For industrial use only.
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

Manufacturer or supplier's details

Company : Chemours Korea Inc.

Address : 12FL, Majestarcity Tower 1, 12, Seocho-daero 38-gil, Seocho-gu, Seoul 06655, Korea

Telephone : 82-2-2015-5000

Emergency telephone number : 080-880-0454

Telefax : 82-2-2015-5091

2. HAZARDS IDENTIFICATION

GHS Classification

This material is not classified as hazardous under the Article 104 of the Occupational Safety and Health Act (OSHA). It is not regulated for the MSDS creation and labeling by the provision of Article 110 Paragraph 1 of the OSHA.

GHS label elements

This material is not classified as hazardous under the Article 104 of the Occupational Safety and Health Act (OSHA). It is not regulated for the MSDS creation and labeling by the provision of Article 110 Paragraph 1 of the OSHA.

Hazard pictograms : Not applicable

Signal word : Not applicable

Hazard statements : Not applicable

SAFETY DATA SHEET



Krytox™ 240AC

Version 8.1	Revision Date: 2025/04/16	SDS Number (Internal): 1765520-00018	Date of last issue: 2025/02/12 Date of first issue: 2017/06/23
----------------	------------------------------	---	---

Precautionary statements : **Prevention:**
P264 Wash the contact area thoroughly after handling.

Disposal:
P501 Dispose of contents and container according to wastes control act.

Other hazards which do not result in classification

The thermal decomposition vapours of fluorinated plastics may cause polymer fume fever with flu-like symptoms in humans, especially when smoking contaminated tobacco.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name	CAS-No.	Concentration (% w/w)
Calcium nitrite	Nitrous acid, calcium salt (2:1)	13780-06-8	$\geq 0.1 - < 1$
PFPE fluid	Proprietary Ingredient	Proprietary Ingredient	$\geq 70 - < 80$
Fluoropolymer	Proprietary Ingredient	Proprietary Ingredient	$\geq 20 - < 30$

4. FIRST AID MEASURES

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if symptoms occur.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Inhalation may provoke the following symptoms:
Irritation
Lung oedema
Eye contact may provoke the following symptoms
Blurred vision
Discomfort

SAFETY DATA SHEET



Krytox™ 240AC

Version 8.1	Revision Date: 2025/04/16	SDS Number (Internal): 1765520-00018	Date of last issue: 2025/02/12 Date of first issue: 2017/06/23
----------------	------------------------------	---	---

Lachrymation
Skin contact may provoke the following symptoms:
Irritation
Redness
Inhalation may provoke the following symptoms:
Irritation
Shortness of breath

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable and unsuitable extinguishing media

Suitable extinguishing media : Not applicable
Will not burn

Unsuitable extinguishing media : Not applicable
Will not burn

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Hydrogen fluoride
carbonyl fluoride
potentially toxic fluorinated compounds
aerosolized particulates
Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protection : Follow safe handling advice (see section 7) and personal pro-

SAFETY DATA SHEET



Krytox™ 240AC

Version 8.1	Revision Date: 2025/04/16	SDS Number (Internal): 1765520-00018	Date of last issue: 2025/02/12 Date of first issue: 2017/06/23
----------------	------------------------------	---	---

tive equipment and emergency procedures

protective equipment recommendations (see section 8).

Environmental precautions

: Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures

: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

: Use only with adequate ventilation.

Advice on safe handling

: Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Do not breathe decomposition products.

Conditions for safe storage

: Keep in properly labelled containers.
Store in accordance with the particular national regulations.

Materials to avoid

: No special restrictions on storage with other products.

Further information on storage stability

: No decomposition if stored and applied as directed.

SAFETY DATA SHEET



Krytox™ 240AC

Version 8.1	Revision Date: 2025/04/16	SDS Number (Internal): 1765520-00018	Date of last issue: 2025/02/12 Date of first issue: 2017/06/23
----------------	------------------------------	---	---

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	0.5 ppm (Fluorine)	KR OEL
	Further information: Substances designated by 'Skin' may be absorbed into the bloodstream through the skin, mucous membrane and eye and contribute to the overall effect. (Skin notation does not apply to the skin irritant)			
		C	3 ppm (Fluorine)	KR OEL
	Further information: Substances designated by 'Skin' may be absorbed into the bloodstream through the skin, mucous membrane and eye and contribute to the overall effect. (Skin notation does not apply to the skin irritant)			
		TWA	0.5 ppm (Fluorine)	ACGIH
		C	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	KR OEL
		STEL	5 ppm	KR OEL
		TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
Carbon dioxide	124-38-9	TWA	5,000 ppm	KR OEL
		STEL	30,000 ppm	KR OEL
		TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
Carbon monoxide	630-08-0	TWA	30 ppm	KR OEL
	Further information: Known human reproductive toxicant			
		STEL	200 ppm	KR OEL
	Further information: Known human reproductive toxicant			
		TWA	30 ppm	KR PEL
		STEL	200 ppm	KR PEL
		TWA	25 ppm	ACGIH

Engineering measures : Processing may form hazardous compounds (see section 10).
Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

SAFETY DATA SHEET



Krytox™ 240AC

Version 8.1	Revision Date: 2025/04/16	SDS Number (Internal): 1765520-00018	Date of last issue: 2025/02/12 Date of first issue: 2017/06/23
----------------	------------------------------	---	---

Personal protective equipment. Among the following personal protective equipment, the PPEs which require safety certification need to be certified by KOSHA.

Respiratory protection	:	Use respiratory protection (gas mask) unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type	:	Combined particulates, acidic gas/vapour and organic vapour type
Eye protection	:	Wear the following personal protective equipment: Safety glasses
Hand protection	:	
Material	:	Not applicable
Remarks	:	Wash hands before breaks and at the end of workday.
Skin and body protection	:	Skin should be washed after contact.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Colour	:	white
Odour	:	odourless
Odour Threshold	:	No data available
pH	:	7
Melting point/freezing point	:	320 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup

SAFETY DATA SHEET



Krytox™ 240AC

Version 8.1	Revision Date: 2025/04/16	SDS Number (Internal): 1765520-00018	Date of last issue: 2025/02/12 Date of first issue: 2017/06/23
----------------	------------------------------	---	---

	Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: Will not burn
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: Not applicable
Solubility(ies) Water solubility	: insoluble
Relative vapour density	: Not applicable
Relative density	: 1.89 - 1.93
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: 300 °C
Viscosity Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics Particle size	: No data available

10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions	: Reactivity: Not classified as a reactivity hazard. Chemical stability: Stable under normal conditions. Possibility of hazardous reactions: Hazardous decomposition products will be formed at elevated temperatures.
---	--

SAFETY DATA SHEET



Krytox™ 240AC

Version	Revision Date:	SDS Number (Internal):	Date of last issue: 2025/02/12
8.1	2025/04/16	1765520-00018	Date of first issue: 2017/06/23

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition products

Thermal decomposition : Hydrofluoric acid
Carbonyl difluoride
Carbon dioxide
Carbon monoxide

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact
Ingestion
Eye contact

Health hazard information

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Calcium nitrite:

Acute oral toxicity : LD50 (Rat): 283 mg/kg

PFPE fluid:

Acute oral toxicity : LD50 (Rat): > 11,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 17,000 mg/kg

Fluoropolymer:

Acute oral toxicity : LD50 (Rat): > 11,280 mg/kg

Skin corrosion/irritation

Components:

Calcium nitrite:

Species : Rabbit
Method : Directive 67/548/EEC, Annex V, B.4.
Result : No skin irritation

SAFETY DATA SHEET



Krytox™ 240AC

Version	Revision Date:	SDS Number (Internal):	Date of last issue: 2025/02/12
8.1	2025/04/16	1765520-00018	Date of first issue: 2017/06/23

PFPE fluid:

Species	: Rabbit
Result	: No skin irritation

Fluoropolymer:

Species	: Rabbit
Result	: No skin irritation

Species	: Human
Result	: No skin irritation

Serious eye damage/eye irritation

Components:

Calcium nitrite:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: Directive 67/548/EEC, Annex V, B.5.

PFPE fluid:

Species	: Rabbit
Result	: No eye irritation

Respiratory or skin sensitisation

Components:

Calcium nitrite:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

PFPE fluid:

Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Fluoropolymer:

Exposure routes	: Skin contact
Species	: Humans
Result	: negative

Species	: Not tested on animals
Result	: negative

SAFETY DATA SHEET



Krytox™ 240AC

Version 8.1	Revision Date: 2025/04/16	SDS Number (Internal): 1765520-00018	Date of last issue: 2025/02/12 Date of first issue: 2017/06/23
----------------	------------------------------	---	---

Carcinogenicity

Components:

Calcium nitrite:

No data available

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative
Remarks	: Based on data from similar materials

PFPE fluid:

No data available

Fluoropolymer:

No data available

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

Germ cell mutagenicity

Components:

Calcium nitrite:

No data available

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: positive
-----------------------	--

Test Type: Chromosome aberration test in vitro
Result: positive
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Result: positive
Remarks: Based on data from similar materials

Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Intraperitoneal injection Result: negative Remarks: Based on data from similar materials
----------------------	---

SAFETY DATA SHEET



Krytox™ 240AC

Version 8.1	Revision Date: 2025/04/16	SDS Number (Internal): 1765520-00018	Date of last issue: 2025/02/12 Date of first issue: 2017/06/23
----------------	------------------------------	---	---

PFPE fluid:

No data available

Fluoropolymer:

No data available

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Reproductive toxicity

Components:

Calcium nitrite:

No data available

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

PFPE fluid:

No data available

Fluoropolymer:

No data available

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

No data available

STOT - repeated exposure

Components:

Fluoropolymer:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

SAFETY DATA SHEET



Krytox™ 240AC

Version	Revision Date:	SDS Number (Internal):	Date of last issue: 2025/02/12
8.1	2025/04/16	1765520-00018	Date of first issue: 2017/06/23

Repeated dose toxicity

Components:

Calcium nitrite:

Species	:	Rat
NOAEL	:	130 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 yr
Remarks	:	Based on data from similar materials

Fluoropolymer:

Species	:	Rat
NOAEL	:	> 20,000 mg/kg
LOAEL	:	> 20,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	14 d
Remarks	:	No significant adverse effects were reported

Aspiration toxicity

No data available

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Calcium nitrite:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 45 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic	:	ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

SAFETY DATA SHEET



Krytox™ 240AC

Version 8.1	Revision Date: 2025/04/16	SDS Number (Internal): 1765520-00018	Date of last issue: 2025/02/12 Date of first issue: 2017/06/23
----------------	------------------------------	---	---

plants

Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Cyprinus carpio (Carp)): > 1 mg/l
Exposure time: 30 d
Method: OECD Test Guideline 210
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Penaeid Shrimp): > 1 mg/l
Exposure time: 80 d
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 100 mg/l
Exposure time: 180 min
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

PFPE fluid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l
Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l
Exposure time: 72 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SAFETY DATA SHEET



Krytox™ 240AC

Version	Revision Date:	SDS Number (Internal):	Date of last issue: 2025/02/12
8.1	2025/04/16	1765520-00018	Date of first issue: 2017/06/23

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of contents and container according to wastes control act.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Disposal precautions

Dispose of contents and container according to wastes control act.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Environmentally hazardous	: no

IATA-DGR

UN/ID No.	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Packing instruction (cargo aircraft)	: Not applicable
Packing instruction (passenger aircraft)	: Not applicable

IMDG-Code

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
EmS Code	: Not applicable
Marine pollutant	: no

SAFETY DATA SHEET



Krytox™ 240AC

Version 8.1	Revision Date: 2025/04/16	SDS Number (Internal): 1765520-00018	Date of last issue: 2025/02/12 Date of first issue: 2017/06/23
----------------	------------------------------	---	---

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Regulation under the Occupational Safety and Health Act

Harmful Substances Prohibited from Manufacturing

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Harmful Agents to be kept below Occupational Exposure Limits

Not applicable

Harmful Agents Required to be kept below Permission Levels

Not applicable

Hazardous substances requiring management

Not applicable

Special Management Materials

Not applicable

Controlled Substances Subject to Environment Monitoring

Not applicable

Controlled Substances Subject to Health Examination

Not applicable

Hazardous Substances Subject to Process Safety Management (PSM) Reporting Obligation

Not applicable

K-OSHA Hazardous Substances (Occupational Safety and Health Regulations, Table 1)

Category
Acute toxic substances (oral)

K-OSHA Hazardous Substances (Occupational Safety and Health Regulations, Table 9)

Category	Manufacturing or handling quantity
Acute toxic substances (oral)	100 kilogram

Regulation under the Chemicals Control Act

Toxic Chemicals

Not applicable

SAFETY DATA SHEET



Krytox™ 240AC

Version 8.1	Revision Date: 2025/04/16	SDS Number (Internal): 1765520-00018	Date of last issue: 2025/02/12 Date of first issue: 2017/06/23
----------------	------------------------------	---	---

Restricted Chemicals

Not applicable

Prohibited Chemicals

Not applicable

Toxic Release Inventory

Not applicable

Accident Precaution Chemicals

Not applicable

Dangerous Substances Safety Management Act

Not Applicable to Dangerous Materials

Wastes Control Act

Industrial general wastes

Follow article 13 of the act to dispose the product waste

16. OTHER INFORMATION

Other information : Krytox™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.
Chemours™ and the Chemours Logo are trademarks of The Chemours Company.
Before use read Chemours safety information.
For further information contact the local Chemours office or nominated distributors.

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Issuing date : 2017/06/23

Revision number and date

Number of Revision : 17

Revision Date : 2025/04/16

Date format : yyyy/mm/dd

SAFETY DATA SHEET



Krytox™ 240AC


Version
8.1

Revision Date:
2025/04/16

SDS Number (Internal):
1765520-00018

Date of last issue: 2025/02/12
Date of first issue: 2017/06/23

NFPA:



Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
KR OEL	: Harmful Agents to be kept below Occupational Exposure Limits
KR PEL	: Harmful Agents Required to be kept below Permission Levels
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
ACGIH / C	: Ceiling limit
KR OEL / TWA	: Time Weighted Average
KR OEL / STEL	: Short Term Exposure Limit
KR OEL / C	: Ceiling
KR PEL / TWA	: TWA
KR PEL / STEL	: STEL

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships;

SAFETY DATA SHEET



Krytox™ 240AC

Version	Revision Date:	SDS Number (Internal):	Date of last issue:
8.1	2025/04/16	1765520-00018	2025/02/12
			Date of first issue: 2017/06/23

n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

KR / EN