

# SAFETY DATA SHEET



## Viton™ AL-276C fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
5.0	2024/10/17	1927237-00013	Date of first issue: 2017/09/06

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Viton™ AL-276C fluoroelastomer

SDS-Identcode : 130000026453

Other means of identification : None

#### Recommended use of the chemical and restrictions on use

Recommended use : Rubber products  
Resin for moulding and/or extrusion

Restrictions on use : For industrial use only.  
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

#### Manufacturer or supplier's details

Company : The Chemours (Taiwan) Company Limited

Address : 7F., No. 167, Dunhua N. Rd., Songshan Dist., Taipei City 105, Taiwan

Telephone : 0080-112-7758

Emergency telephone number : 0800 055 119 (in case of chemical spill, fire or poisoning accident)

Telefax : 02-2719-8516

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Long-term (chronic) aquatic hazard : Category 3

#### GHS label elements

Hazard pictograms : None

Signal word : None

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET



## Viton™ AL-276C fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
5.0	2024/10/17	1927237-00013	Date of first issue: 2017/09/06

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Hazardous ingredients	CAS-No.	Concentration (% w/w)
Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)	Not Assigned	$\geq 1$ -< 2.5
4,4'-(Hexafluoroisopropylidene)diphenol	1478-61-1	$\geq 0.3$ -< 1

### Alternative CAS Numbers for some regions

Hazardous ingredients	Alternative CAS Number(s)
Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)	75768-65-9, 1478-61-1

## 4. FIRST AID MEASURES

### First aid measures for different exposure routes

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

# SAFETY DATA SHEET



## Viton™ AL-276C fluoroelastomer

Version 5.0	Revision Date: 2024/10/17	SDS Number: 1927237-00013	Date of last issue: 2024/07/03 Date of first issue: 2017/09/06
----------------	------------------------------	------------------------------	---

---

Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms  
and effects, both acute and  
delayed

: None known.

Protection of first-aiders

: No special precautions are necessary for first aid responders.

Notes to physician

: Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media

: Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing  
media

: None known.

Specific hazards during fire-  
fighting

: Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-  
ucts

: Carbon oxides  
Fluorine compounds

Specific extinguishing meth-  
ods

: Use extinguishing measures that are appropriate to local cir-  
cumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do  
so.  
Evacuate area.

Special protective equipment  
for firefighters

: Wear self-contained breathing apparatus for firefighting if nec-  
essary.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-  
tive equipment and emer-  
gency procedures

: Follow safe handling advice (see section 7) and personal pro-  
tective equipment recommendations (see section 8).

Environmental precautions

: Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.

# SAFETY DATA SHEET



## Viton™ AL-276C fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	2024/10/17	1927237-00013	2024/07/03
			Date of first issue: 2017/09/06

---

Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### 7. HANDLING AND STORAGE

#### Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.

#### Storage

Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.

Materials to avoid : No special restrictions on storage with other products.

---

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Biological occupational exposure limits

Contains no substances with biological exposure indices.

Engineering measures : Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

# SAFETY DATA SHEET



## Viton™ AL-276C fluoroelastomer

Version 5.0	Revision Date: 2024/10/17	SDS Number: 1927237-00013	Date of last issue: 2024/07/03 Date of first issue: 2017/09/06
----------------	------------------------------	------------------------------	---

sure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and acidic gas/vapour type

### Hand protection

Material : Nitrile rubber  
Glove thickness : 0.38 mm  
Wearing time : 480 min

### Remarks

: Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often!

### Eye protection

: Wear the following personal protective equipment:  
Safety glasses

### Skin and body protection

: Skin should be washed after contact.

### Hygiene measures

: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : sheets

Colour : white, off-white

Odour : odourless

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

# SAFETY DATA SHEET



## Viton™ AL-276C fluoroelastomer

Version 5.0	Revision Date: 2024/10/17	SDS Number: 1927237-00013	Date of last issue: 2024/07/03 Date of first issue: 2017/09/06
----------------	------------------------------	------------------------------	---

---

Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Density	:	1.77 g/cm <sup>3</sup>
Solubility(ies)	:	
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics	:	
Particle size	:	No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	None known.
Conditions to avoid	:	None known.
Incompatible materials	:	None.

# SAFETY DATA SHEET



## Viton™ AL-276C fluoroelastomer

Version 5.0	Revision Date: 2024/10/17	SDS Number: 1927237-00013	Date of last issue: 2024/07/03 Date of first issue: 2017/09/06
----------------	------------------------------	------------------------------	---

Hazardous decomposition products : No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Exposure routes : Skin contact  
Ingestion  
Eye contact

Symptoms of Overexposure : None known.

#### Acute toxicity

Not classified based on available information.

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltri-phenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 425  
Assessment: The substance or mixture has no acute oral toxicity

#### 4,4'-(Hexafluoroisopropylidene)diphenol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### Skin corrosion/irritation

Not classified based on available information.

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltri-phenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Species : Not tested on animals  
Method : OECD Test Guideline 439

# SAFETY DATA SHEET



## Viton™ AL-276C fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
5.0	2024/10/17	1927237-00013	Date of first issue: 2017/09/06

---

|||Result : No skin irritation

### 4,4'-(Hexafluoroisopropylidene)diphenol:

|||Species : Rabbit  
|||Method : OECD Test Guideline 404  
|||Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### Product:

Result : No eye irritation

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltri-phenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

|||Species : In Vitro - Bovine  
|||Result : No eye irritation  
|||Method : OECD Test Guideline 437

### 4,4'-(Hexafluoroisopropylidene)diphenol:

|||Species : Rabbit  
|||Result : Irreversible effects on the eye  
|||Method : OECD Test Guideline 405

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltri-phenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

|||Test Type : Direct Peptide Reactivity Assay (DPRA)  
|||Exposure routes : Skin contact  
|||Species : Not tested on animals  
|||Method : OECD Test Guideline 442C  
|||Result : equivocal



# SAFETY DATA SHEET



## Viton™ AL-276C fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
5.0	2024/10/17	1927237-00013	Date of first issue: 2017/09/06

Test Type	: KeratinoSens assay
Exposure routes	: Skin contact
Species	: Not tested on animals
Method	: OECD Test Guideline 442D
Result	: positive

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

Assessment	: Does not cause skin sensitisation.
------------	--------------------------------------

### 4,4'-(Hexafluoroisopropylidene)diphenol:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

### Chronic toxicity

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

### 4,4'-(Hexafluoroisopropylidene)diphenol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
-----------------------	---

# SAFETY DATA SHEET



## Viton™ AL-276C fluoroelastomer

Version 5.0	Revision Date: 2024/10/17	SDS Number: 1927237-00013	Date of last issue: 2024/07/03 Date of first issue: 2017/09/06
----------------	------------------------------	------------------------------	---

Test Type: In vitro mammalian cell gene mutation test  
Method: OPPTS 870.5300  
Result: equivocal

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### Product:

Reproductive toxicity - Assessment : No toxicity to reproduction

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: positive Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

### 4,4'-(Hexafluoroisopropylidene)diphenol:

Effects on fertility	: Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: positive
Effects on foetal development	: Test Type: Reproduction/Developmental toxicity screening

# SAFETY DATA SHEET



## Viton™ AL-276C fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
5.0	2024/10/17	1927237-00013	Date of first issue: 2017/09/06

ment

test

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 422

Result: negative

Reproductive toxicity - Assessment

: Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Exposure routes

: Ingestion

Target Organs

: Seminal vesicle, Prostate

Assessment

: Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

### 4,4'-(Hexafluoroisopropylidene)diphenol:

Exposure routes

: Ingestion

Target Organs

: Prostate, Seminal vesicle

Assessment

: Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

### Repeated dose toxicity

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Species

: Rat, male and female

NOAEL

: 10 mg/kg

LOAEL

: 100 mg/kg

# SAFETY DATA SHEET



## Viton™ AL-276C fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
5.0	2024/10/17	1927237-00013	Date of first issue: 2017/09/06

Application Route	: Ingestion
Exposure time	: 28 Days
Method	: OECD Test Guideline 407
Remarks	: Based on data from similar materials

### 4,4'-(Hexafluoroisopropylidene)diphenol:

Species	: Rat, male and female
NOAEL	: 10 mg/kg
LOAEL	: 30 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days
Method	: OECD Test Guideline 407

### Aspiration toxicity

Not classified based on available information.

### Further information

#### Product:

Remarks	: According to data on similar materials, and from modeling assessment, the product is not considered to require classification as dangerous to health.
---------	---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

#### Ecotoxicology Assessment

Acute aquatic toxicity	: This product has no known ecotoxicological effects.
------------------------	---

Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.
--------------------------	--

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 1.2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.79 mg/l Exposure time: 48 h Method: OECD Test Guideline 202

# SAFETY DATA SHEET



## Viton™ AL-276C fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	2024/10/17	1927237-00013	2024/07/03
			Date of first issue: 2017/09/06

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.45 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.0087 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 10

### 4,4'-(Hexafluoroisopropylidene)diphenol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 4.2 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 215

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.7 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 3 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.052 mg/l  
Exposure time: 3 d  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 0.125 mg/l  
Exposure time: 120 d  
Method: No data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.23 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

# SAFETY DATA SHEET



## Viton™ AL-276C fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
5.0	2024/10/17	1927237-00013	Date of first issue: 2017/09/06

### Persistence and degradability

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Biodegradability	: Result: Not readily biodegradable. Method: OECD Test Guideline 301B
------------------	--

#### **4,4'-(Hexafluoroisopropylidene)diphenol:**

Biodegradability	: Result: Not readily biodegradable. Method: OECD Test Guideline 301B
------------------	--

### Bioaccumulative potential

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Partition coefficient: n-octanol/water	: log Pow: 2.28
--	-----------------

#### **4,4'-(Hexafluoroisopropylidene)diphenol:**

Bioaccumulation	: Species: Zebrafish Bioconcentration factor (BCF): 9.8 Method: OECD Test Guideline 305
-----------------	---

Partition coefficient: n-octanol/water	: log Pow: 2.79
--	-----------------

### Mobility in soil

No data available

### Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	: Do not dispose of waste into sewer.
---------------------	---------------------------------------

Dispose of in accordance with local regulations.

# SAFETY DATA SHEET



## Viton™ AL-276C fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
5.0	2024/10/17	1927237-00013	Date of first issue: 2017/09/06

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Environmentally hazardous	: no

##### IATA-DGR

UN/ID No.	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Packing instruction (cargo aircraft)	: Not applicable
Packing instruction (passenger aircraft)	: Not applicable

##### IMDG-Code

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
EmS Code	: Not applicable
Marine pollutant	: no

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Special precautions for user

Not applicable

### 15. REGULATORY INFORMATION

#### National regulatory information

Regulations on Occupational Safety and Health Facilities	: applicable
Standards for the Storage, Cleanup, Handling and	: applicable

# SAFETY DATA SHEET



## Viton™ AL-276C fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	2024/10/17	1927237-00013	2024/07/03
			Date of first issue: 2017/09/06

Disposal of Industrial Waste	
Regulations on Labelling and Hazard Communication of Hazardous Chemicals	: Not classified as dangerous or harmful substances
Rules on Road Traffic Safety	: Not applicable
Standards of Permissible Exposure Limits in Workplace	: Contains no substances with occupational exposure limit values.
Rules on the Prevention of Poisoning from Organic Solvents.	: Not applicable
Standard for the Control of Designated Hazardous and Dangerous Chemicals	: Not applicable
Establishment Standards and Safety Control Regulations for Manufacturing, Storing, Processing Public Hazardous Substances and Flammable Pressurized Gases Places	: Not applicable
Toxic and Concerned Chemical Substances Control Act	
Toxic chemical substances	: Not applicable
Concerned chemical substances	: Not applicable
Regulations for Governing Designating and Handling of Priority Management Chemicals	: Not applicable

### 16. OTHER INFORMATION

Other information : Viton™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.  
Chemours™ and the Chemours Logo are trademarks of The Chemours Company.  
Before use read Chemours safety information.  
For further information contact the local Chemours office or nominated distributors.

#### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Responsible Department : 130000026453  
The Chemours (Taiwan) Company Limited  
Product Sustainability Department  
7F., No. 167, Dunhua N. Rd., Songshan Dist., Taipei City 105, Taiwan

Prepared by : 0080-112-7758  
Zhenwen Tu / Product Stewardship and Regulatory Compliance Expert

Revision Date : 2024/10/17

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.



# SAFETY DATA SHEET



## Viton™ AL-276C fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
5.0	2024/10/17	1927237-00013	Date of first issue: 2017/09/06

---

Date format : yyyy/mm/dd

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

TW / EN