

# SAFETY DATA SHEET



## Starblast™ XL

Version	Revision Date:	SDS Number:	Date of last issue: 2024/10/16
6.0	2025/05/07	8383929-00008	Date of first issue: 2021/04/23

### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Starblast™ XL

SDS-Identcode : 130000030940

#### Supplier's company name, address and phone number

Company name of supplier : Chemours Kabushiki Kaisha

Address : Kamiyacho Prime Place, 4-1-17, Toranomom, Minato-ku, Tokyo, Japan

Telephone : 050-3823-0500

Emergency telephone number : 0120 081167

Prepared by : Product Stewardship & Regulatory

#### Recommended use of the chemical and restrictions on use

Recommended use : Abrasive blasting  
Sand blasting

Restrictions on use : For industrial use only.

### 2. HAZARDS IDENTIFICATION

#### GHS classification of chemical product

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

#### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Staurolite#	12182-56-8	>= 80 - < 90	-

# SAFETY DATA SHEET



## Starblast™ XL

Version 6.0	Revision Date: 2025/05/07	SDS Number: 8383929-00008	Date of last issue: 2024/10/16 Date of first issue: 2021/04/23
----------------	------------------------------	------------------------------	---

Leucoxene	12173-81-8	$\geq 1 - < 10$	-
Rutile (TiO <sub>2</sub> )	1317-80-2	$\geq 0.1 - < 1$	1-558
Quartz	14808-60-7	$\geq 0.1 - < 1$	1-548

# Voluntarily-disclosed substance

### 4. FIRST AID MEASURES

- |   |   |
|---|---|
| If inhaled  | : If inhaled, remove to fresh air.<br>Get medical attention if symptoms occur.  |
| In case of skin contact                                     | : Wash with water and soap as a precaution.<br>Get medical attention if symptoms occur.                                   |
| In case of eye contact                                      | : Flush eyes with water as a precaution.<br>Get medical attention if irritation develops and persists.                    |
| If swallowed  | : If swallowed, DO NOT induce vomiting.<br>Get medical attention if symptoms occur.<br>Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : irritant effects  |
| Protection of first-aiders                                  | : No special precautions are necessary for first aid responders.  |
| Notes to physician  | : Treat symptomatically and supportively.   |

### 5. FIREFIGHTING MEASURES

- |                                       |   |
|---------------------------------------|---|
| Suitable extinguishing media          | : Not applicable<br>Will not burn   |
| Unsuitable extinguishing media        | : Not applicable<br>Will not burn   |
| Specific hazards during fire-fighting | : Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products         | : No hazardous combustion products are known  |
| Specific extinguishing methods        | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers. |

# SAFETY DATA SHEET



## Starblast™ XL

Version 6.0	Revision Date: 2025/05/07	SDS Number: 8383929-00008	Date of last issue: 2024/10/16 Date of first issue: 2021/04/23
----------------	------------------------------	------------------------------	---

---

Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### 7. HANDLING AND STORAGE

#### Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

Avoidance of contact : None.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

# SAFETY DATA SHEET



## Starblast™ XL

Version 6.0      Revision Date: 2025/05/07      SDS Number: 8383929-00008      Date of last issue: 2024/10/16  
Date of first issue: 2021/04/23

### Storage

Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.

Materials to avoid : No special restrictions on storage with other products.

Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
Leucoxene	12173-81-8	OEL-M (Respirable dust)	1 mg/m <sup>3</sup> (Titanium)	JP OEL JSOH
		OEL-M (Total dust)	4 mg/m <sup>3</sup> (Titanium)	JP OEL JSOH
Rutile (TiO <sub>2</sub> )	1317-80-2	OEL-M (Respirable particulate matter)	1.5 mg/m <sup>3</sup> (Titanium)	JP OEL JSOH
	Further information: Group 2B: possibly carcinogenic to humans			
		OEL-M (Total particulate matter)	2 mg/m <sup>3</sup> (Titanium)	JP OEL JSOH
	Further information: Group 2B: possibly carcinogenic to humans			
		TWA (Respirable particulate matter)	2.5 mg/m <sup>3</sup> (Titanium dioxide)	ACGIH
Quartz	14808-60-7	OEL-C (Respirable particulate matter)	0.03 mg/m <sup>3</sup> (Silica)	JP OEL JSOH
	Further information: Group 1: carcinogenic to humans			
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH

This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Quartz

# SAFETY DATA SHEET



## Starblast™ XL

Version 6.0	Revision Date: 2025/05/07	SDS Number: 8383929-00008	Date of last issue: 2024/10/16 Date of first issue: 2021/04/23
----------------	------------------------------	------------------------------	---

---

**Engineering measures** : If using this product as an abrasive blast agent in confined areas, airborne dust levels should be controlled by physical enclosure of the abrasive blasting operation. The enclosure should be exhaust ventilated.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection  
Material : Protective gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often!

Eye protection : Wear the following personal protective equipment:  
Safety glasses

Skin and body protection : Skin should be washed after contact.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid, dry, free flowing granules

Colour : red brown

Odour : odourless

Odour Threshold : No data available

Melting point/freezing point : 1,370 °C

Boiling point, initial boiling point and boiling range : No data available

# SAFETY DATA SHEET



## Starblast™ XL

Version 6.0	Revision Date: 2025/05/07	SDS Number: 8383929-00008	Date of last issue: 2024/10/16 Date of first issue: 2021/04/23
----------------	------------------------------	------------------------------	---

---

Flammability (solid, gas) : Will not burn  
Not expected to form explosive dust-air mixtures.

Lower explosion limit and upper explosion limit / flammability limit  
Upper explosion limit / Upper flammability limit : No data available  
Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

Decomposition temperature : The substance or mixture is not classified self-reactive.

pH : No data available

Evaporation rate : Not applicable

Auto-ignition temperature : No data available

Viscosity  
Viscosity, kinematic : Not applicable

Solubility(ies)  
Water solubility : insoluble

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : Not applicable

Density and / or relative density  
Relative density : 3.7

Relative vapour density : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics  
Particle size : No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

# SAFETY DATA SHEET



## Starblast™ XL

Version	Revision Date:	SDS Number:	Date of last issue: 2024/10/16
6.0	2025/05/07	8383929-00008	Date of first issue: 2021/04/23

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	None known.
Conditions to avoid	:	None known.
Incompatible materials	:	None.
Hazardous decomposition products	:	No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Skin contact Ingestion Eye contact
--	---	--

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **Staurolite:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

##### **Leucoxene:**

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
---------------------	---	---

##### **Rutile (TiO<sub>2</sub>):**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 425 Remarks: Based on data from similar materials
---------------------	---	---

##### **Quartz:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
---------------------	---	---------------------------

#### **Skin corrosion/irritation**

Not classified based on available information.

# SAFETY DATA SHEET



## Starblast™ XL

Version	Revision Date:	SDS Number:	Date of last issue: 2024/10/16
6.0	2025/05/07	8383929-00008	Date of first issue: 2021/04/23

---

### Components:

#### **Leucoxene:**

Species	: Rabbit
Result	: No skin irritation
Remarks	: Based on data from similar materials

#### **Rutile (TiO<sub>2</sub>):**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Information given is based on data obtained from similar substances.

### **Serious eye damage/eye irritation**

Not classified based on available information.

### Components:

#### **Leucoxene:**

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

#### **Rutile (TiO<sub>2</sub>):**

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### Components:

#### **Leucoxene:**

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials



# SAFETY DATA SHEET



## Starblast™ XL

Version	Revision Date:	SDS Number:	Date of last issue: 2024/10/16
6.0	2025/05/07	8383929-00008	Date of first issue: 2021/04/23

---

### Rutile (TiO<sub>2</sub>):

Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative
Remarks	: Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Leucoxene:

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative Remarks: Based on data from similar materials

### Rutile (TiO<sub>2</sub>):

Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	--

### Carcinogenicity

Not classified based on available information.

### Components:

#### Rutile (TiO<sub>2</sub>):

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

#### Quartz:

Species	: Humans
Application Route	: inhalation (dust/mist/fume)
Result	: positive
Remarks	: This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Carcinogenicity - Assessment	: Positive evidence from human epidemiological studies (inhalation)
------------------------------	---

# SAFETY DATA SHEET



## Starblast™ XL

Version 6.0	Revision Date: 2025/05/07	SDS Number: 8383929-00008	Date of last issue: 2024/10/16 Date of first issue: 2021/04/23
----------------	------------------------------	------------------------------	---

---

### Reproductive toxicity

Not classified based on available information.

#### Components:

##### Rutile (TiO<sub>2</sub>):

Reproductive toxicity - Assessment	: Weight of evidence does not support classification for reproductive toxicity
------------------------------------	--

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

#### Components:

##### Rutile (TiO<sub>2</sub>):

Assessment	: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.
------------	--

##### Quartz:

Exposure routes	: inhalation (dust/mist/fume)
Target Organs	: Lungs
Assessment	: Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.

### Repeated dose toxicity

#### Components:

##### Leucoxene:

Species	: Rat
NOAEL	: > 100 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Remarks	: Based on data from similar materials

##### Rutile (TiO<sub>2</sub>):

Species	: Rat
NOAEL	: 24,000 mg/kg
LOAEL	: > 24,000 mg/kg
Application Route	: Ingestion
Exposure time	: 28 d
Remarks	: No significant adverse effects were reported Based on data from similar materials

##### Quartz:

Species	: Humans
LOAEL	: 0.053 mg/m <sup>3</sup>

# SAFETY DATA SHEET



## Starblast™ XL

Version 6.0	Revision Date: 2025/05/07	SDS Number: 8383929-00008	Date of last issue: 2024/10/16 Date of first issue: 2021/04/23
----------------	------------------------------	------------------------------	---

Application Route	: inhalation (dust/mist/fume)
Remarks	: This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

### Aspiration toxicity

Not classified based on available information.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### Leucoxene:

Toxicity to fish	: LC50 (Cyprinodon variegatus (sheepshead minnow)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: LC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials

##### Rutile (TiO<sub>2</sub>):

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (algae): > 10,000 mg/l Exposure time: 72 h Remarks: Based on data from similar materials  NOEC (algae): 5,600 mg/l Exposure time: 72 h Remarks: Based on data from similar materials

##### Quartz:

#### Ecotoxicology Assessment

Acute aquatic toxicity	: No toxicity at the limit of solubility
Chronic aquatic toxicity	: No toxicity at the limit of solubility

# SAFETY DATA SHEET



## Starblast™ XL

Version 6.0	Revision Date: 2025/05/07	SDS Number: 8383929-00008	Date of last issue: 2024/10/16 Date of first issue: 2021/04/23
----------------	------------------------------	------------------------------	---

---

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Components:

#### Rutile (TiO<sub>2</sub>):

Bioaccumulation	:	Remarks: Bioaccumulation is unlikely. Based on data from similar materials
-----------------	---	---

### Mobility in soil

No data available

### Hazardous to the ozone layer

Not applicable

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

#### IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo)	:	Not applicable

# SAFETY DATA SHEET



## Starblast™ XL

Version	Revision Date:	SDS Number:	Date of last issue: 2024/10/16
6.0	2025/05/07	8383929-00008	Date of first issue: 2021/04/23

---

aircraft)  
Packing instruction (passenger aircraft) : Not applicable

### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

Refer to section 15 for specific national regulation.

### Special precautions for user

Not applicable

---

## 15. REGULATORY INFORMATION

### Related Regulations

#### Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

#### Industrial Safety and Health Law

#### Harmful Substances Prohibited from Manufacture

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### Substances Prevented From Impairment of Health

Not applicable

#### Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

#### Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

#### Substances Subject to be Notified Names

Law Article 57-2 (Ministerial Order Article 34-2 Appended Table 2)

# SAFETY DATA SHEET



## Starblast™ XL

Version	Revision Date:	SDS Number:	Date of last issue: 2024/10/16
6.0	2025/05/07	8383929-00008	Date of first issue: 2021/04/23

Chemical name	Concentration (%)	Remarks
Titanium(IV) oxide	$\geq 0.1 - < 1.1$	-
Silica, crystalline	$\geq 0.1 - < 1.1$	-

### Substances Subject to be Indicated Names

Law Article 57 (Ministerial Order Article 30 Appended Table 2)

Chemical name	Remarks
Titanium(IV) oxide	-
Silica, crystalline	-

### Skin and Eye Damage Substances (ISHL MO Art. 594-2)

Not applicable

### Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

### Ordinance on Prevention of Lead Poisoning

Not applicable

### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

### Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

### Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

### Poisonous and Deleterious Substances Control Law

Not applicable

### Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

### High Pressure Gas Safety Act

Not applicable

### Explosive Control Law

Not applicable

### Vessel Safety Law

Not regulated as a dangerous good

### Aviation Law

Not regulated as a dangerous good

### Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

# SAFETY DATA SHEET



## Starblast™ XL

Version	Revision Date:	SDS Number:	Date of last issue:
6.0	2025/05/07	8383929-00008	2024/10/16
			Date of first issue: 2021/04/23

Pack transportation : Not classified as marine pollutant

### Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

### Waste Disposal and Public Cleansing Law

Industrial waste

## 16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Other information : Starblast™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.  
Chemours™ and the Chemours Logo are trademarks of The Chemours Company.  
Before use read Chemours safety information.  
For further information contact the local Chemours office or nominated distributors.  
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.  
This product contains Naturally Occurring Radioactive Materials (NORMs) at levels below U.S. Nuclear Regulatory Commission licensing requirements at 10 CFR 40. Many local jurisdictions are developing new regulations for the disposal of waste containing Naturally Occurring Radioactive Materials (NORM) or Technologically Enhanced Naturally Occurring Radioactive Materials (TENORM) above background levels. Consult and comply with current regulations.  
The main radiological hazard from the product is internal exposure from small amounts of alpha particles given off by inhaled dust. Industrial hygiene practices aimed at control of airborne dust can lessen the potential for exposure. Overexposure by inhalation to inhaled dusts containing radioactive uranium, thorium, and radium may cause lung cancer. Low level gamma radiation in proximity to bulk or bagged stockpiles of these products may present a lesser, external exposure that can be managed by limiting close proximity for long time periods to large volumes of material.  
With respect to dust exposure, evaluation and calculation based upon dosimetry (ICRP 68) yield the following guidance to ensure that inhalation intake is less than a 100 mrem/yr public dose reference point for radionuclides.  
For a total dust with aerodynamic diameter of 1 µm, the calculated reference dust level is 17.4 mg/m<sup>3</sup>. For a total dust with

# SAFETY DATA SHEET



## Starblast™ XL

Version	Revision Date:	SDS Number:	Date of last issue:
6.0	2025/05/07	8383929-00008	2024/10/16
			Date of first issue: 2021/04/23

---

aerodynamic diameter of 5 µm, the calculated reference dust level is 27.0 mg/m<sup>3</sup>. For a total dust with aerodynamic diameter of 10 µm, the calculated reference dust level is 39.8 mg/m<sup>3</sup>.

The calculations noted above are based upon 8 hr/day TWAs. It should be noted that for these products, the actual particle physical diameter is approximately 1/2 the effective aerodynamic diameter. For these products, as shipped, with essentially no particles as small as calculated above, the highest total dust level can provide a conservative limit. However, if during handling or use the particles are broken down to finer particle sizes, lower levels of total dust would apply.

These reference calculations for radionuclides may or may not provide the most conservative recommendation vs. other trace contaminants as compared to specific country dust contaminant limit calculations. It is recommended that the user compare and calculate or measure for specific contaminants vs. reference limits, especially if particles are broken down, to determine the most appropriate standard for protection.

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average  
JP OEL JSOH / OEL-M : Occupational Exposure Limit-Mean  
JP OEL JSOH / OEL-C : Occupational Exposure Limit-Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International



# SAFETY DATA SHEET



## Starblast™ XL

Version	Revision Date:	SDS Number:	Date of last issue: 2024/10/16
6.0	2025/05/07	8383929-00008	Date of first issue: 2021/04/23

---

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN