

SAFETY DATA SHEET



Capstone™ FS-81

Version 15.2	Revision Date: 2024/10/21	SDS Number (Internal): 1335445-00052	MSDS number: AA00152-0000042934 Date of last issue: 2023/11/01 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Capstone™ FS-81

SDS-Identcode : 130000042934

Recommended use of the chemical and restrictions on use

Recommended use : Additive

Restrictions on use : For industrial use only.
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

Manufacturer or supplier's details

Company : Chemours Korea Inc.

Address : 12FL, Majestarcity Tower 1, 12, Seocho-daero 38-gil, Seocho-gu, Seoul 06655, Korea

Telephone : 82-2-2015-5000

Emergency telephone number : 080-880-0454

Telefax : 82-2-2015-5091

2. HAZARDS IDENTIFICATION

GHS Classification

Skin sensitisation : Category 1

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms :



Signal word : Warning

SAFETY DATA SHEET



Capstone™ FS-81

Version 15.2	Revision Date: 2024/10/21	SDS Number (Internal): 1335445-00052	MSDS number: AA00152-0000042934 Date of last issue: 2023/11/01 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

Hazard statements : H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P261 Avoid breathing mist or vapours.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
Disposal:
P501 Dispose of contents/ container according to waste-related laws

Other hazards which do not result in classification

Inhalation of decomposition products in high concentration may cause shortness of breath (lung oedema).

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name	CAS-No.	Concentration (% w/w)
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Isothiazolinone Chloride	55965-84-9	≥ 0.0025 - < 0.025

Alternative CAS Numbers for some regions

Chemical name	Alternative CAS Number(s)
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	2682-20-4, 26172-55-4

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

SAFETY DATA SHEET



Capstone™ FS-81

Version 15.2	Revision Date: 2024/10/21	SDS Number (Internal): 1335445-00052	MSDS number: AA00152-0000042934 Date of last issue: 2023/11/01 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Inhalation may provoke the following symptoms: Lung oedema Discomfort Irritation Lachrymation Redness Shortness of breath Eye contact may provoke the following symptoms tearing Redness Discomfort May cause an allergic skin reaction.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable and unsuitable extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire- : Vapours may form explosive mixtures with air.

SAFETY DATA SHEET



Capstone™ FS-81

Version 15.2	Revision Date: 2024/10/21	SDS Number (Internal): 1335445-00052	MSDS number: AA00152-0000042934 Date of last issue: 2023/11/01 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

fighting	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

SAFETY DATA SHEET



Capstone™ FS-81

Version 15.2	Revision Date: 2024/10/21	SDS Number (Internal): 1335445-00052	MSDS number: AA00152-0000042934 Date of last issue: 2023/11/01 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Do not get on skin or clothing. Avoid breathing mist or vapours. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Take care to prevent spills, waste and minimize release to the environment. Do not breathe decomposition products.
Conditions for safe storage	: Keep in properly labelled containers. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents
Recommended storage temperature	: 5 - 40 °C
Further information on storage stability	: Stable under normal conditions. Do not freeze. Perishable if frozen.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	TWA (Inhalable fraction)	0.1 mg/m ³	KR OEL

Other ingredients, which are listed in section 3 but not listed in this section, do not have established occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type	Control parameters	Basis
------------	---------	------------	--------------------	-------

SAFETY DATA SHEET



Capstone™ FS-81

Version 15.2	Revision Date: 2024/10/21	SDS Number (Internal): 1335445-00052	MSDS number: AA00152-0000042934 Date of last issue: 2023/11/01 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

		(Form of exposure)	ters / Permissible concentration	
hydrofluoric acid	7664-39-3	TWA	0.5 ppm (Fluorine)	KR OEL
	Further information: Substances designated by 'Skin' may be absorbed into the bloodstream through the skin, mucous membrane and eye and contribute to the overall effect. (Skin notation does not apply to the skin irritant)			
		C	3 ppm (Fluorine)	KR OEL
	Further information: Substances designated by 'Skin' may be absorbed into the bloodstream through the skin, mucous membrane and eye and contribute to the overall effect. (Skin notation does not apply to the skin irritant)			
		TWA	0.5 ppm (Fluorine)	ACGIH
		C	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	KR OEL
		STEL	5 ppm	KR OEL
		TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
Carbon dioxide	124-38-9	TWA	5,000 ppm	KR OEL
		STEL	30,000 ppm	KR OEL
		TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
Carbon monoxide	630-08-0	TWA	30 ppm	KR OEL
	Further information: Known human reproductive toxicant			
		STEL	200 ppm	KR OEL
	Further information: Known human reproductive toxicant			
		TWA	30 ppm	KR PEL
		STEL	200 ppm	KR PEL
		TWA	25 ppm	ACGIH

Engineering measures : Processing may form hazardous compounds (see section 10).
Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment. Among the following personal protective equipment, the PPEs which require safety certification need to be certified by KOSHA.

Respiratory protection : Use respiratory protection (gas mask) unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Combined particulates and acidic gas/vapour type

SAFETY DATA SHEET



Capstone™ FS-81

Version 15.2	Revision Date: 2024/10/21	SDS Number (Internal): 1335445-00052	MSDS number: AA00152-0000042934 Date of last issue: 2023/11/01 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

- Eye protection : Wear the following personal protective equipment:
Safety glasses
- Hand protection
Material : Viton®
- Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often!
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
-

9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : light yellow
- Odour : slight
- Odour Threshold : No data available
- pH : 5.5 - 7.0
- Melting point/freezing point : 0 °C
- Initial boiling point and boiling range : No data available

SAFETY DATA SHEET



Capstone™ FS-81

Version 15.2	Revision Date: 2024/10/21	SDS Number (Internal): 1335445-00052	MSDS number: AA00152-0000042934 Date of last issue: 2023/11/01 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

Flash point	:	> 93 °C
		Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Relative vapour density	:	No data available
Relative density	:	1.1
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	> 200 °C
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions	:	Reactivity: Not classified as a reactivity hazard.
---	---	---

SAFETY DATA SHEET



Capstone™ FS-81

Version 15.2	Revision Date: 2024/10/21	SDS Number (Internal): 1335445-00052	MSDS number: AA00152-0000042934 Date of last issue: 2023/11/01 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

Chemical stability:
Stable under normal conditions.
Possibility of hazardous reactions:
Vapours may form explosive mixture with air.
Can react with strong oxidizing agents.
Hazardous decomposition products will be formed at elevated temperatures.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products

Thermal decomposition : hydrofluoric acid
Carbonyl difluoride
Carbon dioxide
Carbon monoxide

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Health hazard information

Acute toxicity

No data available

Product:

Acute oral toxicity : (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1.36 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Components:

Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Acute oral toxicity : LD50 (Rat): 64 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.171 mg/l
Exposure time: 4 h

SAFETY DATA SHEET



Capstone™ FS-81

Version 15.2	Revision Date: 2024/10/21	SDS Number (Internal): 1335445-00052	MSDS number: AA00152-0000042934 Date of last issue: 2023/11/01 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

Test atmosphere: dust/mist
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 87.12 mg/kg

Skin corrosion/irritation

No data available

Product:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Components:

Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Species : Rabbit
Method : OECD Test Guideline 404
Result : Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

No data available

Product:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Components:

Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Result : Irreversible effects on the eye
Remarks : Based on skin corrosivity.

Respiratory or skin sensitisation

Respiratory sensitisation

No data available

Skin sensitisation

May cause an allergic skin reaction.

Components:

Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Test Type : Buehler Test

SAFETY DATA SHEET



Capstone™ FS-81

Version 15.2	Revision Date: 2024/10/21	SDS Number (Internal): 1335445-00052	MSDS number: AA00152-0000042934 Date of last issue: 2023/11/01 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

Exposure routes : Skin contact
Species : Guinea pig
Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in humans

Carcinogenicity

No data available

Components:

Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

No data available

Germ cell mutagenicity

No data available

Components:

Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

No data available

Reproductive toxicity

No data available

Components:

Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Repeated dose toxicity

No data available

Aspiration toxicity

No data available

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

SAFETY DATA SHEET



Capstone™ FS-81

Version 15.2	Revision Date: 2024/10/21	SDS Number (Internal): 1335445-00052	MSDS number: AA00152-0000042934 Date of last issue: 2023/11/01 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

Neurological effects

No data available

Further information

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 120 mg/l
Exposure time: 48 h

Components:

Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.16 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 0.0052 mg/l
Exposure time: 48 h

NOEC (Skeletonema costatum (marine diatom)): 0.00049 mg/l
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.02 mg/l
Exposure time: 36 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.10 mg/l
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 100

Persistence and degradability

Components:

Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Biodegradability : Result: Not readily biodegradable.

SAFETY DATA SHEET



Capstone™ FS-81

Version 15.2	Revision Date: 2024/10/21	SDS Number (Internal): 1335445-00052	MSDS number: AA00152-0000042934 Date of last issue: 2023/11/01 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

Biodegradation: 62 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Partition coefficient: n-octanol/water : log Pow: < 1

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of contents and container according to wastes control act.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Disposal precautions

Dispose of contents and container according to wastes control act.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable

SAFETY DATA SHEET



Capstone™ FS-81

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00152-0000042934
15.2	2024/10/21	1335445-00052	Date of last issue: 2023/11/01
			Date of first issue: 2017/02/27

Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Regulation under the Occupational Safety and Health Act

Harmful Substances Prohibited from Manufacturing

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Harmful Agents to be kept below Occupational Exposure Limits

Chemical name	CAS-No.
5-Chloro-2-methyl-3(2H)-isothiazolone, mixt. with 2-methyl-3(2H)-isothiazolone	55965-84-9

Harmful Agents Required to be kept below Permission Levels

Not applicable

Hazardous substances requiring management

Not applicable

Special Management Materials

Not applicable

SAFETY DATA SHEET



Capstone™ FS-81

Version 15.2	Revision Date: 2024/10/21	SDS Number (Internal): 1335445-00052	MSDS number: AA00152-0000042934 Date of last issue: 2023/11/01 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

Controlled Substances Subject to Environment Monitoring

Not applicable

Controlled Substances Subject to Health Examination

Not applicable

Hazardous Substances Subject to Process Safety Management (PSM) Reporting Obligation

Not applicable

K-OSHA Hazardous Substances (Occupational Safety and Health Regulations, Table 1)

Not applicable

K-OSHA Hazardous Substances (Occupational Safety and Health Regulations, Table 9)

Not applicable

Regulation under the Chemicals Control Act

Toxic Chemicals

Not applicable

Restricted Chemicals

Not applicable

Prohibited Chemicals

Not applicable

Toxic Release Inventory

Not applicable

Accident Precaution Chemicals

Not applicable

Dangerous Substances Safety Management Act

Not Applicable to Dangerous Materials

Wastes Control Act

Industrial general wastes

Follow article 13 of the act to dispose the product waste

16. OTHER INFORMATION

Other information : Capstone™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.
Chemours™ and the Chemours Logo are trademarks of The Chemours Company.
Before use read Chemours safety information.
For further information contact the local Chemours office or nominated distributors.

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD

SAFETY DATA SHEET



Capstone™ FS-81

Version 15.2	Revision Date: 2024/10/21	SDS Number (Internal): 1335445-00052	MSDS number: AA00152-0000042934 Date of last issue: 2023/11/01 Date of first issue: 2017/02/27
-----------------	------------------------------	---	--

compile the Safety Data Sheet

eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Issuing date : 2017/02/27


Revision number and date

Number of Revision : 51

Revision Date : 2024/10/21

Date format : yyyy/mm/dd

NFPA:



Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
KR OEL	: Harmful Agents to be kept below Occupational Exposure Limits
KR PEL	: Harmful Agents Required to be kept below Permission Levels
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
ACGIH / C	: Ceiling limit
KR OEL / TWA	: Time Weighted Average
KR OEL / STEL	: Short Term Exposure Limit
KR OEL / C	: Ceiling
KR PEL / TWA	: TWA
KR PEL / STEL	: STEL

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for

SAFETY DATA SHEET



Capstone™ FS-81

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00152-0000042934
15.2	2024/10/21	1335445-00052	Date of last issue: 2023/11/01
			Date of first issue: 2017/02/27

Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

KR / EN