

SAFETY DATA SHEET

according to the Globally Harmonized System



Viton™ VTR-9161 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
4.4	15.05.2025	1330202-00047	Date of first issue: 27.02.2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Viton™ VTR-9161 fluoroelastomer

SDS-Identcode : 130000025247

Manufacturer or supplier's details

Company : The Chemours India Private Limited

Address : Gala Impecca, 1st Floor, Opposite Sangam Big Cinema, Andheri Kurla Road, Chakala, Andheri East, Maharashtra
Mumbai – 400069 India

Telephone : 91 22 6227 3300

Emergency telephone number : 000 800 100 7141 (Chemtrec) or 91 22 6227 3300

Recommended use of the chemical and restrictions on use

Recommended use : Rubber products
Resin for moulding and/or extrusion

Restrictions on use : For industrial use only.
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET

according to the Globally Harmonized System



Viton™ VTR-9161 fluoroelastomer

Version 4.4 Revision Date: 15.05.2025 SDS Number: 1330202-00047 Date of last issue: 17.10.2024
Date of first issue: 27.02.2017

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Wollastonite	13983-17-0	$\geq 1 - < 5$
4,4'-(Hexafluoroisopropylidene)diphenol	1478-61-1	$\geq 1 - < 2.5$

4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : None known.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Fluorine compounds
Silicon oxides
Metal oxides
Hydrogen fluoride
carbonyl fluoride

SAFETY DATA SHEET

according to the Globally Harmonized System



Viton™ VTR-9161 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
4.4	15.05.2025	1330202-00047	Date of first issue: 27.02.2017

potentially toxic fluorinated compounds
aerosolized particulates

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Do not breathe decomposition products.

SAFETY DATA SHEET

according to the Globally Harmonized System



Viton™ VTR-9161 fluoroelastomer

Version 4.4 Revision Date: 15.05.2025 SDS Number: 1330202-00047 Date of last issue: 17.10.2024
Date of first issue: 27.02.2017

Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.

Materials to avoid : No special restrictions on storage with other products.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Wollastonite	13983-17-0	TWA (Inhalable particulate matter)	1 mg/m ³	ACGIH

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	CEIL	3 ppm 2.5 mg/m ³ (Fluorine)	IN OEL
		TWA	0.5 ppm (Fluorine)	ACGIH
		C	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2.5 mg/m ³ (Fluorine)	IN OEL
		TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
Carbon monoxide	630-08-0	TWA	50 ppm 55 mg/m ³	IN OEL
		STEL	400 ppm 440 mg/m ³	IN OEL
		TWA	25 ppm	ACGIH

Engineering measures : Processing may form hazardous compounds (see section 10).
Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and acidic gas/vapour type

Hand protection

SAFETY DATA SHEET

according to the Globally Harmonized System



Viton™ VTR-9161 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
4.4	15.05.2025	1330202-00047	Date of first issue: 27.02.2017

Material	:	Nitrile rubber
Glove thickness	:	0.38 mm
Wearing time	:	480 min

Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often!
---------	---	---

Eye protection	:	Wear the following personal protective equipment: Safety glasses
----------------	---	---

Skin and body protection	:	Skin should be washed after contact.
--------------------------	---	--------------------------------------

Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
------------------	---	--

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	sheets
------------	---	--------

Colour	:	white, off-white
--------	---	------------------

Odour	:	odourless
-------	---	-----------

Odour Threshold	:	No data available
-----------------	---	-------------------

pH	:	No data available
----	---	-------------------

Melting point/freezing point	:	No data available
------------------------------	---	-------------------

Initial boiling point and boiling range	:	No data available
---	---	-------------------

Flash point	:	Not applicable
-------------	---	----------------

Evaporation rate	:	Not applicable
------------------	---	----------------

Flammability (solid, gas)	:	No data available
---------------------------	---	-------------------

SAFETY DATA SHEET

according to the Globally Harmonized System



Viton™ VTR-9161 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
4.4	15.05.2025	1330202-00047	Date of first issue: 27.02.2017

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	None.

Hazardous decomposition products

Thermal decomposition	:	Hydrofluoric acid Carbonyl difluoride Carbon dioxide Carbon monoxide
-----------------------	---	---

SAFETY DATA SHEET

according to the Globally Harmonized System



Viton™ VTR-9161 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
4.4	15.05.2025	1330202-00047	Date of first issue: 27.02.2017

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Assessment: The substance or mixture has no acute oral toxicity

Components:

Wollastonite:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

4,4'-(Hexafluoroisopropylidene)diphenol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Wollastonite:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

SAFETY DATA SHEET

according to the Globally Harmonized System



Viton™ VTR-9161 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
4.4	15.05.2025	1330202-00047	Date of first issue: 27.02.2017

4,4'-(Hexafluoroisopropylidene)diphenol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result	:	No eye irritation
--------	---	-------------------

Components:

Wollastonite:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritation to eyes, reversing within 21 days
Remarks	:	Based on data from similar materials

4,4'-(Hexafluoroisopropylidene)diphenol:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Wollastonite:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	negative
Remarks	:	Based on data from similar materials

4,4'-(Hexafluoroisopropylidene)diphenol:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

SAFETY DATA SHEET

according to the Globally Harmonized System



Viton™ VTR-9161 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
4.4	15.05.2025	1330202-00047	Date of first issue: 27.02.2017

Components:

Wollastonite:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow
cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

4,4'-(Hexafluoroisopropylidene)diphenol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OPPTS 870.5300
Result: equivocal

Carcinogenicity

Not classified based on available information.

Components:

Wollastonite:

Species : Rat
Application Route : inhalation (dust/mist/fume)
Exposure time : 24 Months
Result : negative

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - Assessment : No toxicity to reproduction

Components:

Wollastonite:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat

SAFETY DATA SHEET

according to the Globally Harmonized System



Viton™ VTR-9161 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
4.4	15.05.2025	1330202-00047	Date of first issue: 27.02.2017

Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

4,4'-(Hexafluoroisopropylidene)diphenol:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: positive

Effects on foetal development : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Components:

4,4'-(Hexafluoroisopropylidene)diphenol:

Exposure routes : Ingestion
Target Organs : Prostate, Seminal vesicle
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Repeated dose toxicity

Components:

Wollastonite:

Species : Rat
NOAEL : 2,500 mg/kg
LOAEL : 3,750 mg/kg
Application Route : Ingestion
Exposure time : 2 yr
Remarks : Based on data from similar materials

SAFETY DATA SHEET

according to the Globally Harmonized System



Viton™ VTR-9161 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
4.4	15.05.2025	1330202-00047	Date of first issue: 27.02.2017

4,4'-(Hexafluoroisopropylidene)diphenol:

Species	: Rat, male and female
NOAEL	: 10 mg/kg
LOAEL	: 30 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days
Method	: OECD Test Guideline 407

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : According to data on similar materials, and from modeling assessment, the product is not considered to require classification as dangerous to health.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Components:

Wollastonite:

Toxicity to fish	: LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials EL10 (Desmodesmus subspicatus (green algae)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction

SAFETY DATA SHEET

according to the Globally Harmonized System



Viton™ VTR-9161 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
4.4	15.05.2025	1330202-00047	Date of first issue: 27.02.2017

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

4,4'-(Hexafluoroisopropylidene)diphenol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 4.2 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 215

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 2.7 mg/l
aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : ErC50 (Desmodesmus subspicatus (green algae)): 3 mg/l
plants Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.052 mg/l

Exposure time: 3 d

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox- : NOEC: 0.125 mg/l
icity) Exposure time: 120 d
Species: Danio rerio (zebra fish)
Method: No data available

Toxicity to daphnia and other : NOEC: 0.23 mg/l
aquatic invertebrates (Chronic toxicity) Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic : 1
toxicity)

Persistence and degradability

Components:

4,4'-(Hexafluoroisopropylidene)diphenol:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

4,4'-(Hexafluoroisopropylidene)diphenol:

Bioaccumulation : Species: Zebrafish
Bioconcentration factor (BCF): 9.8
Method: OECD Test Guideline 305

Partition coefficient: n- : log Pow: 2.79
octanol/water

SAFETY DATA SHEET

according to the Globally Harmonized System



Viton™ VTR-9161 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
4.4	15.05.2025	1330202-00047	Date of first issue: 27.02.2017

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : According to data on similar materials, and from modelling assessment, the product is not considered to require classification as dangerous to the environment.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

16. OTHER INFORMATION

Revision Date	:	15.05.2025
Other information	:	Viton™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

SAFETY DATA SHEET

according to the Globally Harmonized System



Viton™ VTR-9161 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
4.4	15.05.2025	1330202-00047	Date of first issue: 27.02.2017

Chemours™ and the Chemours Logo are trademarks of The Chemours Company.

Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
IN OEL : India. Permissible levels of certain chemical substances in work environment.

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
ACGIH / C : Ceiling limit
IN OEL / TWA : Time-Weighted Average Concentration (TWA) (8 hrs.)
IN OEL / STEL : Short-term exposure Limit STEL (15 min)
IN OEL / CEIL : ceiling limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

SAFETY DATA SHEET

according to the Globally Harmonized System



Viton™ VTR-9161 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
4.4	15.05.2025	1330202-00047	Date of first issue: 27.02.2017

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN