

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Viton™ A-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 10/17/2024  |
| 7.0     | 05/07/2025     | 1888311-00019 | Date of first issue: 09/06/2017 |

### SECTION 1. IDENTIFICATION

Product name : Viton™ A-601C fluoroelastomer

SDS-Identcode : 130000026451

#### Manufacturer or supplier's details

Company name of supplier : The Chemours Company FC, LLC

Address : 1007 Market Street  
Wilmington, DE 19801 United States of America (USA)

Telephone : 1-844-773-CHEM (outside the U.S. 1-302-773-1000)

Emergency telephone : Medical emergency: 1-866-595-1473 (outside the U.S. 1-302-773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

#### Recommended use of the chemical and restrictions on use

Recommended use : Rubber products  
Resin for moulding and/or extrusion

Restrictions on use : For industrial use only.  
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

### SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Not a hazardous substance or mixture.

#### Other hazards

None known.

#### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Viton™ A-601C fluoroelastomer

Version 7.0      Revision Date: 05/07/2025      SDS Number: 1888311-00019      Date of last issue: 10/17/2024  
Date of first issue: 09/06/2017

| Chemical name   | CAS No./Unique ID | Concentration (% w/w) | Trade secret |
|---|-------------------|-----------------------|--------------|
| Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1) | -                 | >= 1 - <= 5           | TSC          |

TSC- the actual concentration or concentration range is withheld as a trade secret

### Alternative CAS Numbers for some regions

| Chemical name   | Alternative CAS Number(s) |
|---|---------------------------|
| Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1) | 75768-65-9, 1478-61-1     |

## SECTION 4. FIRST AID MEASURES

|   |   |
|---|---|
| If inhaled  | : If inhaled, remove to fresh air.<br>Get medical attention if symptoms occur.  |
| In case of skin contact                                     | : Wash with water and soap as a precaution.<br>Get medical attention if symptoms occur.                                   |
| In case of eye contact                                      | : Flush eyes with water as a precaution.<br>Get medical attention if irritation develops and persists.                    |
| If swallowed  | : If swallowed, DO NOT induce vomiting.<br>Get medical attention if symptoms occur.<br>Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : None known.   |
| Protection of first-aiders                                  | : No special precautions are necessary for first aid responders.  |
| Notes to physician  | : Treat symptomatically and supportively.   |

## SECTION 5. FIRE-FIGHTING MEASURES

|                              |   |
|------------------------------|---|
| Suitable extinguishing media | : Water spray<br>Alcohol-resistant foam |
|------------------------------|---|

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Viton™ A-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 10/17/2024  |
| 7.0     | 05/07/2025     | 1888311-00019 | Date of first issue: 09/06/2017 |

Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Fluorine compounds

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Viton™ A-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 10/17/2024  |
| 7.0     | 05/07/2025     | 1888311-00019 | Date of first issue: 09/06/2017 |

- |                             |   |   |
|-----------------------------|---|---|
| Technical measures          | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.   |
| Local/Total ventilation     | : | Use only with adequate ventilation.   |
| Advice on safe handling     | : | Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : | Keep in properly labeled containers.<br>Store in accordance with the particular national regulations.   |
| Materials to avoid          | : | No special restrictions on storage with other products.   |

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

- |                      |   |   |
|----------------------|---|---|
| Engineering measures | : | Ensure adequate ventilation, especially in confined areas.<br>Minimize workplace exposure concentrations. |
|----------------------|---|---|

#### Personal protective equipment

- |                        |   |   |
|------------------------|---|---|
| Respiratory protection | : | No personal respiratory protective equipment normally required. |
|------------------------|---|---|

#### Hand protection

- |                 |   |                |
|-----------------|---|----------------|
| Material        | : | Nitrile rubber |
| Glove thickness | : | 0.38 mm        |

- |         |   |   |
|---------|---|---|
| Remarks | : | Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often! |
|---------|---|---|

- |                |   |   |
|----------------|---|---|
| Eye protection | : | Wear the following personal protective equipment:<br>Safety glasses |
|----------------|---|---|

- |                          |   |                                      |
|--------------------------|---|--------------------------------------|
| Skin and body protection | : | Skin should be washed after contact. |
|--------------------------|---|--------------------------------------|

- |                  |   |  |
|------------------|---|--|
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use. |
|------------------|---|--|

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Viton™ A-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 10/17/2024  |
| 7.0     | 05/07/2025     | 1888311-00019 | Date of first issue: 09/06/2017 |

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|  |   |                       |
|--|---|-----------------------|
| Appearance                                       | : | sheets                |
| Color  | : | white, off-white, tan |
| Odor   | : | odorless              |
| Odor Threshold                                   | : | No data available     |
| pH   | : | No data available     |
| Melting point/freezing point                     | : | No data available     |
| Initial boiling point and boiling range          | : | No data available     |
| Flash point                                      | : | Not applicable        |
| Evaporation rate                                 | : | Not applicable        |
| Flammability (solid, gas)                        | : | No data available     |
| Upper explosion limit / Upper flammability limit | : | No data available     |
| Lower explosion limit / Lower flammability limit | : | No data available     |
| Vapor pressure                                   | : | Not applicable        |
| Relative vapor density                           | : | Not applicable        |
| Relative density                                 | : | No data available     |
| Solubility(ies)<br>Water solubility              | : | insoluble             |
| Partition coefficient: n-octanol/water           | : | Not applicable        |
| Autoignition temperature                         | : | No data available     |
| Decomposition temperature                        | : | No data available     |
| Viscosity<br>Viscosity, kinematic                | : | Not applicable        |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Viton™ A-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 10/17/2024  |
| 7.0     | 05/07/2025     | 1888311-00019 | Date of first issue: 09/06/2017 |

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics  
Particle size : No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : None known.

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 425  
Assessment: The substance or mixture has no acute oral toxicity

#### Skin corrosion/irritation

Not classified based on available information.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Viton™ A-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 10/17/2024  |
| 7.0     | 05/07/2025     | 1888311-00019 | Date of first issue: 09/06/2017 |

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltri-phenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

|         |                           |
|---------|---------------------------|
| Species | : Not tested on animals   |
| Method  | : OECD Test Guideline 439 |
| Result  | : No skin irritation      |

### **Serious eye damage/eye irritation**

Not classified based on available information.

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltri-phenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

|         |                           |
|---------|---------------------------|
| Species | : In Vitro - Bovine       |
| Result  | : No eye irritation       |
| Method  | : OECD Test Guideline 437 |

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltri-phenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

|                    |  |
|--------------------|--|
| Test Type          | : Direct Peptide Reactivity Assay (DPRA) |
| Routes of exposure | : Skin contact                           |
| Species            | : Not tested on animals                  |
| Method             | : OECD Test Guideline 442C               |
| Result             | : equivocal                              |

|                    |                            |
|--------------------|----------------------------|
| Test Type          | : KeratinoSens assay       |
| Routes of exposure | : Skin contact             |
| Species            | : Not tested on animals    |
| Method             | : OECD Test Guideline 442D |
| Result             | : positive                 |

|                    |                           |
|--------------------|---------------------------|
| Test Type          | : Maximization Test       |
| Routes of exposure | : Skin contact            |
| Species            | : Guinea pig              |
| Method             | : OECD Test Guideline 406 |
| Result             | : negative                |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Viton™ A-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 10/17/2024  |
| 7.0     | 05/07/2025     | 1888311-00019 | Date of first issue: 09/06/2017 |

||Remarks : Based on data from similar materials

||Assessment : Does not cause skin sensitization.

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltri-phenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

||Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

||Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

#### Product:

Reproductive toxicity - Assessment : No toxicity to reproduction

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltri-phenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

||Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Viton™ A-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 10/17/2024  |
| 7.0     | 05/07/2025     | 1888311-00019 | Date of first issue: 09/06/2017 |

|                                    |  |
|------------------------------------|--|
|                                    | Method: OECD Test Guideline 422  |
|                                    | Result: positive   |
|                                    | Remarks: Based on data from similar materials  |
| Effects on fetal development       | : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test           |
|                                    | Species: Rat   |
|                                    | Application Route: Ingestion   |
|                                    | Method: OECD Test Guideline 422  |
|                                    | Result: negative   |
|                                    | Remarks: Based on data from similar materials  |
| Reproductive toxicity - Assessment | : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments |

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

|                    |  |
|--------------------|--|
| Routes of exposure | : Ingestion  |
| Target Organs      | : Seminal vesicle, Prostate  |
| Assessment         | : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw. |

### Repeated dose toxicity

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

|                   |  |
|-------------------|--|
| Species           | : Rat, male and female                 |
| NOAEL             | : 10 mg/kg                             |
| LOAEL             | : 100 mg/kg                            |
| Application Route | : Ingestion                            |
| Exposure time     | : 28 Days                              |
| Method            | : OECD Test Guideline 407              |
| Remarks           | : Based on data from similar materials |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Viton™ A-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 10/17/2024  |
| 7.0     | 05/07/2025     | 1888311-00019 | Date of first issue: 09/06/2017 |

### Aspiration toxicity

Not classified based on available information.

### Further information

#### Product:

Remarks : According to data on similar materials, and from modeling assessment, the product is not considered to require classification as dangerous to health.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

#### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1.2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.79 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.45 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.0087 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### Persistence and degradability

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Viton™ A-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 10/17/2024  |
| 7.0     | 05/07/2025     | 1888311-00019 | Date of first issue: 09/06/2017 |

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

### Bioaccumulative potential

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Partition coefficient: n-octanol/water : log Pow: 2.28

### Mobility in soil

No data available

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

Not regulated as a dangerous good

### Special precautions for user

Not applicable

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Viton™ A-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 10/17/2024  |
| 7.0     | 05/07/2025     | 1888311-00019 | Date of first issue: 09/06/2017 |

---

### SECTION 15. REGULATORY INFORMATION

#### CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### US State Regulations

##### Pennsylvania Right To Know

Fluorinated Polymer

Trade secret

##### California Prop. 65

WARNING: This product can expose you to chemicals including Nickel, which is/are known to the State of California to cause cancer, and Cadmium, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### SECTION 16. OTHER INFORMATION

#### Further information

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Viton™ A-601C fluoroelastomer


Version  
7.0

Revision Date:  
05/07/2025

SDS Number:  
1888311-00019

Date of last issue: 10/17/2024  
Date of first issue: 09/06/2017

### NFPA 704:



### HMIS® IV:

|                 |   |   |
|-----------------|---|---|
| HEALTH          | / | 0 |
| FLAMMABILITY    |   | 1 |
| PHYSICAL HAZARD |   | 0 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Viton™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours™ and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act;

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Viton™ A-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 10/17/2024  |
| 7.0     | 05/07/2025     | 1888311-00019 | Date of first issue: 09/06/2017 |

---

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 05/07/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8