

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 2024/05/09
5.0	2024/10/17	1702754-00018	Date of first issue: 2017/05/31

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Capstone™ FS-3000

SDS-Identcode : 130000143937

#### Manufacturer or supplier's details

Company : The Chemours Chemical (Shanghai) Co., Ltd.

Address : 9F, SCG Parkside, 868 Yinghua Road, Pudong New District  
201204, Shanghai, China

Telephone : 86 400 8056 528

Emergency telephone number : 86 532 8388 9090

E-mail address : SDS.ChinaPSR@chemours.com

Telefax : 86 21 2612 0862

#### Recommended use of the chemical and restrictions on use

Recommended use : Intermediate

Restrictions on use : For industrial use only.  
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	: solid
Colour	: yellow
Odour	: slight

Harmful if swallowed. May cause damage to organs (spleen) through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects.

#### GHS Classification

Acute toxicity (Oral) : Category 4

Specific target organ toxicity - repeated exposure : Category 2 (spleen)

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	2024/10/17	1702754-00018	2024/05/09
			Date of first issue: 2017/05/31

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

### GHS label elements

Hazard pictograms :

Signal word : Warning

Hazard statements : H302 Harmful if swallowed.  
H373 May cause damage to organs (spleen) through prolonged or repeated exposure.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
**Response:**  
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P314 Get medical advice/ attention if you feel unwell.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure.

### Environmental hazards

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

### Other hazards which do not result in classification

Inhalation of decomposition products in high concentration may cause shortness of breath (lung oedema).

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	2024/10/17	1702754-00018	2024/05/09
			Date of first issue: 2017/05/31

Substance / Mixture : Substance

Substance name : Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers

CAS-No. : 52550-44-4

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers	52550-44-4	>= 90 -<= 100
3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol	647-42-7	>= 0.25 -< 1

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 2024/05/09
5.0	2024/10/17	1702754-00018	Date of first issue: 2017/05/31

---

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Hydrogen fluoride  
carbonyl fluoride  
potentially toxic fluorinated compounds  
aerosolized particulates  
Carbon oxides  
Iodine compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 2024/05/09
5.0	2024/10/17	1702754-00018	Date of first issue: 2017/05/31

mine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding  
certain local or national requirements.

## 7. HANDLING AND STORAGE

### Handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust, fume, gas, mist, vapours or spray.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Do not breathe decomposition products.
- Avoidance of contact : None.

### Storage

- Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : No special restrictions on storage with other products.
- Further information on storage stability : Risk of crystallisation or phase separation.
- Mix thoroughly before use.
- Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version 5.0      Revision Date: 2024/10/17      SDS Number: 1702754-00018      Date of last issue: 2024/05/09  
Date of first issue: 2017/05/31

### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
hydrofluoric acid	7664-39-3	MAC	2 mg/m <sup>3</sup> (Fluorine)	CN OEL
		TWA	0.5 ppm (Fluorine)	ACGIH
		C	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	PC-TWA	5 mg/m <sup>3</sup>	CN OEL
		PC-STEL	10 mg/m <sup>3</sup>	CN OEL
		TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
Carbon dioxide	124-38-9	PC-TWA	9,000 mg/m <sup>3</sup>	CN OEL
		PC-STEL	18,000 mg/m <sup>3</sup>	CN OEL
		TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
Carbon monoxide	630-08-0	PC-TWA	20 mg/m <sup>3</sup>	CN OEL
		PC-STEL	30 mg/m <sup>3</sup>	CN OEL
		MAC	20 mg/m <sup>3</sup>	CN OEL
		MAC	15 mg/m <sup>3</sup>	CN OEL
		TWA	25 ppm	ACGIH

**Engineering measures** : Processing may form hazardous compounds (see section 10).  
Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates, acidic gas/vapour and organic vapour type

Eye/face protection : Wear the following personal protective equipment:  
Safety glasses

Skin and body protection : Skin should be washed after contact.

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 2024/05/09
5.0	2024/10/17	1702754-00018	Date of first issue: 2017/05/31

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: solid
Colour	: yellow
Odour	: slight
Odour Threshold	: No data available
pH	: 6 - 11
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: does not flash
Evaporation rate	: Not applicable
Flammability (solid, gas)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 2024/05/09
5.0	2024/10/17	1702754-00018	Date of first issue: 2017/05/31

Relative density	:	1.3 (25 °C)
		1.26 - 1.28 (65 °C)
Solubility(ies)		
Water solubility	:	slightly soluble
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	> 200 °C
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics		
Particle size	:	No data available

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	None.

#### Hazardous decomposition products

Thermal decomposition	:	hydrofluoric acid Carbonyl difluoride Carbon dioxide Carbon monoxide
-----------------------	---	---

### 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Skin contact Ingestion
-----------------	---	---------------------------



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 2024/05/09
5.0	2024/10/17	1702754-00018	Date of first issue: 2017/05/31

Eye contact

### Acute toxicity

Harmful if swallowed.

### Product:

Acute oral toxicity : Acute toxicity estimate: 1,093 mg/kg  
Method: Calculation method

### Components:

#### Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers:

Acute oral toxicity	: LD50 (Rat): 1,030 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg Remarks: Based on data from similar materials

#### 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Acute oral toxicity	: LD50 (Rat): 1,750 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	: LC50 (Rat): 5.2 - 9.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers:

Species	: Rabbit
Result	: No skin irritation
Remarks	: Based on data from similar materials

#### 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	2024/10/17	1702754-00018	2024/05/09
			Date of first issue: 2017/05/31

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers:

Species	: Rabbit
Result	: No eye irritation
Remarks	: Based on data from similar materials

#### 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Result	: negative
Remarks	: Based on data from similar materials

#### 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	2024/10/17	1702754-00018	2024/05/09
			Date of first issue: 2017/05/31

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative  Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative  Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	: Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Rat Application Route: Ingestion Method: OECD Test Guideline 486 Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 415 Result: negative  Test Type: One-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 415 Result: negative
Effects on foetal development	: Test Type: Prenatal development toxicity study (teratogenicity) Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative
Reproductive toxicity - Assessment	: Weight of evidence does not support classification for reproductive toxicity

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 2024/05/09
5.0	2024/10/17	1702754-00018	Date of first issue: 2017/05/31

II

### STOT - single exposure

Not classified based on available information.

#### Components:

##### **3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:**

Exposure routes	: Skin contact
Assessment	: No significant health effects observed in animals at concentrations of 2000 mg/kg bw or less

Exposure routes	: Ingestion
Assessment	: No significant health effects observed in animals at concentrations of 2000 mg/kg bw or less

Exposure routes	: inhalation (dust/mist/fume)
Assessment	: No significant health effects observed in animals at concentrations of 5.0 mg/l/4h or less

### STOT - repeated exposure

May cause damage to organs (spleen) through prolonged or repeated exposure.

#### Components:

##### **Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers:**

Target Organs	: spleen
Assessment	: Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.
Remarks	: Based on data from similar materials

##### **3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:**

Exposure routes	: Ingestion
Target Organs	: Liver, Teeth
Assessment	: Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Exposure routes	: inhalation (vapour)
Assessment	: No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or less.

### Repeated dose toxicity

#### Components:

##### **Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers:**

Species	: Mouse
NOAEL	: 30 mg/kg
LOAEL	: 125 mg/kg
Application Route	: Ingestion
Exposure time	: 28 d

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 2024/05/09
5.0	2024/10/17	1702754-00018	Date of first issue: 2017/05/31

Remarks : Based on data from similar materials

### 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Species	: Mouse, male and female
NOAEL	: 5 mg/kg
LOAEL	: 25 mg/kg
Application Route	: Ingestion
Exposure time	: 70 Days
Method	: OECD Test Guideline 415

Species	: Rat, male and female
LOAEL	: 1.5 mg/l
Application Route	: inhalation (vapour)
Exposure time	: 28 Days
Method	: OECD Test Guideline 412

### Aspiration toxicity

Not classified based on available information.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 36.7 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 28.8 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 88.3 mg/l Exposure time: 72 h Remarks: Based on data from similar materials  EbC50 (Pseudokirchneriella subcapitata (green algae)): 50.3 mg/l Exposure time: 72 h Remarks: Based on data from similar materials  EyC50 (Pseudokirchneriella subcapitata (green algae)): 50.1 mg/l Exposure time: 72 h Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 2024/05/09
5.0	2024/10/17	1702754-00018	Date of first issue: 2017/05/31

### 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 4.48 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 7.84 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EbC50 (Desmodesmus subspicatus (green algae)): 3.8 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Desmodesmus subspicatus (green algae)): 1.3 mg/l Exposure time: 3 d Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Japanese medaka)): 0.0137 mg/l Exposure time: 122 d Method: OECD Test Guideline 234
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 2.16 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 1

### Persistence and degradability

#### Components:

#### Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers:

Biodegradability	: Biodegradation: 62 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---

### 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Biodegradability	: Result: Not readily biodegradable. Method: OECD Test Guideline 301B
------------------	--

### Bioaccumulative potential

#### Components:

#### 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Bioaccumulation	: Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 46 Method: OECD Test Guideline 305 Remarks: Does not bioaccumulate.
-----------------	---

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 2024/05/09
5.0	2024/10/17	1702754-00018	Date of first issue: 2017/05/31

Partition coefficient: n-octanol/water : log Pow: 4.54

### Mobility in soil

No data available

### Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

#### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 2024/05/09
5.0	2024/10/17	1702754-00018	Date of first issue: 2017/05/31

Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
EmS Code	: Not applicable
Marine pollutant	: no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Marine pollutant	: no

### Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

### National regulatory information

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals	: This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.
----------------------------------	---

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)	: Not listed
---	--------------

Hazardous Chemicals for Priority Management under SAWS	: Not listed
--	--------------

#### Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals	: Not listed
-------------------------------------	--------------

#### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export	: Not listed
---	--------------

#### Regulation on the Administration of Precursor Chemicals



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 2024/05/09
5.0	2024/10/17	1702754-00018	Date of first issue: 2017/05/31

Catalogue and Classification of Precursor Chemicals : Not listed

### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

## 16. OTHER INFORMATION

Revision Date : 2024/10/17

Other information : Chemours™ and the Chemours Logo are trademarks of The Chemours Company.  
Before use read Chemours safety information.  
For further information contact the local Chemours office or nominated distributors.

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
ACGIH / C : Ceiling limit  
CN OEL / PC-TWA : Permissible concentration - time weighted average  
CN OEL / PC-STEL : Permissible concentration - short term exposure limit  
CN OEL / MAC : Maximum allowable concentration

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 2024/05/09
5.0	2024/10/17	1702754-00018	Date of first issue: 2017/05/31

---

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN