

SAFETY DATA SHEET



Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
8.2	19.03.2024	1339112-00045	Date of first issue: 27.02.2017

Section 1: Identification

Product identifier : Capstone™ FS-34

SDS-Identcode : 130000101814

Recommended use of the chemical and restrictions on use

Recommended use : Surfactant

Restrictions on use : For industrial use only.
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

Manufacturer or supplier's details

Company : The Chemours Company Singapore PTE. LTD.

Address : 1 HarbourFront Place, #16-01 HarbourFront Tower One
Singapore 098633

Telephone : 65-6715-8688

Emergency telephone number : 1800 315 8134

Telefax : 65-6715-8697

Section 2: Hazard identification

Classification of the substance or mixture

Acute toxicity (Oral) : Category 4

Specific target organ toxicity - repeated exposure : Category 2 (spleen)

GHS Label elements, including precautionary statements

Hazard pictograms :



Signal word : Warning

SAFETY DATA SHEET



Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue:
8.2	19.03.2024	1339112-00045	06.10.2023
			Date of first issue: 27.02.2017

Hazard statements : H302 Harmful if swallowed.
H373 May cause damage to organs (spleen) through prolonged or repeated exposure.

Precautionary statements : **Prevention:**
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P314 Get medical advice/ attention if you feel unwell.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Inhalation of decomposition products in high concentration may cause shortness of breath (lung oedema).

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Partially Fluorinated Alkyl Polyether	Proprietary Ingredient	>= 20 -< 30
3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol	647-42-7	>= 0.1 -< 0.25

Section 4: First-aid measures

Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

SAFETY DATA SHEET



Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
8.2	19.03.2024	1339112-00045	Date of first issue: 27.02.2017

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Risks : Inhalation may provoke the following symptoms:
Lung oedema
Shortness of breath
Eye contact may provoke the following symptoms
Irritation
Lachrymation
Redness
Discomfort
Ingestion may provoke the following symptoms:
Nausea
Vomiting
Diarrhoea
tearing
Redness
Discomfort
Harmful if swallowed.
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

SAFETY DATA SHEET



Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue:
8.2	19.03.2024	1339112-00045	06.10.2023
			Date of first issue: 27.02.2017

Hazardous combustion products : Hydrogen fluoride
carbonyl fluoride
potentially toxic fluorinated compounds
aerosolized particulates
Carbon oxides

Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SAFETY DATA SHEET



Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
8.2	19.03.2024	1339112-00045	Date of first issue: 27.02.2017

Section 7: Handling and storage

Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Do not breathe decomposition products.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

Conditions for safe storage, including any incompatibilities

- Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
hydrofluoric acid	7664-39-3	PEL (short	3 ppm	SG OEL

SAFETY DATA SHEET



Capstone™ FS-34

Version 8.2 Revision Date: 19.03.2024 SDS Number: 1339112-00045 Date of last issue: 06.10.2023
Date of first issue: 27.02.2017

		term)	2.6 mg/m3	
		TWA	0.5 ppm (Fluorine)	ACGIH
		C	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	PEL (short term)	5 ppm 13 mg/m3	SG OEL
		PEL (long term)	2 ppm 5.4 mg/m3	SG OEL
		TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
Carbon dioxide	124-38-9	PEL (short term)	30,000 ppm 54,000 mg/m3	SG OEL
		PEL (long term)	5,000 ppm 9,000 mg/m3	SG OEL
		TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
Carbon monoxide	630-08-0	PEL (long term)	25 ppm 29 mg/m3	SG OEL
		TWA	25 ppm	ACGIH

Appropriate engineering control measures : Processing may form hazardous compounds (see section 10).
Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear the following personal protective equipment:
Safety glasses

Skin protection : Skin should be washed after contact.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates, acidic gas/vapour and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

SAFETY DATA SHEET



Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
8.2	19.03.2024	1339112-00045	Date of first issue: 27.02.2017

Section 9: Physical and chemical properties

Appearance	: liquid
Colour	: clear, yellow, amber
Odour	: slight
Odour Threshold	: No data available
pH	: 5.5 - 7.5
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 1.1
Solubility(ies) Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: > 200 °C

SAFETY DATA SHEET



Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
8.2	19.03.2024	1339112-00045	Date of first issue: 27.02.2017

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics
Particle size : Not applicable

Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.
Hazardous decomposition products will be formed at elevated temperatures.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products

Thermal decomposition : hydrofluoric acid
Carbonyl difluoride
Carbon dioxide
Carbon monoxide

Section 11: Toxicological information

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,743 mg/kg
Method: Calculation method

SAFETY DATA SHEET



Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
8.2	19.03.2024	1339112-00045	Date of first issue: 27.02.2017

Components:

Partially Fluorinated Alkyl Polyether:

Acute oral toxicity	: LD50 (Rat): 410 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg

3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Acute oral toxicity	: LD50 (Rat): 1,750 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	: LC50 (Rat): 5.2 - 9.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Components:

Partially Fluorinated Alkyl Polyether:

Species	: Rabbit
Result	: No skin irritation

3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Partially Fluorinated Alkyl Polyether:

Species	: Rabbit
Result	: No eye irritation

SAFETY DATA SHEET



Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
8.2	19.03.2024	1339112-00045	Date of first issue: 27.02.2017

3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Partially Fluorinated Alkyl Polyether:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:

3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
-----------------------	---	---

	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
--	---	---

	:	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
--	---	--

Genotoxicity in vivo	:	Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Rat Application Route: Ingestion Method: OECD Test Guideline 486
----------------------	---	---

SAFETY DATA SHEET



Capstone™ FS-34

Version 8.2	Revision Date: 19.03.2024	SDS Number: 1339112-00045	Date of last issue: 06.10.2023 Date of first issue: 27.02.2017
----------------	------------------------------	------------------------------	---

Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 415
Result: negative

Test Type: One-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 415
Result: negative

Effects on foetal development : Test Type: Prenatal development toxicity study (teratogenicity)
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Not classified based on available information.

Components:

3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Exposure routes : Skin contact
Assessment : No significant health effects observed in animals at concentrations of 2000 mg/kg bw or less

Exposure routes : Ingestion
Assessment : No significant health effects observed in animals at concentrations of 2000 mg/kg bw or less

Exposure routes : inhalation (dust/mist/fume)
Assessment : No significant health effects observed in animals at concentrations of 5.0 mg/l/4h or less

SAFETY DATA SHEET



Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
8.2	19.03.2024	1339112-00045	Date of first issue: 27.02.2017

STOT - repeated exposure

May cause damage to organs (spleen) through prolonged or repeated exposure.

Components:

Partially Fluorinated Alkyl Polyether:

Target Organs	: spleen
Assessment	: Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Exposure routes	: Ingestion
Target Organs	: Liver, Teeth
Assessment	: Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Exposure routes	: inhalation (vapour)
Assessment	: No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or less.

Repeated dose toxicity

Components:

Partially Fluorinated Alkyl Polyether:

Species	: Mouse
NOAEL	: 30 mg/kg
LOAEL	: 125 mg/kg
Application Route	: Ingestion
Exposure time	: 28 d

3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Species	: Mouse, male and female
NOAEL	: 5 mg/kg
LOAEL	: 25 mg/kg
Application Route	: Ingestion
Exposure time	: 70 Days
Method	: OECD Test Guideline 415

Species	: Rat, male and female
LOAEL	: 1.5 mg/l
Application Route	: inhalation (vapour)
Exposure time	: 28 Days
Method	: OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
8.2	19.03.2024	1339112-00045	Date of first issue: 27.02.2017

Section 12: Ecological information

Toxicity

Components:**Partially Fluorinated Alkyl Polyether:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 36.7 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 28.8 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 88.3 mg/l Exposure time: 72 h
		EbC50 (Pseudokirchneriella subcapitata (green algae)): 50.3 mg/l Exposure time: 72 h
		EyC50 (Pseudokirchneriella subcapitata (green algae)): 50.1 mg/l Exposure time: 72 h

3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 4.48 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 7.84 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EbC50 (Desmodesmus subspicatus (green algae)): 3.8 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Desmodesmus subspicatus (green algae)): 1.3 mg/l Exposure time: 3 d Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Japanese medaka)): 0.0137 mg/l Exposure time: 122 d Method: OECD Test Guideline 234
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 2.16 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic	:	1

SAFETY DATA SHEET



Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
8.2	19.03.2024	1339112-00045	Date of first issue: 27.02.2017

toxicity)

Persistence and degradability

Components:

3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 46
Method: OECD Test Guideline 305
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.54

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : Not applicable
UN proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Subsidiary risk : Not applicable

SAFETY DATA SHEET



Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
8.2	19.03.2024	1339112-00045	Date of first issue: 27.02.2017

Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
UN proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
UN proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable
Regulations

Section 16: Other information

Revision Date : 19.03.2024

Other information : Capstone™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.
Chemours™ and the Chemours Logo are trademarks of The

SAFETY DATA SHEET



Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
8.2	19.03.2024	1339112-00045	Date of first issue: 27.02.2017

Chemours Company.
Before use read Chemours safety information.
For further information contact the local Chemours office or
nominated distributors.

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
SG OEL : Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
ACGIH / C : Ceiling limit
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term
SG OEL / PEL (short term) : Permissible Exposure Level (PEL) Short Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-

SAFETY DATA SHEET



Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 06.10.2023
8.2	19.03.2024	1339112-00045	Date of first issue: 27.02.2017

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN