

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name	:	Vazo™ 52G
SDS-Identcode	:	130000030497
REACH Registration Number	:	01-2120797614-41-0003
Substance name	:	2,2'-Azodi[2,4-Dimethylvaleronitrile]
EC-No.	:	224-583-8

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	:	Industrial use, Intermediate
Recommended restrictions on use	:	Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Chemours Netherlands B.V. Baanhoekweg 22 3313 LA Dordrecht Netherlands
Telephone	:	+31-(0)-78-630-1011
Telefax	:	+31-78-6163737
E-mail address of person responsible for the SDS	:	sds-support@chemours.com

#### 1.4 Emergency telephone number

+(353)-19014670 (CHEMTREC - Recommended) ; +353-(01) 809 2166 (Poison Information  
Center of Ireland)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Self-reactive substances and mixtures, Type D	H242: Heating may cause a fire.
--	---------------------------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

Skin sensitisation, Sub-category 1A	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements	H242	Heating may cause a fire.
	H317	May cause an allergic skin reaction.
	H411	Toxic to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P235	Keep cool.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P391	Collect spillage.
------	-------------------

**Storage:**

P411	Store at temperatures not exceeding 10 °C/ 50 °F.
------	---

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Risk of explosion if heated under confinement.  
Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Substance name : 2,2'-Azodi[2,4-Dimethylvaleronitrile]

EC-No. : 224-583-8

#### Components

Chemical name	CAS-No. EC-No.	Concentration (%) w/w)	M-Factor, SCL, ATE
2,2'-Azodi[2,4-Dimethylvaleronitrile]	4419-11-8 224-583-8	>= 90 - <= 100	

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Skin contact may provoke the following symptoms:  
Discomfort  
Itching  
Redness

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

---

Swelling of tissue

Eye contact may provoke the following symptoms

Irritation

tearing

Redness

Discomfort

Ingestion may provoke the following symptoms:

Gastrointestinal disturbance

### Risks

: Contact with dust can cause mechanical irritation or drying of the skin.

Dust contact with the eyes can lead to mechanical irritation.

May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Do not use a solid water stream as it may scatter and spread fire.  
The product burns violently.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Nitrogen oxides (NOx)  
Carbon oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

---

so.  
Evacuate area.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clear spills immediately.  
Take any precaution to avoid mixing with combustibles.  
Soak up with inert absorbent material.  
Remove mechanically and with care (e.g. with clean polyethylene plastic shovel).  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Isolate waste and do not reuse.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

Local/Total ventilation : Use only with adequate ventilation.  
If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

Advice on safe handling : Do not breathe decomposition products.

Do not get on skin or clothing.  
Avoid breathing dust, fume, gas, mist, vapours or spray.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Prevent pressure build-up  
Protect from contamination.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Keep only in original packaging.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Keep in a dry, cool and well-ventilated place. Protect from sunlight. Adhere to recommended storage temperature. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.

Store in original container.

Advice on common storage : Store away from other materials.

Recommended storage temperature : < 10 °C

### 7.3 Specific end use(s)

Specific use(s) : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version 11.6      Revision Date: 07.05.2025      SDS Number: 1331751-00049      Date of last issue: 28.01.2025  
Date of first issue: 27.02.2017

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2,2'-Azodi[2,4-Dimethylvaleronitrile]	4419-11-8	OELV - 8 hrs (TWA)	5 mg/m <sup>3</sup> (Cyanide)	IE OEL
Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body				

##### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Hydrogen cyanide	74-90-8	STEL	4.5 ppm 5 mg/m <sup>3</sup> (Cyanide)	2017/164/EU
Further information: Identifies the possibility of significant uptake through the skin, Indicative				
		TWA	0.9 ppm 1 mg/m <sup>3</sup> (Cyanide)	2017/164/EU
Further information: Identifies the possibility of significant uptake through the skin, Indicative				
		OELV - 8 hrs (TWA)	0.9 ppm 1 mg/m <sup>3</sup> (Cyanide)	IE OEL
Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body				
		OELV - 15 min (STEL)	4.5 ppm 5 mg/m <sup>3</sup> (Cyanide)	IE OEL
Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body				
Further information: Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants				
Carbon monoxide	630-08-0	STEL	100 ppm 117 mg/m <sup>3</sup>	2017/164/EU
Further information: Indicative				
		TWA	20 ppm 23 mg/m <sup>3</sup>	2017/164/EU
Further information: Indicative				
		OELV - 15 min (STEL)	100 ppm 117 mg/m <sup>3</sup>	IE OEL
Further information: Repr 1A - Substances which are known human reproductive toxicants				
		OELV - 8 hrs	20 ppm	IE OEL

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version 11.6      Revision Date: 07.05.2025      SDS Number: 1331751-00049      Date of last issue: 28.01.2025  
Date of first issue: 27.02.2017

		(TWA)	23 mg/m3	
	Further information: Repr 1A - Substances which are known human reproductive toxicants			
		TWA	20 ppm 23 mg/m3	2004/37/EC
	Further information: Carcinogens or mutagens			
		STEL	100 ppm 117 mg/m3	2004/37/EC
	Further information: Carcinogens or mutagens			
Carbon dioxide	124-38-9	TWA	5,000 ppm 9,000 mg/m3	2006/15/EC
	Further information: Indicative			
		OELV - 8 hrs (TWA)	5,000 ppm 9,000 mg/m3	IE OEL

### 8.2 Exposure controls

#### Engineering measures

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

#### Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:  
Safety goggles  
Equipment should conform to I.S. EN 166

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Wear the following personal protective equipment:  
If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

---

Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to I.S. EN 137

Filter type : Self-contained breathing apparatus

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state : solid

Colour : white

Odour : odourless

Odour Threshold : No data available

Melting point/freezing point : > 50 °C  
Do not attempt to verify melting point; decomposition can be violent.

Initial boiling point and boiling range : No data available

Flammability (solid, gas) : May form explosive dust-air mixture.

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : 0.03 %(V)

Flash point : Not applicable

Auto-ignition temperature : 225 °C

Decomposition temperature : The product is a self-reactive substance or mixture classified as type D.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

---

Self-Accelerating decomposition temperature (SADT) : 25 °C

pH : 7

Viscosity  
Viscosity, kinematic : Not applicable

Solubility(ies)  
Water solubility :  $\geq 0.00937$  g/l (20 °C)

Partition coefficient: n-octanol/water : log Pow: 3.319 (20 °C)

Vapour pressure : Not applicable

Relative density : 0.969

Bulk density : 400 kg/m<sup>3</sup>

Relative vapour density : Not applicable

Particle characteristics  
Particle size : No data available

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : 0  
(Butyl Acetate=1.0)

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Heating may cause a fire.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

---

### 10.2 Chemical stability

Follow precautionary advice and avoid incompatible materials and conditions

### 10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture.  
Oxidizing material can cause a reaction.  
Hazardous decomposition products will be formed at elevated temperatures.  
May explode under confinement.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Protect from contamination.  
Avoid dust formation.  
Temperatures greater than recommended storage temperature.  
Contact with incompatible substances can cause decomposition at or below SADT.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents  
Avoid impurities (e.g. rust, dust, ash), risk of decomposition.  
Flammable materials

### 10.6 Hazardous decomposition products

Thermal decomposition : Hydrogen cyanide  
Nitrogen  
Carbon monoxide  
Carbon dioxide

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### 2,2'-Azodi[2,4-Dimethylvaleronitrile]:

Acute oral toxicity : LD50 (Mouse): > 6,000 mg/kg  
Method: Expert judgement

Acute inhalation toxicity : Approximate Lethal Concentration (Rat): 9.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

---

Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### **2,2'-Azodi[2,4-Dimethylvaleronitrile]:**

Species	:	Tissue Culture
Method	:	OECD Test Guideline 439
Result	:	No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### **2,2'-Azodi[2,4-Dimethylvaleronitrile]:**

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation

Species	:	Not tested on animals
Method	:	OECD Test Guideline 492
Result	:	No eye irritation

### Respiratory or skin sensitisation

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Product:

Assessment	:	Probability or evidence of high skin sensitisation rate in humans
------------	---	---

#### Components:

##### **2,2'-Azodi[2,4-Dimethylvaleronitrile]:**

Test Type	:	Direct Peptide Reactivity Assay (DPRA)
Exposure routes	:	Skin contact
Species	:	Not tested on animals
Method	:	OECD Test Guideline 442C
Result	:	positive

Test Type	:	KeratinoSens assay
Exposure routes	:	Skin contact
Species	:	Tissue Culture

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

Method	:	OECD Test Guideline 442D
Result	:	positive
Assessment	:	Probability or evidence of high skin sensitisation rate in humans

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

#### **2,2'-Azodi[2,4-Dimethylvaleronitrile]:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	:	Test Type: in vitro micronucleus test Method: OECD Test Guideline 487 Result: negative

Germ cell mutagenicity- Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
------------------------------------	---	--

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

#### Components:

#### **2,2'-Azodi[2,4-Dimethylvaleronitrile]:**

Effects on fertility	:	Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative
----------------------	---	--

Effects on foetal development	:	Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative
-------------------------------	---	--

Reproductive toxicity - Assessment	:	Weight of evidence does not support classification for reproductive toxicity
------------------------------------	---	--

### STOT - single exposure

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

---

### STOT - repeated exposure

Not classified based on available information.

#### Components:

##### 2,2'-Azodi[2,4-Dimethylvaleronitrile]:

Exposure routes	: Ingestion
Assessment	: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### Repeated dose toxicity

#### Components:

##### 2,2'-Azodi[2,4-Dimethylvaleronitrile]:

Species	: Rat, male and female
NOAEL	: 250 mg/kg
LOAEL	: > 250 mg/kg
Application Route	: Ingestion
Exposure time	: 8 Weeks
Method	: OECD Test Guideline 422

### Aspiration toxicity

Not classified based on available information.

#### Components:

##### 2,2'-Azodi[2,4-Dimethylvaleronitrile]:

No aspiration toxicity classification

## 11.2 Information on other hazards

### Endocrine disrupting properties

Not classified based on available information.

#### Product:

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

### Experience with human exposure

#### Product:

Inhalation	: Target Organs: Upper respiratory tract Symptoms: Irritation, Cough, Discomfort
Skin contact	: Symptoms: Irritation, Discomfort, Rash
Eye contact	: Symptoms: Irritation, Lachrymation, Discomfort, Blurred vision

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

Ingestion : Symptoms: Discomfort, Nausea, Headache

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **2,2'-Azodi[2,4-Dimethylvaleronitrile]:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 2.11 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1.17 mg/l  
aquatic invertebrates Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Desmodesmus subspicatus (green algae)): 1.48 mg/l  
plants Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 1.19 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### 12.2 Persistence and degradability

#### Components:

##### **2,2'-Azodi[2,4-Dimethylvaleronitrile]:**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

### 12.3 Bioaccumulative potential

#### Components:

##### **2,2'-Azodi[2,4-Dimethylvaleronitrile]:**

Partition coefficient: n- : log Pow: 3.319 (25 °C)  
octanol/water

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

---

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN	: UN 3236
ADR	: UN 3236
RID	: UN 3236 Not permitted for transport
IMDG	: UN 3236
IATA	: UN 3236 Not permitted for transport

### 14.2 UN proper shipping name

ADN	: SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED (2,2'-AZODI(2,4-DIMETHYLVALERONITRILE))
ADR	: SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED (2,2'-AZODI(2,4-DIMETHYLVALERONITRILE))



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

<b>RID</b>	:	SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED (2,2'-AZODI(2,4-DIMETHYLVALERONITRILE)) Not permitted for transport
<b>IMDG</b>	:	SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED (2,2'-AZODI(2,4-DIMETHYLVALERONITRILE)) (2,2'-Azodi[2,4-Dimethylvaleronitrile])
<b>IATA</b>	:	SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED (2,2'-AZODI (2,4-DIMETHYL-VALERONITRILE)) Not permitted for transport

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	:	4.1
<b>ADR</b>	:	4.1
<b>RID</b>	:	Not permitted for transport
<b>IMDG</b>	:	4.1
<b>IATA</b>	:	Not permitted for transport

### 14.4 Packing group

<b>ADN</b>		
Packing group	:	Not assigned by regulation
Classification Code	:	SR2
Labels	:	4.1
<b>ADR</b>		
Packing group	:	Not assigned by regulation
Classification Code	:	SR2
Labels	:	4.1
Tunnel restriction code	:	(D)
<b>RID</b>	:	Not permitted for transport
<b>IMDG</b>		
Packing group	:	Not assigned by regulation
Labels	:	4.1
EmS Code	:	F-F, S-K
<b>IATA (Cargo)</b>	:	Not permitted for transport
<b>IATA (Passenger)</b>	:	Not permitted for transport

### 14.5 Environmental hazards

<b>ADN</b>		
Environmentally hazardous	:	yes
<b>ADR</b>		

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

Environmentally hazardous : yes  
**RID** : Not permitted for transport  
**IMDG**  
Marine pollutant : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
P6b	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES	50 t	200 t
E2	ENVIRONMENTAL HAZARDS	200 t	500 t

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

Other information : Vazo™ and any associated logos are trademarks or copy-rights of The Chemours Company FC, LLC.  
Chemours™ and the Chemours Logo are trademarks of The Chemours Company.  
Before use read Chemours safety information.  
For further information contact the local Chemours office or nominated distributors.

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of other abbreviations

2004/37/EC	: Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens, mutagens or reprotoxic substances at work - Annex III
2006/15/EC	: Europe. Indicative occupational exposure limit values
2017/164/EU	: Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
IE OEL	: Ireland. List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2
2004/37/EC / STEL	: Short term exposure limit
2004/37/EC / TWA	: Long term exposure limit
2006/15/EC / TWA	: Limit Value - eight hours
2017/164/EU / STEL	: Short term exposure limit
2017/164/EU / TWA	: Limit Value - eight hours
IE OEL / OELV - 8 hrs (TWA)	: Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min (STEL)	: Occupational exposure limit value (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 28.01.2025
11.6	07.05.2025	1331751-00049	Date of first issue: 27.02.2017

Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN