

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Capstone™ ST-100HS

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 19.03.2024  |
| 3.4     | 21.10.2024     | 9683283-00007 | Date of first issue: 22.09.2021 |

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Capstone™ ST-100HS

SDS-Identcode : 130000103824

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Stain and soil repellent

Recommended restrictions on use : For industrial use only.  
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

#### 1.3 Details of the supplier of the safety data sheet

Company : Chemours (France) S.A.S.  
Rue Frederic Kuhlmann  
60870 Villers-Saint-Paul France

Telephone : +33 (0) 3 44 74 44 58

E-mail address of person responsible for the SDS : sds-support@chemours.com

#### 1.4 Emergency telephone number

+(44)-870-8200418 (CHEMTREC - Recommended)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Acute toxicity, Category 4

H332: Harmful if inhaled.

#### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Capstone™ ST-100HS

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 19.03.2024  |
| 3.4     | 21.10.2024     | 9683283-00007 | Date of first issue: 22.09.2021 |

Hazard pictograms :



Signal word : Warning

Hazard statements : H332 Harmful if inhaled.

Precautionary statements : **Prevention:**  
P271 Use only outdoors or in a well-ventilated area.  
**Response:**  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

Hazardous components which must be listed on the label:

Terpolymer of fluorinated alkylmethacrylates, dialkylammoniumalkyl methacrylate acetate salts, and aliphatic acids

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Inhalation of decomposition products in high concentration may cause shortness of breath (lung oedema).

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

| Chemical name   | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification     | Concentration<br>(% w/w) |
|---|---|--------------------|--------------------------|
| Terpolymer of fluorinated alkyl-methacrylates, dialkylammoniumalkyl methacrylate acetate salts, and aliphatic acids | Proprietary Ingredient                                | Acute Tox. 4; H332 | >= 20 - < 30             |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Capstone™ ST-100HS

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 19.03.2024  |
| 3.4     | 21.10.2024     | 9683283-00007 | Date of first issue: 22.09.2021 |

When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Inhalation may provoke the following symptoms:  
Respiratory disorder

Eye contact may provoke the following symptoms  
Irritation  
tearing  
Redness  
Discomfort

Risks : Harmful if inhaled.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Capstone™ ST-100HS

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 19.03.2024  |
| 3.4     | 21.10.2024     | 9683283-00007 | Date of first issue: 22.09.2021 |

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Hydrogen fluoride  
carbonyl fluoride  
potentially toxic fluorinated compounds  
aerosolized particulates  
Carbon oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Capstone™ ST-100HS

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 19.03.2024  |
| 3.4     | 21.10.2024     | 9683283-00007 | Date of first issue: 22.09.2021 |

certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- |                         |   |  |
|-------------------------|---|--|
| Technical measures      | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.  |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.  |
| Advice on safe handling | : | Avoid breathing mist or vapours.<br>Do not swallow.<br>Avoid contact with eyes.<br>Avoid prolonged or repeated contact with skin.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Take care to prevent spills, waste and minimize release to the environment.<br><br>Do not breathe decomposition products. |
| Hygiene measures        | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.   |

### 7.2 Conditions for safe storage, including any incompatibilities

- |   |   |  |
|---|---|--|
| Requirements for storage areas and containers | : | Keep in properly labelled containers. Keep tightly closed.<br>Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. |
| Advice on common storage                      | : | No special restrictions on storage with other products.  |
| Recommended storage temperature               | : | 5 - 40 °C  |
| Further information on storage stability      | : | Perishable if frozen.  |

### 7.3 Specific end use(s)

- |                 |   |                   |
|-----------------|---|-------------------|
| Specific use(s) | : | No data available |
|-----------------|---|-------------------|

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Capstone™ ST-100HS

Version 3.4      Revision Date: 21.10.2024      SDS Number: 9683283-00007      Date of last issue: 19.03.2024  
Date of first issue: 22.09.2021

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

##### Occupational exposure limits of decomposition products

| Components          | CAS-No.                                      | Value type (Form of exposure) | Control parameters                             | Basis       |
|---------------------|--|-------------------------------|--|-------------|
| hydrofluoric acid   | 7664-39-3                                    | TWA                           | 1.8 ppm<br>1.5 mg/m <sup>3</sup><br>(Fluorine) | GB EH40     |
|                     |  | STEL                          | 3 ppm<br>2.5 mg/m <sup>3</sup><br>(Fluorine)   | GB EH40     |
|                     |  | TWA                           | 1.8 ppm<br>1.5 mg/m <sup>3</sup>               | 2000/39/EC  |
|                     | Further information: Indicative              |                               |  |             |
|                     |  | STEL                          | 3 ppm<br>2.5 mg/m <sup>3</sup>                 | 2000/39/EC  |
|                     | Further information: Indicative              |                               |  |             |
| Carbonyl difluoride | 353-50-4                                     | TWA                           | 2.5 mg/m <sup>3</sup><br>(Fluorine)            | 2000/39/EC  |
|                     | Further information: Indicative              |                               |  |             |
| Carbon dioxide      | 124-38-9                                     | TWA                           | 5,000 ppm<br>9,150 mg/m <sup>3</sup>           | GB EH40     |
|                     |  | STEL                          | 15,000 ppm<br>27,400 mg/m <sup>3</sup>         | GB EH40     |
|                     |  | TWA                           | 5,000 ppm<br>9,000 mg/m <sup>3</sup>           | 2006/15/EC  |
|                     | Further information: Indicative              |                               |  |             |
| Carbon monoxide     | 630-08-0                                     | TWA                           | 30 ppm<br>35 mg/m <sup>3</sup>                 | GB EH40     |
|                     |  | STEL                          | 200 ppm<br>232 mg/m <sup>3</sup>               | GB EH40     |
|                     |  | TWA                           | 20 ppm<br>23 mg/m <sup>3</sup>                 | GB EH40     |
|                     |  | STEL                          | 100 ppm<br>117 mg/m <sup>3</sup>               | GB EH40     |
|                     |  | STEL                          | 100 ppm<br>117 mg/m <sup>3</sup>               | 2017/164/EU |
|                     | Further information: Indicative              |                               |  |             |
|                     |  | TWA                           | 20 ppm<br>23 mg/m <sup>3</sup>                 | 2017/164/EU |
|                     | Further information: Indicative              |                               |  |             |
|                     |  | TWA                           | 20 ppm<br>23 mg/m <sup>3</sup>                 | 2004/37/EC  |
|                     | Further information: Carcinogens or mutagens |                               |  |             |
|                     |  | STEL                          | 100 ppm  | 2004/37/EC  |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Capstone™ ST-100HS

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 19.03.2024  |
| 3.4     | 21.10.2024     | 9683283-00007 | Date of first issue: 22.09.2021 |

|  |  |           |  |
|--|--|-----------|--|
|  |  | 117 mg/m3 |  |
| Further information: Carcinogens or mutagens |  |           |  |

### 8.2 Exposure controls

#### Engineering measures

Processing may form hazardous compounds (see section 10).  
Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

#### Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:  
Safety glasses  
Equipment should conform to BS EN 166

#### Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Skin should be washed after contact.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
Equipment should conform to BS EN 14387

Filter type : Combined particulates and acidic gas/vapour type (E-P)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : Colorless to pale yellow

Odour : No data available

Odour Threshold : No data available

pH : 4 - 6

Melting point/freezing point : No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Capstone™ ST-100HS

|                |                              |                              |   |
|----------------|------------------------------|------------------------------|---|
| Version<br>3.4 | Revision Date:<br>21.10.2024 | SDS Number:<br>9683283-00007 | Date of last issue: 19.03.2024<br>Date of first issue: 22.09.2021 |
|----------------|------------------------------|------------------------------|---|

|  |   |  |
|--|---|--|
| Initial boiling point and boiling range          | : | 100 °C (1,013 hPa)                                       |
| Flash point                                      | : | does not flash   |
| Evaporation rate                                 | : | No data available  |
| Flammability (solid, gas)                        | : | Not applicable   |
| Upper explosion limit / Upper flammability limit | : | No data available  |
| Lower explosion limit / Lower flammability limit | : | No data available  |
| Vapour pressure                                  | : | No data available  |
| Relative vapour density                          | : | No data available  |
| Relative density                                 | : | 1.104  |
| Solubility(ies)<br>Water solubility              | : | dispersible  |
| Partition coefficient: n-octanol/water           | : | Not applicable   |
| Auto-ignition temperature                        | : | No data available  |
| Decomposition temperature                        | : | > 200 °C   |
| Viscosity<br>Viscosity, kinematic                | : | No data available  |
| Explosive properties                             | : | Not explosive  |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing. |

### 9.2 Other information

|                        |   |                   |
|------------------------|---|-------------------|
| Flammability (liquids) | : | No data available |
| Particle size          | : | Not applicable    |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Capstone™ ST-100HS

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 19.03.2024  |
| 3.4     | 21.10.2024     | 9683283-00007 | Date of first issue: 22.09.2021 |

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Hazardous decomposition products will be formed at elevated temperatures.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : None.

### 10.6 Hazardous decomposition products

Thermal decomposition : hydrofluoric acid  
Carbonyl difluoride  
Carbon dioxide  
Carbon monoxide

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if inhaled.

#### Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : Acute toxicity estimate (Rat): 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement  
Remarks: Based on data from similar materials

#### Components:

**Terpolymer of fluorinated alkylmethacrylates, dialkylammoniumalkyl methacrylate acetate salts, and aliphatic acids:**

Acute inhalation toxicity : Acute toxicity estimate (Rat): 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement

#### Skin corrosion/irritation

Not classified based on available information.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Capstone™ ST-100HS

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 19.03.2024  |
| 3.4     | 21.10.2024     | 9683283-00007 | Date of first issue: 22.09.2021 |

---

### **Product:**

|         |   |                                      |
|---------|---|--------------------------------------|
| Species | : | Rabbit                               |
| Result  | : | No skin irritation                   |
| Remarks | : | Based on data from similar materials |

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Product:**

|         |   |                                      |
|---------|---|--------------------------------------|
| Species | : | Rabbit                               |
| Result  | : | No eye irritation                    |
| Remarks | : | Based on data from similar materials |

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Product:**

|            |   |                                      |
|------------|---|--------------------------------------|
| Test Type  | : | Local lymph node assay (LLNA)        |
| Species    | : | Mouse                                |
| Assessment | : | Does not cause skin sensitisation.   |
| Remarks    | : | Based on data from similar materials |

### **Germ cell mutagenicity**

Not classified based on available information.

### **Product:**

|                                    |   |  |
|------------------------------------|---|--|
| Germ cell mutagenicity- Assessment | : | Weight of evidence does not support classification as a germ cell mutagen., Based on data from similar materials |
|------------------------------------|---|--|

### **Carcinogenicity**

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### **Product:**

|                                    |   |  |
|------------------------------------|---|--|
| Reproductive toxicity - Assessment | : | Weight of evidence does not support classification for reproductive toxicity, Based on data from similar materials |
|------------------------------------|---|--|

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

Not classified based on available information.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Capstone™ ST-100HS

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 19.03.2024  |
| 3.4     | 21.10.2024     | 9683283-00007 | Date of first issue: 22.09.2021 |

### Repeated dose toxicity

#### Product:

|                   |   |                                      |
|-------------------|---|--------------------------------------|
| Species           | : | Rat                                  |
|                   | : | 500 - 1000 mg/kg                     |
| Application Route | : | oral (gavage)                        |
| Remarks           | : | Based on data from similar materials |

### Aspiration toxicity

Not classified based on available information.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

|   |   |   |
|---|---|---|
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 120 mg/l |
|   |   | Exposure time: 48 h                           |
|   |   | Remarks: Based on data from similar materials |

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

|            |   |  |
|------------|---|--|
| Assessment | : | This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. |
|------------|---|--|

### 12.6 Other adverse effects

#### Product:

|                                |   |  |
|--------------------------------|---|--|
| Endocrine disrupting potential | : | This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f). |
|--------------------------------|---|--|

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

|         |   |  |
|---------|---|--|
| Product | : | Dispose of in accordance with local regulations.<br>According to the European Waste Catalogue, Waste Codes |
|---------|---|--|

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Capstone™ ST-100HS

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 19.03.2024  |
| 3.4     | 21.10.2024     | 9683283-00007 | Date of first issue: 22.09.2021 |

are not product specific, but application specific.  
Waste codes should be assigned by the user, preferably in  
discussion with the waste disposal authorities.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

### SECTION 14: Transport information

#### 14.1 UN number

|      |                                     |
|------|-------------------------------------|
| ADN  | : Not regulated as a dangerous good |
| ADR  | : Not regulated as a dangerous good |
| RID  | : Not regulated as a dangerous good |
| IMDG | : Not regulated as a dangerous good |
| IATA | : Not regulated as a dangerous good |

#### 14.2 UN proper shipping name

|      |                                     |
|------|-------------------------------------|
| ADN  | : Not regulated as a dangerous good |
| ADR  | : Not regulated as a dangerous good |
| RID  | : Not regulated as a dangerous good |
| IMDG | : Not regulated as a dangerous good |
| IATA | : Not regulated as a dangerous good |

#### 14.3 Transport hazard class(es)

|      |                                     |
|------|-------------------------------------|
| ADN  | : Not regulated as a dangerous good |
| ADR  | : Not regulated as a dangerous good |
| RID  | : Not regulated as a dangerous good |
| IMDG | : Not regulated as a dangerous good |
| IATA | : Not regulated as a dangerous good |

#### 14.4 Packing group

|                  |                                     |
|------------------|-------------------------------------|
| ADN              | : Not regulated as a dangerous good |
| ADR              | : Not regulated as a dangerous good |
| RID              | : Not regulated as a dangerous good |
| IMDG             | : Not regulated as a dangerous good |
| IATA (Cargo)     | : Not regulated as a dangerous good |
| IATA (Passenger) | : Not regulated as a dangerous good |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Capstone™ ST-100HS

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 19.03.2024  |
| 3.4     | 21.10.2024     | 9683283-00007 | Date of first issue: 22.09.2021 |

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the following entries should be considered:  
Number on list 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EC) on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH)  
Not applicable

#### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Capstone™ ST-100HS

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 19.03.2024  |
| 3.4     | 21.10.2024     | 9683283-00007 | Date of first issue: 22.09.2021 |

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

Other information : Capstone™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.  
Chemours™ and the Chemours Logo are trademarks of The Chemours Company.  
Before use read Chemours safety information.  
For further information contact the local Chemours office or nominated distributors.

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

#### Full text of H-Statements

H332 : Harmful if inhaled.

#### Full text of other abbreviations

|                    |   |
|--------------------|---|
| Acute Tox.         | : Acute toxicity  |
| 2000/39/EC         | : Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values              |
| 2004/37/EC         | : Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work |
| 2006/15/EC         | : Europe. Indicative occupational exposure limit values   |
| 2017/164/EU        | : Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values            |
| GB EH40            | : UK. EH40 WEL - Workplace Exposure Limits  |
| 2000/39/EC / TWA   | : Limit Value - eight hours   |
| 2000/39/EC / STEL  | : Short term exposure limit   |
| 2004/37/EC / STEL  | : Short term exposure limit   |
| 2004/37/EC / TWA   | : Long term exposure limit  |
| 2006/15/EC / TWA   | : Limit Value - eight hours   |
| 2017/164/EU / STEL | : Short term exposure limit   |
| 2017/164/EU / TWA  | : Limit Value - eight hours   |
| GB EH40 / TWA      | : Long-term exposure limit (8-hour TWA reference period)  |
| GB EH40 / STEL     | : Short-term exposure limit (15-minute reference period)  |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Capstone™ ST-100HS

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 19.03.2024  |
| 3.4     | 21.10.2024     | 9683283-00007 | Date of first issue: 22.09.2021 |

European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Acute Tox. 4                      H332

### Classification procedure:

Expert judgement and weight of evidence determination.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN