

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/10/21 |
| 3.0 | 2025/05/15 | 11416006-00003 | Date of first issue: 2024/07/03 |

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Viton™ VTR-1043 fluoroelastomer

SDS-Identcode : 130000036251

Manufacturer or supplier's details

Company : The Chemours Chemical (Shanghai) Co., Ltd.

Address : 9F, SCG Parkside, 868 Yinghua Road, Pudong New District
201204, Shanghai, China

Telephone : 86 400 8056 528

Emergency telephone number : 86 532 8388 9090

E-mail address : SDS.ChinaPSR@chemours.com

Telefax : 86 21 2612 0862

Recommended use of the chemical and restrictions on use

Recommended use : Rubber products
Resin for moulding and/or extrusion

Restrictions on use : For industrial use only.
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

2. HAZARDS IDENTIFICATION

Emergency Overview

| | |
|------------|--------------------|
| Appearance | : sheets |
| Colour | : white, off-white |
| Odour | : odourless |

Harmful to aquatic life with long lasting effects.

GHS Classification

| | |
|------------------------------------|--------------|
| Long-term (chronic) aquatic hazard | : Category 3 |
|------------------------------------|--------------|

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/10/21 |
| 3.0 | 2025/05/15 | 11416006-00003 | Date of first issue: 2024/07/03 |

GHS label elements

Hazard pictograms : None

Signal word : None

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Harmful to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---|--------------|-----------------------|
| 4,4'-(Hexafluoroisopropylidene)diphenol | 1478-61-1 | ≥ 0.3 -< 1 |
| Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1) | Not Assigned | ≥ 0.3 -< 1 |
| Sulpholane | 126-33-0 | ≥ 0.3 -< 1 |

Alternative CAS Numbers for some regions

| Chemical name | Alternative CAS Number(s) |
|---|---------------------------|
| Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1) | 75768-65-9, 1478-61-1 |


SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/10/21 |
| 3.0 | 2025/05/15 | 11416006-00003 | Date of first issue: 2024/07/03 |



4. FIRST AID MEASURES

- | | | |
|---|---|---|
| If inhaled | : | If inhaled, remove to fresh air. Get medical attention if symptoms occur. |
| In case of skin contact | : | Wash with water and soap as a precaution. Get medical attention if symptoms occur. |
| In case of eye contact | : | Flush eyes with water as a precaution. Get medical attention if irritation develops and persists. |
| If swallowed | : | If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : | None known. |
| Protection of first-aiders | : | No special precautions are necessary for first aid responders. |
| Notes to physician | : | Treat symptomatically and supportively. |

5. FIREFIGHTING MEASURES

- | | | |
|---------------------------------------|---|---|
| Suitable extinguishing media | : | Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire-fighting | : | Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides Fluorine compounds |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: |
| 3.0 | 2025/05/15 | 11416006-00003 | 2024/10/21 |
| | | | Date of first issue: 2024/07/03 |

Special protective equipment : Wear self-contained breathing apparatus for firefighting if necessary.
for firefighters Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : None.

Storage

Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: |
| 3.0 | 2025/05/15 | 11416006-00003 | 2024/10/21 |
| | | | Date of first issue: 2024/07/03 |

Materials to avoid : No special restrictions on storage with other products.

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates, acidic gas/vapour and organic vapour type

Eye/face protection : Wear the following personal protective equipment:
Safety glasses

Skin and body protection : Skin should be washed after contact.

Hand protection

Material : Nitrile rubber
Glove thickness : 0.38 mm
Wearing time : 480 min

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often!

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/10/21 |
| 3.0 | 2025/05/15 | 11416006-00003 | Date of first issue: 2024/07/03 |

| | | |
|--|---|-------------------------------|
| Appearance | : | sheets |
| Colour | : | white, off-white |
| Odour | : | odourless |
| Odour Threshold | : | No data available |
| pH | : | No data available |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | Not applicable |
| Evaporation rate | : | Not applicable |
| Flammability (solid, gas) | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapour pressure | : | Not applicable |
| Relative vapour density | : | Not applicable |
| Density | : | 1.75 - 1.90 g/cm ³ |
| Solubility(ies) | : | |
| Water solubility | : | insoluble |
| Partition coefficient: n-octanol/water | : | Not applicable |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity | : | |
| Viscosity, kinematic | : | Not applicable |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/10/21 |
| 3.0 | 2025/05/15 | 11416006-00003 | Date of first issue: 2024/07/03 |

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics
Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : None known.

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes : Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Assessment: The substance or mixture has no acute oral toxicity

Components:

4,4'-(Hexafluoroisopropylidene)diphenol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: |
| 3.0 | 2025/05/15 | 11416006-00003 | 2024/10/21 |
| | | | Date of first issue: 2024/07/03 |

II

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

| | |
|---------------------|---|
| Acute oral toxicity | : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 425 Assessment: The substance or mixture has no acute oral toxicity |
|---------------------|---|

Sulpholane:

| | |
|---------------------------|--|
| Acute oral toxicity | : LD50 (Rat): 2,000 - 2,500 mg/kg |
| Acute inhalation toxicity | : LC50 (Rat): 12 mg/l Exposure time: 4 h Test atmosphere: dust/mist |
| Acute dermal toxicity | : LD50 (Rat): > 2,000 mg/kg Method: Directive 67/548/EEC, Annex V, B.3. |

Skin corrosion/irritation

Not classified based on available information.

Components:

4,4'-(Hexafluoroisopropylidene)diphenol:

| | |
|---------|---------------------------|
| Species | : Rabbit |
| Method | : OECD Test Guideline 404 |
| Result | : No skin irritation |

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

| | |
|---------|---------------------------|
| Species | : Not tested on animals |
| Method | : OECD Test Guideline 439 |
| Result | : No skin irritation |

Sulpholane:

| | |
|---------|----------------------|
| Species | : Rabbit |
| Result | : No skin irritation |

Serious eye damage/eye irritation

Not classified based on available information.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/10/21 |
| 3.0 | 2025/05/15 | 11416006-00003 | Date of first issue: 2024/07/03 |

Product:

Result : No eye irritation

Components:

4,4'-(Hexafluoroisopropylidene)diphenol:

| | |
|---------|-----------------------------------|
| Species | : Rabbit |
| Result | : Irreversible effects on the eye |
| Method | : OECD Test Guideline 405 |

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

| | |
|---------|---------------------------|
| Species | : In Vitro - Bovine |
| Result | : No eye irritation |
| Method | : OECD Test Guideline 437 |

Sulpholane:

| | |
|---------|---------------------|
| Species | : Rabbit |
| Result | : No eye irritation |

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

4,4'-(Hexafluoroisopropylidene)diphenol:

| | |
|-----------------|---------------------------|
| Test Type | : Maximisation Test |
| Exposure routes | : Skin contact |
| Species | : Guinea pig |
| Method | : OECD Test Guideline 406 |
| Result | : negative |

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

| | |
|-----------------|--|
| Test Type | : Direct Peptide Reactivity Assay (DPRA) |
| Exposure routes | : Skin contact |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/10/21 |
| 3.0 | 2025/05/15 | 11416006-00003 | Date of first issue: 2024/07/03 |

| | |
|---------|----------------------------|
| Species | : Not tested on animals |
| Method | : OECD Test Guideline 442C |
| Result | : equivocal |

| | |
|-----------------|----------------------------|
| Test Type | : KeratinoSens assay |
| Exposure routes | : Skin contact |
| Species | : Not tested on animals |
| Method | : OECD Test Guideline 442D |
| Result | : positive |

| | |
|-----------------|--|
| Test Type | : Maximisation Test |
| Exposure routes | : Skin contact |
| Species | : Guinea pig |
| Method | : OECD Test Guideline 406 |
| Result | : negative |
| Remarks | : Based on data from similar materials |

| | |
|------------|--------------------------------------|
| Assessment | : Does not cause skin sensitisation. |
|------------|--------------------------------------|

Sulpholane:

| | |
|-----------------|-----------------------------------|
| Test Type | : Freund's complete adjuvant test |
| Exposure routes | : Skin contact |
| Species | : Guinea pig |
| Result | : negative |

Germ cell mutagenicity

Not classified based on available information.

Components:

4,4'-(Hexafluoroisopropylidene)diphenol:

| | |
|-----------------------|---|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative |
| | : Test Type: In vitro mammalian cell gene mutation test Method: OPPTS 870.5300 Result: equivocal |

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

| | |
|-----------------------|---|
| : | |
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative |
| | : Test Type: In vitro mammalian cell gene mutation test |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|----------------|------------------------------|-------------------------------|---|
| Version 3.0 | Revision Date: 2025/05/15 | SDS Number: 11416006-00003 | Date of last issue: 2024/10/21 Date of first issue: 2024/07/03 |
|----------------|------------------------------|-------------------------------|---|

| | |
|-------------------------------------|--|
| | Method: OECD Test Guideline 476 Result: negative |
| Germ cell mutagenicity - Assessment | : Weight of evidence does not support classification as a germ cell mutagen. |

Sulpholane:

| | |
|-----------------------|---|
| Genotoxicity in vitro | : Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 471 Result: negative |
| | Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: negative |
| | Test Type: Bacterial reverse mutation assay (AMES) Result: negative |

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Product:

| | |
|------------------------------------|-------------------------------|
| Reproductive toxicity - Assessment | : No toxicity to reproduction |
|------------------------------------|-------------------------------|

Components:

4,4'-(Hexafluoroisopropylidene)diphenol:

| | |
|------------------------------------|--|
| Effects on fertility | : Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: positive |
| Effects on foetal development | : Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative |
| Reproductive toxicity - Assessment | : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: |
| 3.0 | 2025/05/15 | 11416006-00003 | 2024/10/21 |
| | | | Date of first issue: 2024/07/03 |

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

| | |
|------------------------------------|--|
| Effects on fertility | : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: positive Remarks: Based on data from similar materials |
| Effects on foetal development | : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials |
| Reproductive toxicity - Assessment | : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments |

Sulpholane:

| | |
|------------------------------------|---|
| Effects on foetal development | : Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: positive |
| Reproductive toxicity - Assessment | : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments |

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Product:

| | |
|------------|--|
| Assessment | : The substance or mixture is not classified as specific target organ toxicant, repeated exposure. |
|------------|--|

Components:

4,4'-(Hexafluoroisopropylidene)diphenol:

| | |
|-----------------|-----------------------------|
| Exposure routes | : Ingestion |
| Target Organs | : Prostate, Seminal vesicle |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/10/21 |
| 3.0 | 2025/05/15 | 11416006-00003 | Date of first issue: 2024/07/03 |

Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:
Exposure routes : Ingestion
Target Organs : Seminal vesicle, Prostate
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Sulpholane:

Assessment : No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or less.

Repeated dose toxicity

Components:

4,4'-(Hexafluoroisopropylidene)diphenol:

Species : Rat, male and female
NOAEL : 10 mg/kg
LOAEL : 30 mg/kg
Application Route : Ingestion
Exposure time : 28 Days
Method : OECD Test Guideline 407

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:
Species : Rat, male and female
NOAEL : 10 mg/kg
LOAEL : 100 mg/kg
Application Route : Ingestion
Exposure time : 28 Days
Method : OECD Test Guideline 407
Remarks : Based on data from similar materials

Sulpholane:

Species : Rat
NOAEL : 200 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/10/21 |
| 3.0 | 2025/05/15 | 11416006-00003 | Date of first issue: 2024/07/03 |

| | |
|-------------------|-------------------------------|
| Species | : Guinea pig |
| NOAEL | : 0.159 mg/l |
| LOAEL | : 0.2 mg/l |
| Application Route | : inhalation (dust/mist/fume) |
| Exposure time | : 90 - 110 Days |

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : According to data on similar materials, and from modeling assessment, the product is not considered to require classification as dangerous to health.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Components:

4,4'-(Hexafluoroisopropylidene)diphenol:

| | |
|---|--|
| Toxicity to fish | : LC50 (Danio rerio (zebra fish)): 4.2 mg/l Exposure time: 48 h Method: OECD Test Guideline 215 |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 2.7 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : ErC50 (Desmodesmus subspicatus (green algae)): 3 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 0.052 mg/l Exposure time: 3 d Method: OECD Test Guideline 201 |
| Toxicity to fish (Chronic tox- | : NOEC (Danio rerio (zebra fish)): 0.125 mg/l |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: |
| 3.0 | 2025/05/15 | 11416006-00003 | 2024/10/21 |
| | | | Date of first issue: 2024/07/03 |

icity)
Exposure time: 120 d
Method: No data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.23 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:
Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1.2 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.79 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.45 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.0087 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 10

Sulpholane:

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 852 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): >

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/10/21 |
| 3.0 | 2025/05/15 | 11416006-00003 | Date of first issue: 2024/07/03 |

| | |
|----------------------------|--|
| plants | 1,000 mg/l |
| | Exposure time: 72 h |
| | Method: OECD Test Guideline 201 |
| | |
| | NOEC (Pseudokirchneriella subcapitata (green algae)): 556 mg/l |
| | Exposure time: 72 h |
| | Method: OECD Test Guideline 201 |
| Toxicity to microorganisms | : NOEC: 100 mg/l |
| | Exposure time: 14 d |

Persistence and degradability

Components:

4,4'-(Hexafluoroisopropylidene)diphenol:

| | |
|------------------|--------------------------------------|
| Biodegradability | : Result: Not readily biodegradable. |
| | Method: OECD Test Guideline 301B |

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

| | |
|------------------|--------------------------------------|
| : | |
| Biodegradability | : Result: Not readily biodegradable. |
| | Method: OECD Test Guideline 301B |

Sulpholane:

| | |
|------------------|--------------------------------------|
| Biodegradability | : Result: Not readily biodegradable. |
| | Biodegradation: 10.1 % |
| | Exposure time: 14 d |
| | Method: OECD Test Guideline 301C |

Bioaccumulative potential

Components:

4,4'-(Hexafluoroisopropylidene)diphenol:

| | |
|-----------------|------------------------------------|
| Bioaccumulation | : Species: Zebrafish |
| | Bioconcentration factor (BCF): 9.8 |
| | Method: OECD Test Guideline 305 |

| | |
|--|-----------------|
| Partition coefficient: n-octanol/water | : log Pow: 2.79 |
|--|-----------------|

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/10/21 |
| 3.0 | 2025/05/15 | 11416006-00003 | Date of first issue: 2024/07/03 |

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltri-phenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Partition coefficient: n-octanol/water : log Pow: 2.28

Sulpholane:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): < 13

Partition coefficient: n-octanol/water : log Pow: < 0

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/10/21 |
| 3.0 | 2025/05/15 | 11416006-00003 | Date of first issue: 2024/07/03 |

Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Marine pollutant : no

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWS : Not listed

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: |
| 3.0 | 2025/05/15 | 11416006-00003 | 2024/10/21 |
| | | | Date of first issue: 2024/07/03 |

Catalogue of Specially Controlled Hazardous Chemicals : Not listed

List of Explosive Precursors : Listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import and Export : Not listed

List of Controlled Ozone Depleting Substances : Not listed

Environmental Protection Law

List of Priority Controlled Chemicals : Not listed

List of Key Controlled New Pollutants : Not listed

16. OTHER INFORMATION

Revision Date : 2025/05/15

Other information : Viton™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.
Chemours™ and the Chemours Logo are trademarks of The Chemours Company.
Before use read Chemours safety information.
For further information contact the local Chemours office or nominated distributors.

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/10/21 |
| 3.0 | 2025/05/15 | 11416006-00003 | Date of first issue: 2024/07/03 |

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Viton™ VTR-1043 fluoroelastomer

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/10/21 |
| 3.0 | 2025/05/15 | 11416006-00003 | Date of first issue: 2024/07/03 |

CN / EN