

# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue:
3.2	2024/07/03	1912642-00011	2024/01/09
			Date of first issue: 2017/09/18

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Viton™ VTR-1043 fluoroelastomer

SDS-Identcode : 130000036251

#### Manufacturer or supplier's details

Company : The Chemours (Thailand) Company Limited

Address : Unit 1502, 15th Floor, GPF Witthayu Tower A, 93/1 Wireless Road, Lumpini, Pathumwan, Bangkok 10330, Thailand

Telephone : 0 2026 1818 (INT +66 2026 1818)

Emergency telephone number : 1800014808

#### Recommended use of the chemical and restrictions on use

Recommended use : Rubber products  
Resin for moulding and/or extrusion

Restrictions on use : For industrial use only.  
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Long-term (chronic) aquatic hazard : Category 3

#### GHS label elements

Hazard pictograms : None

Signal word : None

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.

**Disposal:**

# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/01/09
3.2	2024/07/03	1912642-00011	Date of first issue: 2017/09/18

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
4,4'-(Hexafluoroisopropylidene)diphenol	1478-61-1	$\geq 0.3$ -< 1
Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)	Not Assigned	$\geq 0.3$ -< 1
Sulpholane	126-33-0	$\geq 0.3$ -< 1

#### Alternative CAS Numbers for some regions

Chemical name	Alternative CAS Number(s)
Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)	75768-65-9, 1478-61-1

### 4. FIRST AID MEASURES

If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: None known.

# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version 3.2	Revision Date: 2024/07/03	SDS Number: 1912642-00011	Date of last issue: 2024/01/09 Date of first issue: 2017/09/18
----------------	------------------------------	------------------------------	---

---

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Fluorine compounds

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

---

# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version 3.2	Revision Date: 2024/07/03	SDS Number: 1912642-00011	Date of last issue: 2024/01/09 Date of first issue: 2017/09/18
----------------	------------------------------	------------------------------	---

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

- |                             |   |
|-----------------------------|---|
| Technical measures          | : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.   |
| Local/Total ventilation     | : Use only with adequate ventilation.   |
| Advice on safe handling     | : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : Keep in properly labelled containers.<br>Store in accordance with the particular national regulations.  |
| Materials to avoid          | : No special restrictions on storage with other products.   |

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

- |                      |   |
|----------------------|---|
| Engineering measures | : Ensure adequate ventilation, especially in confined areas.<br>Minimize workplace exposure concentrations. |
|----------------------|---|

#### Personal protective equipment

- |                        |  |
|------------------------|--|
| Respiratory protection | : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. |
| Filter type            | : Combined particulates, acidic gas/vapour and organic vapour type   |
| Hand protection        |  |
| Material               | : Nitrile rubber   |
| Glove thickness        | : 0.38 mm  |
| Wearing time           | : 480 min  |

- |         |   |
|---------|---|
| Remarks | : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. |
|---------|---|

# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version 3.2	Revision Date: 2024/07/03	SDS Number: 1912642-00011	Date of last issue: 2024/01/09 Date of first issue: 2017/09/18
----------------	------------------------------	------------------------------	---

---

Breakthrough time is not determined for the product. Change gloves often!

Eye protection : Wear the following personal protective equipment:  
Safety glasses

Skin and body protection : Skin should be washed after contact.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : sheets

Colour : white, off-white

Odour : odourless

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/01/09
3.2	2024/07/03	1912642-00011	Date of first issue: 2017/09/18

---

Density	:	1.75 - 1.90 g/cm <sup>3</sup>
Solubility(ies)	:	
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics	:	
Particle size	:	No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	None known.
Conditions to avoid	:	None known.
Incompatible materials	:	None.
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Skin contact Ingestion Eye contact
--	---	--

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	:	Assessment: The substance or mixture has no acute oral tox-
---------------------	---	---

# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/01/09
3.2	2024/07/03	1912642-00011	Date of first issue: 2017/09/18

---

icity

### **Components:**

#### **4,4'-(Hexafluoroisopropylidene)diphenol:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 425  
Assessment: The substance or mixture has no acute oral toxicity

#### **Sulpholane:**

Acute oral toxicity : LD50 (Rat): 2,000 - 2,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 12 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: Directive 67/548/EEC, Annex V, B.3.

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **4,4'-(Hexafluoroisopropylidene)diphenol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/01/09
3.2	2024/07/03	1912642-00011	Date of first issue: 2017/09/18

---

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Species	:	Not tested on animals
Method	:	OECD Test Guideline 439
Result	:	No skin irritation

### Sulpholane:

Species	:	Rabbit
Result	:	No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### Product:

Result	:	No eye irritation
--------	---	-------------------

### Components:

#### 4,4'-(Hexafluoroisopropylidene)diphenol:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Species	:	In Vitro - Bovine
Result	:	No eye irritation
Method	:	OECD Test Guideline 437

### Sulpholane:

Species	:	Rabbit
Result	:	No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.



## Viton™ VTR-1043 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/01/09
3.2	2024/07/03	1912642-00011	Date of first issue: 2017/09/18

---

**Components:****4,4'-(Hexafluoroisopropylidene)diphenol:**

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Test Type	: Direct Peptide Reactivity Assay (DPRA)
Exposure routes	: Skin contact
Species	: Not tested on animals
Method	: OECD Test Guideline 442C
Result	: equivocal

Test Type	: KeratinoSens assay
Exposure routes	: Skin contact
Species	: Not tested on animals
Method	: OECD Test Guideline 442D
Result	: positive

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

Assessment	: Does not cause skin sensitisation.
------------	--------------------------------------

**Sulpholane:**

Test Type	: Freund's complete adjuvant test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****4,4'-(Hexafluoroisopropylidene)diphenol:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Method: OECD Test Guideline 471
	Result: negative

# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/01/09
3.2	2024/07/03	1912642-00011	Date of first issue: 2017/09/18

---

Test Type: In vitro mammalian cell gene mutation test  
Method: OPPTS 870.5300  
Result: equivocal

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Sulpholane:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### **Product:**

Reproductive toxicity - Assessment : No toxicity to reproduction

### **Components:**

#### **4,4'-(Hexafluoroisopropylidene)diphenol:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat

# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version 3.2	Revision Date: 2024/07/03	SDS Number: 1912642-00011	Date of last issue: 2024/01/09 Date of first issue: 2017/09/18
----------------	------------------------------	------------------------------	---

---

Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: positive

Effects on foetal development : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:  
Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: positive  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

### Sulpholane:

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

### STOT - single exposure

Not classified based on available information.

# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/01/09
3.2	2024/07/03	1912642-00011	Date of first issue: 2017/09/18

---

### STOT - repeated exposure

Not classified based on available information.

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Components:

##### **4,4'-(Hexafluoroisopropylidene)diphenol:**

Exposure routes : Ingestion  
Target Organs : Prostate, Seminal vesicle  
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:  
Exposure routes : Ingestion  
Target Organs : Seminal vesicle, Prostate  
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

##### **Sulpholane:**

Assessment : No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or less.

### Repeated dose toxicity

#### Components:

##### **4,4'-(Hexafluoroisopropylidene)diphenol:**

Species : Rat, male and female  
NOAEL : 10 mg/kg  
LOAEL : 30 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days  
Method : OECD Test Guideline 407

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:  
Species : Rat, male and female  
NOAEL : 10 mg/kg

# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/01/09
3.2	2024/07/03	1912642-00011	Date of first issue: 2017/09/18

---

LOAEL : 100 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days  
Method : OECD Test Guideline 407  
Remarks : Based on data from similar materials

### **Sulpholane:**

Species : Rat  
NOAEL : 200 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days

Species : Guinea pig  
NOAEL : 0.159 mg/l  
LOAEL : 0.2 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 90 - 110 Days

### **Aspiration toxicity**

Not classified based on available information.

### **Further information**

#### **Product:**

Remarks : According to data on similar materials, and from modeling assessment, the product is not considered to require classification as dangerous to health.

---

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Product:**

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

#### **Components:**

##### **4,4'-(Hexafluoroisopropylidene)diphenol:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 4.2 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 215

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.7 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/01/09
3.2	2024/07/03	1912642-00011	Date of first issue: 2017/09/18

---

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 3 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.052 mg/l  
Exposure time: 3 d  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 0.125 mg/l  
Exposure time: 120 d  
Method: No data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.23 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1.2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.79 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.45 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.0087 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 10

**Sulpholane:**

# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue:
3.2	2024/07/03	1912642-00011	2024/01/09
			Date of first issue: 2017/09/18

---

Toxicity to fish : LC50 (*Oryzias latipes* (Orange-red killifish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 852 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 1,000 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 556 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC: 100 mg/l  
Exposure time: 14 d

### Persistence and degradability

#### Components:

##### **4,4'-(Hexafluoroisopropylidene)diphenol:**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:  
Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

##### **Sulpholane:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 10.1 %  
Exposure time: 14 d  
Method: OECD Test Guideline 301C

### Bioaccumulative potential

#### Components:

##### **4,4'-(Hexafluoroisopropylidene)diphenol:**

Bioaccumulation : Species: Zebrafish  
Bioconcentration factor (BCF): 9.8

# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue:
3.2	2024/07/03	1912642-00011	2024/01/09
			Date of first issue: 2017/09/18

Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 2.79

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:  
Partition coefficient: n-octanol/water : log Pow: 2.28

### Sulpholane:

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): < 13

Partition coefficient: n-octanol/water : log Pow: < 0

### Mobility in soil

No data available

### Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable



# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/01/09
3.2	2024/07/03	1912642-00011	Date of first issue: 2017/09/18

---

Environmentally hazardous : no

### IATA-DGR

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

Not applicable

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Hazardous Substance Act : Conditions of restriction for the following entries should be considered:  
Not applicable

Emergency Decree on Controlling the Use of Volatile Substances : Not applicable

---

## 16. OTHER INFORMATION

Revision Date : 2024/07/03

Other information : Viton™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.  
Chemours™ and the Chemours Logo are trademarks of The Chemours Company.  
Before use read Chemours safety information.  
For further information contact the local Chemours office or nominated distributors.

# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/01/09
3.2	2024/07/03	1912642-00011	Date of first issue: 2017/09/18

---

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

# SAFETY DATA SHEET



## Viton™ VTR-1043 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/01/09
3.2	2024/07/03	1912642-00011	Date of first issue: 2017/09/18

---

TH / EN