

# SAFETY DATA SHEET



## Krytox™ GPL 217

Version	Revision Date:	SDS Number (Internal):	Date of last issue: 2024/10/17
3.2	2025/05/15	10848183-00005	Date of first issue: 2022/09/13

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Krytox™ GPL 217

SDS-Identcode : 130000024225

#### Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : For industrial use only.  
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

#### Manufacturer or supplier's details

Company : Chemours Korea Inc.

Address : 12FL, Majestarcity Tower 1, 12, Seocho-daero 38-gil, Seocho-gu, Seoul 06655, Korea

Telephone : 82-2-2015-5000

Emergency telephone number : 080-880-0454

Telefax : 82-2-2015-5091

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

This material is not classified as hazardous under the Article 104 of the Occupational Safety and Health Act (OSHA). It is not regulated for the MSDS creation and labeling by the provision of Article 110 Paragraph 1 of the OSHA.

#### GHS label elements

This material is not classified as hazardous under the Article 104 of the Occupational Safety and Health Act (OSHA). It is not regulated for the MSDS creation and labeling by the provision of Article 110 Paragraph 1 of the OSHA.

Hazard pictograms : Not applicable

Signal word : Not applicable

Hazard statements : Not applicable

# SAFETY DATA SHEET



## Krytox™ GPL 217

Version	Revision Date:	SDS Number (Internal):	Date of last issue: 2024/10/17
3.2	2025/05/15	10848183-00005	Date of first issue: 2022/09/13

Precautionary statements : **Prevention:**  
P264 Wash skin thoroughly after handling.

**Disposal:**  
P501 Dispose of contents/ container according to waste-related laws

### Other hazards which do not result in classification

The thermal decomposition vapours of fluorinated plastics may cause polymer fume fever with flu-like symptoms in humans, especially when smoking contaminated tobacco.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name	CAS-No.	Concentration (% w/w)
Additive	Proprietary Ingredient	Proprietary Ingredient	>= 1 - < 10

## 4. FIRST AID MEASURES

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Inhalation may provoke the following symptoms:  
Irritation  
Lung oedema  
Eye contact may provoke the following symptoms  
Blurred vision  
Discomfort  
Lachrymation  
Skin contact may provoke the following symptoms:  
Irritation  
Redness  
Inhalation may provoke the following symptoms:

# SAFETY DATA SHEET



## Krytox™ GPL 217

Version 3.2	Revision Date: 2025/05/15	SDS Number (Internal): 10848183-00005	Date of last issue: 2024/10/17 Date of first issue: 2022/09/13
----------------	------------------------------	--	---

Irritation  
Shortness of breath

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

#### Suitable and unsuitable extinguishing media

Suitable extinguishing media : Not applicable  
Will not burn

Unsuitable extinguishing media : Not applicable  
Will not burn

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Hydrogen fluoride  
carbonyl fluoride  
potentially toxic fluorinated compounds  
aerosolized particulates  
Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.

# SAFETY DATA SHEET



## Krytox™ GPL 217

Version 3.2	Revision Date: 2025/05/15	SDS Number (Internal): 10848183-00005	Date of last issue: 2024/10/17 Date of first issue: 2022/09/13
----------------	------------------------------	--	---

Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.  
  
Do not breathe decomposition products.

Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.

Materials to avoid : No special restrictions on storage with other products.

Further information on storage stability : No decomposition if stored and applied as directed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Additive	Proprietary Ingredient	TWA (Inhalable particu-	10 mg/m3 (Molybdenum)	ACGIH

## SAFETY DATA SHEET



## Krytox™ GPL 217

Version  
3.2Revision Date:  
2025/05/15SDS Number (Internal):  
10848183-00005Date of last issue: 2024/10/17  
Date of first issue: 2022/09/13

		late matter)		
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup> (Molybdenum)	ACGIH

Other ingredients, which are listed in section 3 but not listed in this section, do not have established occupational exposure limit values.

## Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	0.5 ppm (Fluorine)	KR OEL
	Further information: Substances designated by 'Skin' may be absorbed into the bloodstream through the skin, mucous membrane and eye and contribute to the overall effect. (Skin notation does not apply to the skin irritant)			
		C	3 ppm (Fluorine)	KR OEL
	Further information: Substances designated by 'Skin' may be absorbed into the bloodstream through the skin, mucous membrane and eye and contribute to the overall effect. (Skin notation does not apply to the skin irritant)			
		TWA	0.5 ppm (Fluorine)	ACGIH
		C	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	KR OEL
		STEL	5 ppm	KR OEL
		TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
Carbon dioxide	124-38-9	TWA	5,000 ppm	KR OEL
		STEL	30,000 ppm	KR OEL
		TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
Carbon monoxide	630-08-0	TWA	30 ppm	KR OEL
	Further information: Known human reproductive toxicant			
		STEL	200 ppm	KR OEL
	Further information: Known human reproductive toxicant			
		TWA	30 ppm	KR PEL
		STEL	200 ppm	KR PEL
		TWA	25 ppm	ACGIH

**Engineering measures** : Processing may form hazardous compounds (see section 10).  
Ensure adequate ventilation, especially in confined areas.

# SAFETY DATA SHEET



## Krytox™ GPL 217

Version 3.2	Revision Date: 2025/05/15	SDS Number (Internal): 10848183-00005	Date of last issue: 2024/10/17 Date of first issue: 2022/09/13
----------------	------------------------------	--	---

---

Minimize workplace exposure concentrations.

**Personal protective equipment.** Among the following personal protective equipment, the PPEs which require safety certification need to be certified by KOSHA.

Respiratory protection	:	Use respiratory protection (gas mask) unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type	:	Combined particulates, acidic gas/vapour and organic vapour type
Eye protection	:	Wear the following personal protective equipment: Safety glasses
Hand protection	:	
Material	:	Not applicable
Remarks	:	Wash hands before breaks and at the end of workday.
Skin and body protection	:	Skin should be washed after contact.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Colour	:	black
Odour	:	odourless
Odour Threshold	:	No data available
pH	:	7
Melting point/freezing point	:	320 °C
Initial boiling point and boiling range	:	No data available

# SAFETY DATA SHEET



## Krytox™ GPL 217

Version 3.2	Revision Date: 2025/05/15	SDS Number (Internal): 10848183-00005	Date of last issue: 2024/10/17 Date of first issue: 2022/09/13
----------------	------------------------------	--	---

---

Flash point	:	Method: Pensky-Martens closed cup Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Solubility(ies) Water solubility	:	No data available
Relative vapour density	:	Not applicable
Relative density	:	1.89 - 1.93
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	300 °C
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	No data available

---

### 10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions	:	Reactivity: Not classified as a reactivity hazard. Chemical stability: Stable under normal conditions.
---	---	---

# SAFETY DATA SHEET



## Krytox™ GPL 217

Version	Revision Date:	SDS Number (Internal):	Date of last issue: 2024/10/17
3.2	2025/05/15	10848183-00005	Date of first issue: 2022/09/13

---

Possibility of hazardous reactions:  
Hazardous decomposition products will be formed at elevated temperatures.

Conditions to avoid : None known.

Incompatible materials : None.

### Hazardous decomposition products

Thermal decomposition : Hydrofluoric acid  
Carbonyl difluoride  
Carbon dioxide  
Carbon monoxide

---

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

### Health hazard information

#### Acute toxicity

No data available

#### Components:

##### Additive:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 2.82 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402

### Skin corrosion/irritation

No data available

#### Components:

##### Additive:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation



# SAFETY DATA SHEET



## Krytox™ GPL 217

Version	Revision Date:	SDS Number (Internal):	Date of last issue: 2024/10/17
3.2	2025/05/15	10848183-00005	Date of first issue: 2022/09/13

---

### Serious eye damage/eye irritation

No data available

#### Components:

##### Additive:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

### Respiratory or skin sensitisation

#### Respiratory sensitisation

No data available

#### Skin sensitisation

No data available

#### Components:

##### Additive:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

### Carcinogenicity

No data available

#### Components:

##### Additive:

No data available

### Germ cell mutagenicity

No data available

#### Components:

##### Additive:

No data available

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
-----------------------	---	--

	:	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476
--	---	--

# SAFETY DATA SHEET



## Krytox™ GPL 217

Version 3.2	Revision Date: 2025/05/15	SDS Number (Internal): 10848183-00005	Date of last issue: 2024/10/17 Date of first issue: 2022/09/13
----------------	------------------------------	--	---

---

Result: negative  
Remarks: Based on data from similar materials

Test Type: in vitro micronucleus test  
Method: OECD Test Guideline 487  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### Reproductive toxicity

No data available

### Components:

#### Additive:

No data available

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Repeated dose toxicity

No data available

### Aspiration toxicity

No data available

# SAFETY DATA SHEET



## Krytox™ GPL 217

Version	Revision Date:	SDS Number (Internal):	Date of last issue: 2024/10/17
3.2	2025/05/15	10848183-00005	Date of first issue: 2022/09/13

### Experience with human exposure

No data available

### Toxicology, Metabolism, Distribution

No data available

### Neurological effects

No data available

### Further information

No data available

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Additive:**

- |  |   |   |
|--|---|---|
| Toxicity to fish   | : | LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203<br>Remarks: Based on data from similar materials  |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202<br>Remarks: Based on data from similar materials  |
| Toxicity to algae/aquatic plants                                       | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials<br><br>EC10 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials |
| Toxicity to fish (Chronic toxicity)                                    | : | EC10 (Oncorhynchus mykiss (rainbow trout)): > 1 mg/l<br>Exposure time: 78 d<br>Remarks: Based on data from similar materials  |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): > 1 mg/l<br>Exposure time: 21 d<br>Remarks: Based on data from similar materials   |
| Toxicity to microorganisms   | : | NOEC (activated sludge): > 100 mg/l<br>Exposure time: 17 d<br>Method: OECD Test Guideline 209   |

# SAFETY DATA SHEET



## Krytox™ GPL 217

Version	Revision Date:	SDS Number (Internal):	Date of last issue: 2024/10/17
3.2	2025/05/15	10848183-00005	Date of first issue: 2022/09/13

Remarks: Based on data from similar materials

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of contents and container according to wastes control act.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

### Disposal precautions

Dispose of contents and container according to wastes control act.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Environmentally hazardous	: no

#### IATA-DGR

UN/ID No.	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Packing instruction (cargo)	: Not applicable

# SAFETY DATA SHEET



## Krytox™ GPL 217

Version	Revision Date:	SDS Number (Internal):	Date of last issue: 2024/10/17
3.2	2025/05/15	10848183-00005	Date of first issue: 2022/09/13

---

aircraft)  
Packing instruction (passenger aircraft) : Not applicable

### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

Refer to section 15 for specific national regulation.

### Special precautions for user

Not applicable

---

## 15. REGULATORY INFORMATION

### National regulatory information

#### Regulation under the Occupational Safety and Health Act

#### Harmful Substances Prohibited from Manufacturing

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### Harmful Agents to be kept below Occupational Exposure Limits

Not applicable

#### Harmful Agents Required to be kept below Permission Levels

Not applicable

#### Hazardous substances requiring management

Not applicable

#### Special Management Materials

Not applicable

#### Controlled Substances Subject to Environment Monitoring

Not applicable

#### Controlled Substances Subject to Health Examination

Not applicable

# SAFETY DATA SHEET



## Krytox™ GPL 217

Version	Revision Date:	SDS Number (Internal):	Date of last issue:
3.2	2025/05/15	10848183-00005	2024/10/17
			Date of first issue: 2022/09/13

---

### **Hazardous Substances Subject to Process Safety Management (PSM) Reporting Obligation**

Not applicable

### **K-OSHA Hazardous Substances (Occupational Safety and Health Regulations, Table 1)**

Not applicable

### **K-OSHA Hazardous Substances (Occupational Safety and Health Regulations, Table 9)**

Not applicable

### **Regulation under the Chemicals Control Act**

#### **Toxic Chemicals**

Not applicable

#### **Restricted Chemicals**

Not applicable

#### **Prohibited Chemicals**

Not applicable

#### **Toxic Release Inventory**

Not applicable

#### **Accident Precaution Chemicals**

Not applicable

#### **Dangerous Substances Safety Management Act**

Not Applicable to Dangerous Materials

#### **Wastes Control Act**

Industrial general wastes

Follow article 13 of the act to dispose the product waste

---

## 16. OTHER INFORMATION

Other information : Krytox™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.  
Chemours™ and the Chemours Logo are trademarks of The Chemours Company.  
Before use read Chemours safety information.  
For further information contact the local Chemours office or nominated distributors.

#### **Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Issuing date : 2022/09/13

# SAFETY DATA SHEET



## Krytox™ GPL 217

Version	Revision Date:	SDS Number (Internal):	Date of last issue: 2024/10/17
3.2	2025/05/15	10848183-00005	Date of first issue: 2022/09/13


### Revision number and date

Number of Revision : 4

Revision Date : 2025/05/15

Date format : yyyy/mm/dd

### NFPA:



### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
KR OEL	: Harmful Agents to be kept below Occupational Exposure Limits
KR PEL	: Harmful Agents Required to be kept below Permission Levels
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
ACGIH / C	: Ceiling limit
KR OEL / TWA	: Time Weighted Average
KR OEL / STEL	: Short Term Exposure Limit
KR OEL / C	: Ceiling
KR PEL / TWA	: TWA
KR PEL / STEL	: STEL

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

# SAFETY DATA SHEET



## Krytox™ GPL 217

Version	Revision Date:	SDS Number (Internal):	Date of last issue: 2024/10/17
3.2	2025/05/15	10848183-00005	Date of first issue: 2022/09/13

---

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

KR / EN