

DURO CRAFTS -- ALL CRAFTS PROFESSIONAL EPOXY-12 MIN - PART A

MATERIAL SAFETY DATA SHEET

NSN: 804000N073449

Manufacturer's CAGE: DURXC

Part No. Indicator: A

Part Number/Trade Name: ALL CRAFTS PROFESSIONAL EPOXY-12 MIN - PART A

=====  
General Information  
=====

Company's Name: DURO CRAFTS INC

Company's P. O. Box: 270

Company's City: SANDY HOOK

Company's State: CT

Company's Country: US

Company's Zip Code: 06482

Company's Emerg Ph #: 800-424-9300 (CHEMTREC)

Company's Info Ph #: 800-993-7699

Record No. For Safety Entry: 001

Tot Safety Entries This Stk#: 002

Status: KMJ

Date MSDS Prepared: 01DEC93

Safety Data Review Date: 01OCT96

MSDS Serial Number: CCNRB  
==========  
Ingredients/Identity Information  
=====

Proprietary: NO

Ingredient: POLYMERCAPTAN RESIN

Ingredient Sequence Number: 01

Percent: 18

NIOSH (RTECS) Number: 1002553PR

OSHA PEL: N/K (FP N)

ACGIH TLV: N/K (FP N)  
-----

Proprietary: NO

Ingredient: ALIPHATIC MERCAPTAN

Ingredient Sequence Number: 02

Percent: 13

NIOSH (RTECS) Number: 1009767AM

OSHA PEL: N/K (FP N)

ACGIH TLV: N/K (FP N)  
-----

Proprietary: NO

Ingredient: POLYAMIDE

Ingredient Sequence Number: 03

Percent: &lt;5

NIOSH (RTECS) Number: 1004128PA

CAS Number: 68082-29-1

OSHA PEL: N/K (FP N)

ACGIH TLV: N/K (FP N)  
-----

Proprietary: NO

Ingredient: AMINES, POLYETHYLENEPOLY-, REACTION PRODUCTS WITH SUCCINIC ANHYDRIDE POLYISOBUTENYL DERIVS; (AMINES)

Ingredient Sequence Number: 04

Percent: &lt;5

NIOSH (RTECS) Number: 1009745AP

OSHA PEL: N/K (FP N)

ACGIH TLV: N/K (FP N)  
==========  
Physical/Chemical Characteristics  
=====

Appearance And Odor: OFF-WHITE PASTE, WITH STRONG SULPHUR ODOR

Boiling Point: N/A

Melting Point: N/A

Vapor Pressure (MM Hg/70 F): N/A

Vapor Density (Air=1): N/A

Solubility In Water: N/A  
Percent Volatiles By Volume: N/A  
pH: N/A

=====  
Fire and Explosion Hazard Data  
=====

Flash Point: >200F,>93C  
Extinguishing Media: FOAM, DRY CHEMICAL, CARBON DIOXIDE.  
Special Fire Fighting Proc: WEAR NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N). COOL EXPOSED CONTAINERS WITH WATER SPRAY.  
Unusual Fire And Expl Hazrds: TOXIC FUMES WILL BE EVOLVED WHEN THIS MATERIAL IS INVOLVED IN A FIRE.

=====  
Reactivity Data  
=====

Stability: YES  
Cond To Avoid (Stability): NONE SPECIFIED BY MANUFACTURER.  
Materials To Avoid: CONTACT WITH STRONG OKIDIZING AGENTS, MINERAL ACIDS, AND EPOXY RESINS UNDER UNCONTROLLED CONDITIONS.  
Hazardous Decomp Products: CARBON MONOXIDE, CARBON DIOXIDE, NO\*X, S\*XO\*X.  
Hazardous Poly Occur: NO  
Conditions To Avoid (Poly): NOT RELEVANT.

=====  
Health Hazard Data  
=====

LD50-LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.  
Route Of Entry - Inhalation: YES  
Route Of Entry - Skin: YES  
Route Of Entry - Ingestion: YES  
Health Haz Acute And Chronic: ACUTE: INHAL: MAY BE IRRIT TO MUC MEMB OF RESP SYS. POSS LUNG INJURY & CHEM PNEUMONIA. EYES: MAY CAUSE SEV IRRIT & SLIGHTLY TO MODERATELY TOX. MAY CAUSE NAUS & VOMIT. CHRONIC: POSS DELAYED LUNG INJURY & CHEM PNEUMONIA. (EFFECTS OF OVEREXPOSURE)  
Carcinogenicity - NTP: NO  
Carcinogenicity - IARC: NO  
Carcinogenicity - OSHA: NO  
Explanation Carcinogenicity: NOT RELEVANT.  
Signs/Symptoms Of Overexp: HLTH HAZ: PROLONGED AND REPEATED EXPOSURE CAN CAUSE SEVERE SKIN IRRITATION.  
Med Cond Aggravated By Exp: NONE SPECIFIED BY MANUFACTURER.  
Emergency/First Aid Proc: INHAL: GET PERS OUT OF CONTAM AREA TO FRESH AIR & ADMIN OXYGEN IF NEC. SEEK MED ATTN IMMED. EYES: IMMED FLUSH W/WATER FOR AT LEAST 15 MIN HOLDING LIDS APART. SEEK MED ATTN IMMED. SKIN: WIPE OFF EXCESS & WASH THORO W/SOAP & WATER. REMOVE CONTAM CLTHG & FOOTWEAR. SEEK MED ATTN IMMED. INGEST: NEVER GIVE ANYTHING BY MOUTH TO AN UNCON PERS. GIVE CONSCIOUS PATIENT 2 GLASSES OF WATER & INDUCE (SUP DAT)

=====  
Precautions for Safe Handling and Use  
=====

Steps If Matl Released/Spill: AVOID CONT W/MATL. CONTAIN AREA TO PVNT SPREADING. SHOVEL INTO DISP CONTRS, USE ABSORB MATL IF REQUIRED. SPREAD POTASSIUM PERMANGANATE OVER SPILL AREA & SPRINKLE W/WATER IF NEEDED. AFTER 1 HR USE ABSORB MATL TO PICK UP REMAINING RESIDUE & (SUP DAT)  
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.  
Waste Disposal Method: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.  
Precautions-Handling/Storing: PREVENT ALL SKIN AND EYE CONTACT. AVOID BREATHING VAPORS. DO NOT TAKE INTERNALLY. USE WITH ADEQUATE VENTILATION.  
Other Precautions: NONE SPECIFIED BY MANUFACTURER.

=====  
Control Measures  
=====

Respiratory Protection: NIOSH APPROVED RESPIRATORY PROTECTION REQUIRED IN THE ABSENCE OF PROPER LOCAL EXHAUST.  
Ventilation: LOCAL EXHAUST. MECHANICAL (GENERAL) VENTILATION ADEQUATE TO AVOID BREATHING VAPORS.  
Protective Gloves: NEOPRENE OR RUBBER GLOVES.

Eye Protection: ANSI APPROVD CHEM WORKERS GOGGS (SUP DAT)  
Other Protective Equipment: EMERGENCY EYEWASH & DELUGE SHOWER MEETING ANSI DESIGN CRITERIA (FP N). BOOTS AND APRONS AS NECESSARY.  
Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.  
Suppl. Safety & Health Data: FIRST AID PROC: VOMIT BY HAVING PATIENT STICK FINGER REPEATEDLY DOWN THROAT UNTIL VOMIT OCCURS. SEEK MED ATTN IMMED.  
SPILL PROC: FLUSH W/WATER. PERS PERFORMING CLEAN-UP SHOULD WEAR ADEQ PROT EQUIP & CLTHG. EYE PROT: & FULL LENGTH FACESHIELD (FP N).

=====  
Transportation Data  
==========  
Disposal Data  
==========  
Label Data  
=====

Label Required: YES  
Technical Review Date: 01OCT96  
Label Date: 01OCT96  
Label Status: G  
Common Name: ALL CRAFTS PROFESSIONAL EPOXY-12 MIN - PART A  
Chronic Hazard: YES  
Signal Word: DANGER!  
Acute Health Hazard-Moderate: X  
Contact Hazard-Severe: X  
Fire Hazard-Slight: X  
Reactivity Hazard-Slight: X  
INHALATION: IRRITATING TO MUCOUS MEMBRANES OF RESPIRATORY SYSTEM. POSSIBLE LUNG INJURY AND CHEMICAL PNEUMONIA. EYES: SEVERE IRRITATION AND POSSIBLE CORNEAL DAMAGE. SKIN: IRRITATION. INGESTION: SLIGHTLY TO MODERATELY TOXIC. MAY CAUSE NAUSEA AND VOMITING. CHRONIC: LUNG INJURY AND CHEMICAL PNEUMONIA. SEVERE SKIN IRRITATION.  
Protect Eye: Y  
Protect Skin: Y  
Protect Respiratory: Y  
Label Name: DURO CRAFTS INC  
Label P.O. Box: 270  
Label City: SANDY HOOK  
Label State: CT  
Label Zip Code: 06482  
Label Country: US  
Label Emergency Number: 800-424-9300 (CHEMTREC)