

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/01/09  |
| 5.2     | 2024/07/03     | 3512713-00009 | Date of first issue: 2018/10/08 |

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Viton™ B-601C fluoroelastomer

SDS-Identcode : 130000026444

#### Manufacturer or supplier's details

Company : The Chemours Malaysia Sdn. Bhd.

Address : Sovereign Plaza, 21 st Floor, M17, Jl. T.B. Simatupang, Kav.  
36  
Jakarta 12430 Indonesia

Telephone : 021 2939 8815

Emergency telephone number : 001-803-017-9114 (toll free)

Telefax : 021 2939 8817

#### Recommended use of the chemical and restrictions on use

Recommended use : Rubber products  
Resin for moulding and/or extrusion

Restrictions on use : For industrial use only.  
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Long-term (chronic) aquatic hazard : Category 3

#### GHS label elements

Hazard pictograms : None

Signal word : None

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

|                |                              |                              |   |
|----------------|------------------------------|------------------------------|---|
| Version<br>5.2 | Revision Date:<br>2024/07/03 | SDS Number:<br>3512713-00009 | Date of last issue: 2024/01/09<br>Date of first issue: 2018/10/08 |
|----------------|------------------------------|------------------------------|---|

P273 Avoid release to the environment.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

| Chemical name   | CAS-No.      | Concentration (% w/w) |
|---|--------------|-----------------------|
| Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1) | Not Assigned | >= 0.3 -< 2.5         |

### Alternative CAS Numbers for some regions

| Chemical name   | Alternative CAS Number(s) |
|---|---------------------------|
| Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1) | 75768-65-9, 1478-61-1     |

## 4. FIRST AID MEASURES

|   |   |
|---|---|
| If inhaled  | : If inhaled, remove to fresh air.<br>Get medical attention if symptoms occur.  |
| In case of skin contact                             | : Wash with water and soap as a precaution.<br>Get medical attention if symptoms occur.                                   |
| In case of eye contact                              | : Flush eyes with water as a precaution.<br>Get medical attention if irritation develops and persists.                    |
| If swallowed  | : If swallowed, DO NOT induce vomiting.<br>Get medical attention if symptoms occur.<br>Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and | : None known.   |

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

|                |                              |                              |   |
|----------------|------------------------------|------------------------------|---|
| Version<br>5.2 | Revision Date:<br>2024/07/03 | SDS Number:<br>3512713-00009 | Date of last issue: 2024/01/09<br>Date of first issue: 2018/10/08 |
|----------------|------------------------------|------------------------------|---|

---

delayed

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Fluorine compounds

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

|                |                              |                              |   |
|----------------|------------------------------|------------------------------|---|
| Version<br>5.2 | Revision Date:<br>2024/07/03 | SDS Number:<br>3512713-00009 | Date of last issue: 2024/01/09<br>Date of first issue: 2018/10/08 |
|----------------|------------------------------|------------------------------|---|

mine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

- |                             |   |
|-----------------------------|---|
| Technical measures          | : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.   |
| Local/Total ventilation     | : Use only with adequate ventilation.   |
| Advice on safe handling     | : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : Keep in properly labelled containers.<br>Store in accordance with the particular national regulations.  |
| Materials to avoid          | : No special restrictions on storage with other products.   |

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

- |                      |   |
|----------------------|---|
| Engineering measures | : Ensure adequate ventilation, especially in confined areas.<br>Minimize workplace exposure concentrations. |
|----------------------|---|

#### Personal protective equipment

- |                        |   |
|------------------------|---|
| Respiratory protection | : No personal respiratory protective equipment normally required. |
|------------------------|---|

- |                 |                  |
|-----------------|------------------|
| Hand protection |                  |
| Material        | : Nitrile rubber |
| Glove thickness | : 0.38 mm        |

- |         |   |
|---------|---|
| Remarks | : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often! |
|---------|---|

- |                |   |
|----------------|---|
| Eye protection | : Wear the following personal protective equipment: |
|----------------|---|

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

|                |                              |                              |   |
|----------------|------------------------------|------------------------------|---|
| Version<br>5.2 | Revision Date:<br>2024/07/03 | SDS Number:<br>3512713-00009 | Date of last issue: 2024/01/09<br>Date of first issue: 2018/10/08 |
|----------------|------------------------------|------------------------------|---|

---

Safety glasses

Skin and body protection : Skin should be washed after contact.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : sheets

Colour : white, off-white, tan

Odour : odourless

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Density : 1.84 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : insoluble

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/01/09  |
| 5.2     | 2024/07/03     | 3512713-00009 | Date of first issue: 2018/10/08 |

---

|  |   |  |
|--|---|--|
| Partition coefficient: n-octanol/water | : | Not applicable   |
| Auto-ignition temperature              | : | No data available  |
| Decomposition temperature              | : | No data available  |
| Viscosity                              | : |  |
| Viscosity, kinematic                   | : | Not applicable   |
| Explosive properties                   | : | Not explosive  |
| Oxidizing properties                   | : | The substance or mixture is not classified as oxidizing. |
| Particle characteristics               | : |  |
| Particle size                          | : | No data available  |

---

### 10. STABILITY AND REACTIVITY

|                                    |   |  |
|------------------------------------|---|--|
| Reactivity                         | : | Not classified as a reactivity hazard.         |
| Chemical stability                 | : | Stable under normal conditions.                |
| Possibility of hazardous reactions | : | None known.                                    |
| Conditions to avoid                | : | None known.                                    |
| Incompatible materials             | : | None.  |
| Hazardous decomposition products   | : | No hazardous decomposition products are known. |

---

### 11. TOXICOLOGICAL INFORMATION

|  |   |  |
|--|---|--|
| Information on likely routes of exposure | : | Skin contact<br>Ingestion<br>Eye contact |
|--|---|--|

#### Acute toxicity

Not classified based on available information.

**Viton™ B-601C fluoroelastomer**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/01/09  |
| 5.2     | 2024/07/03     | 3512713-00009 | Date of first issue: 2018/10/08 |

---

**Components:**

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 425  
Assessment: The substance or mixture has no acute oral toxicity

**Skin corrosion/irritation**

Not classified based on available information.

**Components:**

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Species : Not tested on animals  
Method : OECD Test Guideline 439  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:**

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Species : In Vitro - Bovine  
Result : No eye irritation  
Method : OECD Test Guideline 437

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

## Viton™ B-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/01/09  |
| 5.2     | 2024/07/03     | 3512713-00009 | Date of first issue: 2018/10/08 |

---

**Components:**

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltri-phenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

|                 |   |  |
|-----------------|---|--|
| Test Type       | : | Direct Peptide Reactivity Assay (DPRA) |
| Exposure routes | : | Skin contact                           |
| Species         | : | Not tested on animals                  |
| Method          | : | OECD Test Guideline 442C               |
| Result          | : | equivocal                              |

|                 |   |                          |
|-----------------|---|--------------------------|
| Test Type       | : | KeratinoSens assay       |
| Exposure routes | : | Skin contact             |
| Species         | : | Not tested on animals    |
| Method          | : | OECD Test Guideline 442D |
| Result          | : | positive                 |

|                 |   |                                      |
|-----------------|---|--------------------------------------|
| Test Type       | : | Maximisation Test                    |
| Exposure routes | : | Skin contact                         |
| Species         | : | Guinea pig                           |
| Method          | : | OECD Test Guideline 406              |
| Result          | : | negative                             |
| Remarks         | : | Based on data from similar materials |

|            |   |                                    |
|------------|---|------------------------------------|
| Assessment | : | Does not cause skin sensitisation. |
|------------|---|------------------------------------|

**Germ cell mutagenicity**

Not classified based on available information.

**Components:**

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltri-phenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

|                       |   |  |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES) |
|                       |   | Method: OECD Test Guideline 471                    |
|                       |   | Result: negative                                   |

|  |  |   |
|--|--|---|
|  |  | Test Type: In vitro mammalian cell gene mutation test |
|  |  | Method: OECD Test Guideline 476                       |
|  |  | Result: negative                                      |

|                                     |   |  |
|-------------------------------------|---|--|
| Germ cell mutagenicity - Assessment | : | Weight of evidence does not support classification as a germ cell mutagen. |
|-------------------------------------|---|--|



# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

|                |                              |                              |   |
|----------------|------------------------------|------------------------------|---|
| Version<br>5.2 | Revision Date:<br>2024/07/03 | SDS Number:<br>3512713-00009 | Date of last issue: 2024/01/09<br>Date of first issue: 2018/10/08 |
|----------------|------------------------------|------------------------------|---|

---

### **Carcinogenicity**

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### **Product:**

Reproductive toxicity - Assessment : No toxicity to reproduction

### **Components:**

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: positive  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

Not classified based on available information.

### **Product:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/01/09  |
| 5.2     | 2024/07/03     | 3512713-00009 | Date of first issue: 2018/10/08 |

---

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

|                 |   |  |
|-----------------|---|--|
| Exposure routes | : | Ingestion  |
| Target Organs   | : | Seminal vesicle, Prostate  |
| Assessment      | : | Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw. |

### Repeated dose toxicity

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

|                   |   |                                      |
|-------------------|---|--------------------------------------|
| Species           | : | Rat, male and female                 |
| NOAEL             | : | 10 mg/kg                             |
| LOAEL             | : | 100 mg/kg                            |
| Application Route | : | Ingestion                            |
| Exposure time     | : | 28 Days                              |
| Method            | : | OECD Test Guideline 407              |
| Remarks           | : | Based on data from similar materials |

### Aspiration toxicity

Not classified based on available information.

### Further information

#### Product:

|         |   |   |
|---------|---|---|
| Remarks | : | According to data on similar materials, and from modeling assessment, the product is not considered to require classification as dangerous to health. |
|---------|---|---|

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

#### Ecotoxicology Assessment

|                          |   |   |
|--------------------------|---|---|
| Acute aquatic toxicity   | : | This product has no known ecotoxicological effects. |
| Chronic aquatic toxicity | : | Harmful to aquatic life with long lasting effects.  |

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/01/09  |
| 5.2     | 2024/07/03     | 3512713-00009 | Date of first issue: 2018/10/08 |

---

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1.2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.79 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.45 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.0087 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 10

### **Persistence and degradability**

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/01/09  |
| 5.2     | 2024/07/03     | 3512713-00009 | Date of first issue: 2018/10/08 |

---

### Bioaccumulative potential

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Partition coefficient: n-octanol/water : log Pow: 2.28

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

|                        |   |   |
|------------------------|---|---|
| Waste from residues    | : | Do not dispose of waste into sewer.<br><br>Dispose of in accordance with local regulations.   |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal.<br>If not otherwise specified: Dispose of as unused product. |

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

|                           |   |                |
|---------------------------|---|----------------|
| UN number                 | : | Not applicable |
| Proper shipping name      | : | Not applicable |
| Class                     | : | Not applicable |
| Subsidiary risk           | : | Not applicable |
| Packing group             | : | Not applicable |
| Labels                    | : | Not applicable |
| Environmentally hazardous | : | no             |

#### IATA-DGR

|                             |   |                |
|-----------------------------|---|----------------|
| UN/ID No.                   | : | Not applicable |
| Proper shipping name        | : | Not applicable |
| Class                       | : | Not applicable |
| Subsidiary risk             | : | Not applicable |
| Packing group               | : | Not applicable |
| Labels                      | : | Not applicable |
| Packing instruction (cargo) | : | Not applicable |

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/01/09  |
| 5.2     | 2024/07/03     | 3512713-00009 | Date of first issue: 2018/10/08 |

---

aircraft)

Packing instruction (passenger aircraft) : Not applicable

### IMDG-Code

|                      |                  |
|----------------------|------------------|
| UN number            | : Not applicable |
| Proper shipping name | : Not applicable |
| Class                | : Not applicable |
| Subsidiary risk      | : Not applicable |
| Packing group        | : Not applicable |
| Labels               | : Not applicable |
| EmS Code             | : Not applicable |
| Marine pollutant     | : Not applicable |

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

Not applicable

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

### Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

### Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

### Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

---

## 16. OTHER INFORMATION

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/01/09  |
| 5.2     | 2024/07/03     | 3512713-00009 | Date of first issue: 2018/10/08 |

---

Revision Date : 2024/07/03

Other information : Viton™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.  
Chemours™ and the Chemours Logo are trademarks of The Chemours Company.  
Before use read Chemours safety information.  
For further information contact the local Chemours office or nominated distributors.

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

# SAFETY DATA SHEET



## Viton™ B-601C fluoroelastomer

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/01/09  |
| 5.2     | 2024/07/03     | 3512713-00009 | Date of first issue: 2018/10/08 |

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN