

# SAFETY DATA SHEET



## Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/30
6.1	2023/10/06	1339118-00042	Date of first issue: 2017/02/27

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Capstone™ FS-34

SDS-Identcode : 130000101814

#### Manufacturer or supplier's details

Company : Chemours Vietnam Co., Ltd.

Address : Level 7, Friendship Tower, 31 Le Duan Street, Ben Nghe Ward,  
District 1  
Ho Chi Minh City Vietnam

Telephone : (84 8) 6288 3964

Emergency telephone number : 1800-577-721

#### Recommended use of the chemical and restrictions on use

Recommended use : Surfactant

Restrictions on use : For industrial use only.  
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Acute toxicity (Oral) : Category 4

Specific target organ toxicity - repeated exposure : Category 2 (spleen)

Long-term (chronic) aquatic hazard : Category 3

#### GHS label elements

Hazard pictograms :



# SAFETY DATA SHEET



## Capstone™ FS-34

Version 6.1	Revision Date: 2023/10/06	SDS Number: 1339118-00042	Date of last issue: 2023/03/30 Date of first issue: 2017/02/27
----------------	------------------------------	------------------------------	---

Signal word : Warning

Hazard statements : H302 Harmful if swallowed.  
H373 May cause damage to organs (spleen) through prolonged or repeated exposure.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.

**Response:**  
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P314 Get medical advice/ attention if you feel unwell.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Inhalation of decomposition products in high concentration may cause shortness of breath (lung oedema).

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Partially Fluorinated Alkyl Polyether	Proprietary Ingredient	>= 15 -< 25
3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol	647-42-7	>= 0,1 -< 0,25

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Get medical attention if symptoms occur.

# SAFETY DATA SHEET



## Capstone™ FS-34

Version 6.1	Revision Date: 2023/10/06	SDS Number: 1339118-00042	Date of last issue: 2023/03/30 Date of first issue: 2017/02/27
----------------	------------------------------	------------------------------	---

---

- |   |  |
|---|--|
| In case of eye contact                                      | : Flush eyes with water as a precaution.<br>Get medical attention if irritation develops and persists.   |
| If swallowed  | : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.<br>Get medical attention.<br>Rinse mouth thoroughly with water.<br>Never give anything by mouth to an unconscious person.  |
| Most important symptoms and effects, both acute and delayed | : Inhalation may provoke the following symptoms:<br>Lung oedema<br>Shortness of breath<br>Eye contact may provoke the following symptoms<br>Irritation<br>Lachrymation<br>Redness<br>Discomfort<br>Ingestion may provoke the following symptoms:<br>Nausea<br>Vomiting<br>Diarrhoea<br>tearing<br>Redness<br>Discomfort<br>Harmful if swallowed.<br>May cause damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).  |
| Notes to physician  | : Treat symptomatically and supportively.  |
- 

### 5. FIREFIGHTING MEASURES

- |                                       |   |
|---------------------------------------|---|
| Suitable extinguishing media          | : Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical                    |
| Unsuitable extinguishing media        | : None known.   |
| Specific hazards during fire-fighting | : Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products         | : Hydrogen fluoride<br>carbonyl fluoride<br>potentially toxic fluorinated compounds<br>aerosolized particulates |

# SAFETY DATA SHEET



## Capstone™ FS-34

Version 6.1	Revision Date: 2023/10/06	SDS Number: 1339118-00042	Date of last issue: 2023/03/30 Date of first issue: 2017/02/27
----------------	------------------------------	------------------------------	---

---

### Carbon oxides

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

## 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

## 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.
-

# SAFETY DATA SHEET



## Capstone™ FS-34

Version  
6.1

Revision Date:  
2023/10/06

SDS Number:  
1339118-00042

Date of last issue: 2023/03/30  
Date of first issue: 2017/02/27

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the environment.

Do not breathe decomposition products.

Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
hydrofluoric acid	7664-39-3	TWA	0,1 mg/m3	VN OEL
		STEL	0,5 mg/m3	VN OEL
		TWA	0,5 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	C	2 ppm (Fluorine)	ACGIH
		TWA	5 mg/m3	VN OEL
		STEL	13 mg/m3	VN OEL
		TWA	2 ppm	ACGIH
Carbon dioxide	124-38-9	STEL	5 ppm	ACGIH
		TWA	9.000 mg/m3	VN OEL
		STEL	18.000 mg/m3	VN OEL
		TWA	5.000 ppm	ACGIH
Carbon monoxide	630-08-0	STEL	30.000 ppm	ACGIH
		TWA	20 mg/m3	VN OEL
		STEL	40 mg/m3	VN OEL
		TWA	25 ppm	ACGIH

Engineering measures : Processing may form hazardous compounds (see section 10).  
Ensure adequate ventilation, especially in confined areas.

# SAFETY DATA SHEET



## Capstone™ FS-34

Version 6.1	Revision Date: 2023/10/06	SDS Number: 1339118-00042	Date of last issue: 2023/03/30 Date of first issue: 2017/02/27
----------------	------------------------------	------------------------------	---

---

Minimize workplace exposure concentrations.

### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates, acidic gas/vapour and organic vapour type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
- Eye protection : Wear the following personal protective equipment:  
Safety glasses
- Skin and body protection : Skin should be washed after contact.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : clear, yellow, amber
- Odour : slight
- Odour Threshold : No data available
- pH : 5,5 - 7,5
- Melting point/freezing point : No data available

# SAFETY DATA SHEET



## Capstone™ FS-34

Version 6.1	Revision Date: 2023/10/06	SDS Number: 1339118-00042	Date of last issue: 2023/03/30 Date of first issue: 2017/02/27
----------------	------------------------------	------------------------------	---

---

Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	1,1
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	> 200 °C
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	Not applicable

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.

# SAFETY DATA SHEET



## Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/30
6.1	2023/10/06	1339118-00042	Date of first issue: 2017/02/27

---

Possibility of hazardous reactions : Can react with strong oxidizing agents.  
Hazardous decomposition products will be formed at elevated temperatures.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

### Hazardous decomposition products

Thermal decomposition : hydrofluoric acid  
Carbonyl difluoride  
Carbon dioxide  
Carbon monoxide

---

## 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 1.743 mg/kg  
Method: Calculation method

#### Components:

##### **Partially Fluorinated Alkyl Polyether:**

Acute oral toxicity : LD50 (Rat): 410 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,9 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

##### **3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:**

Acute oral toxicity : LD50 (Rat): 1.750 mg/kg  
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): 5,2 - 9,9 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist



# SAFETY DATA SHEET



## Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/30
6.1	2023/10/06	1339118-00042	Date of first issue: 2017/02/27

---

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### Partially Fluorinated Alkyl Polyether:

Species : Rabbit  
Result : No skin irritation

##### 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### Partially Fluorinated Alkyl Polyether:

Species : Rabbit  
Result : No eye irritation

##### 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Partially Fluorinated Alkyl Polyether:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Result : negative

# SAFETY DATA SHEET



## Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/30
6.1	2023/10/06	1339118-00042	Date of first issue: 2017/02/27

---

### **3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:**

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
-----------------------	---

	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
--	---

	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
--	--

Genotoxicity in vivo	: Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Rat Application Route: Ingestion Method: OECD Test Guideline 486 Result: negative
----------------------	---

Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	--

### **Carcinogenicity**

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:**

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 415 Result: negative
----------------------	--

# SAFETY DATA SHEET



## Capstone™ FS-34

Version 6.1	Revision Date: 2023/10/06	SDS Number: 1339118-00042	Date of last issue: 2023/03/30 Date of first issue: 2017/02/27
----------------	------------------------------	------------------------------	---

---

Test Type: One-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 415  
Result: negative

Effects on foetal development : Test Type: Prenatal development toxicity study (teratogenicity)  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT - single exposure

Not classified based on available information.

#### Components:

##### **3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:**

Exposure routes : Skin contact  
Assessment : No significant health effects observed in animals at concentrations of 2000 mg/kg bw or less

Exposure routes : Ingestion  
Assessment : No significant health effects observed in animals at concentrations of 2000 mg/kg bw or less

Exposure routes : inhalation (dust/mist/fume)  
Assessment : No significant health effects observed in animals at concentrations of 5.0 mg/l/4h or less

### STOT - repeated exposure

May cause damage to organs (spleen) through prolonged or repeated exposure.

#### Components:

##### **Partially Fluorinated Alkyl Polyether:**

Target Organs : spleen  
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

##### **3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:**

Exposure routes : Ingestion  
Target Organs : Liver, Teeth  
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Exposure routes : inhalation (vapour)  
Assessment : No significant health effects observed in animals at concentra-

# SAFETY DATA SHEET



## Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/30
6.1	2023/10/06	1339118-00042	Date of first issue: 2017/02/27

---

tions of 1 mg/l/6h/d or less.

### Repeated dose toxicity

#### Components:

##### **Partially Fluorinated Alkyl Polyether:**

Species	: Mouse
NOAEL	: 30 mg/kg
LOAEL	: 125 mg/kg
Application Route	: Ingestion
Exposure time	: 28 d

##### **3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:**

Species	: Mouse, male and female
NOAEL	: 5 mg/kg
LOAEL	: 25 mg/kg
Application Route	: Ingestion
Exposure time	: 70 Days
Method	: OECD Test Guideline 415

Species	: Rat, male and female
LOAEL	: 1,5 mg/l
Application Route	: inhalation (vapour)
Exposure time	: 28 Days
Method	: OECD Test Guideline 412

### Aspiration toxicity

Not classified based on available information.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Partially Fluorinated Alkyl Polyether:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 36,7 mg/l Exposure time: 96 h
------------------	--

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 28,8 mg/l Exposure time: 48 h
---	---

Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 88,3 mg/l Exposure time: 72 h
----------------------------------	---

	EbC50 (Pseudokirchneriella subcapitata (green algae)): 50,3 mg/l Exposure time: 72 h
--	---

# SAFETY DATA SHEET



## Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue:
6.1	2023/10/06	1339118-00042	2023/03/30
			Date of first issue: 2017/02/27

---

EyC50 (Pseudokirchneriella subcapitata (green algae)): 50,1 mg/l  
Exposure time: 72 h

### **3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4,48 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7,84 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EbC50 (Desmodesmus subspicatus (green algae)): 3,8 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 1,3 mg/l  
Exposure time: 3 d  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0,0137 mg/l  
Exposure time: 122 d  
Method: OECD Test Guideline 234

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 2,16 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

### **Persistence and degradability**

#### **Components:**

### **3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

### **Bioaccumulative potential**

#### **Components:**

### **3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctan-1-ol:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 46  
Method: OECD Test Guideline 305  
Remarks: Does not bioaccumulate.

# SAFETY DATA SHEET



## Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/30
6.1	2023/10/06	1339118-00042	Date of first issue: 2017/02/27

---

Partition coefficient: n-octanol/water : log Pow: 4,54

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	:	Do not dispose of waste into sewer.  Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

#### IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

#### IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

# SAFETY DATA SHEET



## Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue:
6.1	2023/10/06	1339118-00042	2023/03/30
			Date of first issue: 2017/02/27

EmS Code : Not applicable  
Marine pollutant : Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Law on Chemicals No. 06/2007/QH12

## 16. OTHER INFORMATION

Revision Date : 2023/10/06

Other information : Capstone™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.  
Chemours™ and the Chemours Logo are trademarks of The Chemours Company.  
Before use read Chemours safety information.  
For further information contact the local Chemours office or nominated distributors.

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
VN OEL : Vietnam. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
ACGIH / C : Ceiling limit  
VN OEL / TWA : Time weighted average  
VN OEL / STEL : Short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

# SAFETY DATA SHEET



## Capstone™ FS-34

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/30
6.1	2023/10/06	1339118-00042	Date of first issue: 2017/02/27

---

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

VN / EN