

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2024
7.3	10/17/2024	1702757-00021	Date of first issue: 05/31/2017

### SECTION 1. IDENTIFICATION

Product name : Capstone™ FS-3000

SDS-Identcode : 130000143937

#### Manufacturer or supplier's details

Company name of supplier : The Chemours Company FC, LLC

Address : 1007 Market Street  
Wilmington, DE 19801 United States of America (USA)

Telephone : 1-844-773-CHEM (outside the U.S. 1-302-773-1000)

Emergency telephone : Medical emergency: 1-866-595-1473 (outside the U.S. 1-302-773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

#### Recommended use of the chemical and restrictions on use

Recommended use : Intermediate

Restrictions on use : For industrial use only.  
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Specific target organ toxicity : Category 2 (spleen)  
- repeated exposure

#### GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.  
H373 May cause damage to organs (spleen) through prolonged

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2024
7.3	10/17/2024	1702757-00021	Date of first issue: 05/31/2017

or repeated exposure.

### Precautionary Statements

:

#### Prevention:

P260 Do not breathe dust, fume, gas, mist, vapors or spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

#### Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.

P314 Get medical attention if you feel unwell.

#### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Inhalation of decomposition products in high concentration may cause shortness of breath (lung edema).

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substance / Mixture

: Substance

### Substance name

: Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers

### CAS-No.

: 52550-44-4

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers	52550-44-4	$\geq 90 - \leq 100$
Polyethylene glycol	25322-68-3	$\geq 1 - < 5$

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

### General advice

: In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

### If inhaled

: If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

### In case of skin contact

: In case of contact, immediately flush skin with soap and plenty of water.  
Get medical attention if symptoms occur.

### In case of eye contact

: Flush eyes with water as a precaution.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2024
7.3	10/17/2024	1702757-00021	Date of first issue: 05/31/2017

- Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Hydrogen fluoride  
carbonyl fluoride  
potentially toxic fluorinated compounds  
aerosolized particulates  
Carbon oxides  
Iodine compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2024
7.3	10/17/2024	1702757-00021	Date of first issue: 05/31/2017

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust, fume, gas, mist, vapors or spray.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.  
  
Do not breathe decomposition products.
- Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : No special restrictions on storage with other products.
- Further information on storage stability : Risk of crystallisation or phase separation.  
  
Mix thoroughly before use.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Capstone™ FS-3000

Version 7.3      Revision Date: 10/17/2024      SDS Number: 1702757-00021      Date of last issue: 05/09/2024  
Date of first issue: 05/31/2017

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Polyethylene glycol	25322-68-3	TWA (aerosol)	10 mg/m <sup>3</sup>	US WEEL

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		C	2 ppm (Fluorine)	ACGIH
		TWA	3 ppm	OSHA Z-2
		C	6 ppm 5 mg/m <sup>3</sup>	NIOSH REL
Carbonyl difluoride	353-50-4	TWA	3 ppm 2.5 mg/m <sup>3</sup>	NIOSH REL
		TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m <sup>3</sup>	NIOSH REL
Carbon dioxide	124-38-9	ST	5 ppm 15 mg/m <sup>3</sup>	NIOSH REL
		TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	NIOSH REL
Carbon monoxide	630-08-0	ST	30,000 ppm 54,000 mg/m <sup>3</sup>	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m <sup>3</sup>	NIOSH REL
		C	200 ppm 229 mg/m <sup>3</sup>	NIOSH REL
		TWA	50 ppm 55 mg/m <sup>3</sup>	OSHA Z-1

**Engineering measures** : Processing may form hazardous compounds (see section 10).  
Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2024
7.3	10/17/2024	1702757-00021	Date of first issue: 05/31/2017

---

### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

### Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Safety glasses

Skin and body protection : Skin should be washed after contact.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Color : yellow

Odor : slight

Odor Threshold : No data available

pH : 6 - 11

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2024
7.3	10/17/2024	1702757-00021	Date of first issue: 05/31/2017

---

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : does not flash

Evaporation rate : Not applicable

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : 1.3 (77 °F / 25 °C)  
1.26 - 1.28 (149 °F / 65 °C)

Solubility(ies)  
Water solubility : slightly soluble

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : > 392 °F / > 200 °C

Viscosity  
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics  
Particle size : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2024
7.3	10/17/2024	1702757-00021	Date of first issue: 05/31/2017

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Hazardous decomposition products will be formed at elevated temperatures.

Conditions to avoid : None known.

Incompatible materials : None.

### Hazardous decomposition products

Thermal decomposition : Hydrogen fluoride  
Carbonyl difluoride  
Carbon dioxide  
Carbon monoxide

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Harmful if swallowed.

### Product:

Acute oral toxicity : Acute toxicity estimate: 1,093 mg/kg  
Method: Calculation method

### Components:

#### **Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers:**

Acute oral toxicity : LD50 (Rat): 1,030 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.9 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Based on data from similar materials

#### **Polyethylene glycol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Remarks: Based on data from similar materials



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2024
7.3	10/17/2024	1702757-00021	Date of first issue: 05/31/2017

---

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### **Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers:**

Species	:	Rabbit
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

##### **Polyethylene glycol:**

Species	:	Rabbit
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### **Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers:**

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

##### **Polyethylene glycol:**

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

### Respiratory or skin sensitization

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### Components:

##### **Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers:**

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Result	:	negative
Remarks	:	Based on data from similar materials

##### **Polyethylene glycol:**

Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2024
7.3	10/17/2024	1702757-00021	Date of first issue: 05/31/2017

---

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

May cause damage to organs (spleen) through prolonged or repeated exposure.

### Components:

#### Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers:

Target Organs	:	spleen
Assessment	:	Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.
Remarks	:	Based on data from similar materials

### Repeated dose toxicity

### Components:

#### Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers:

Species	:	Mouse
NOAEL	:	30 mg/kg
LOAEL	:	125 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 d
Remarks	:	Based on data from similar materials

#### Polyethylene glycol:

Species	:	Rat
NOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2024
7.3	10/17/2024	1702757-00021	Date of first issue: 05/31/2017

### Aspiration toxicity

Not classified based on available information.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 36.7 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 28.8 mg/l  
aquatic invertebrates Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): 88.3  
plants mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

EbC50 (Pseudokirchneriella subcapitata (green algae)): 50.3  
mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

EyC50 (Pseudokirchneriella subcapitata (green algae)): 50.1  
mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

##### **Polyethylene glycol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates Exposure time: 48 h  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### **Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers:**

Biodegradability : Biodegradation: 62 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **Polyethylene glycol:**

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2024
7.3	10/17/2024	1702757-00021	Date of first issue: 05/31/2017

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

#### Polyethylene glycol:

Partition coefficient: n-octanol/water : log Pow: < 4

#### Mobility in soil

No data available

#### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

Not regulated as a dangerous good

### Special precautions for user

Not applicable

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2024
7.3	10/17/2024	1702757-00021	Date of first issue: 05/31/2017

### SECTION 15. REGULATORY INFORMATION

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
1,4-Dioxane	123-91-1	100	105263

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
Specific target organ toxicity (single or repeated exposure)

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### US State Regulations

##### Pennsylvania Right To Know

Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers	52550-44-4
Polyethylene glycol	25322-68-3
1,4-Dioxane	123-91-1

##### California Prop. 65

WARNING: This product can expose you to chemicals including 1,4-Dioxane, which is/are known to the State of California to cause cancer, and Carbon monoxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### Additional regulatory information

Polyethylene oxide, mono(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) ethers	52550-44-4
---	------------

The United States Environmental Protection Agency (USEPA) has established a Significant New Use Rule (SNUR) for one of the components in this product.

See 40 CFR § 721.10515

This material contains one or more substances which are subject to a TSCA Section 5 Consent Order or Significant New Use Rule (SNUR).

This material contains one or more substances which requires export notification under TSCA Section 12(b) and 40 CFR Part 707 Subpart D: P-10-0060

### SECTION 16. OTHER INFORMATION

#### Further information

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Capstone™ FS-3000


Version  
7.3

Revision Date:  
10/17/2024

SDS Number:  
1702757-00021

Date of last issue: 05/09/2024  
Date of first issue: 05/31/2017

### NFPA 704:



### HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Chemours™ and the Chemours Logo are trademarks of The Chemours Company.  
Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-2	: USA. Occupational Exposure Limits (OSHA) - Table Z-2
US WEEL	: USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
ACGIH / C	: Ceiling limit
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	: STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	: Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	: 8-hour time weighted average
OSHA Z-2 / TWA	: 8-hour time weighted average
US WEEL / TWA	: 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Capstone™ FS-3000

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2024
7.3	10/17/2024	1702757-00021	Date of first issue: 05/31/2017

- International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 10/17/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8