

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
1.1	2024/10/21	11416012-00002	Date of first issue: 2024/07/03

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Viton™ VTR-9301 fluoroelastomer

SDS-Identcode : 130000119342

#### Supplier's company name, address and phone number

Company name of supplier : Chemours Kabushiki Kaisha

Address : Kamiyacho Prime Place, 4-1-17, Toranomom, Minato-ku, Tokyo, Japan

Telephone : 050-3823-0500

Emergency telephone number : 0120 081167

Prepared by : Product Stewardship & Regulatory

#### Recommended use of the chemical and restrictions on use

Recommended use : Rubber products  
Resin for moulding and/or extrusion

Restrictions on use : For industrial use only.  
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

---

### 2. HAZARDS IDENTIFICATION

#### GHS classification of chemical product

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

#### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### Other hazards which do not result in classification

None known.

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
1.1	2024/10/21	11416012-00002	Date of first issue: 2024/07/03

### Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Wollastonite	13983-17-0	$\geq 1 - < 10$	1-194
Propylidynetrimethyl trimethacrylate	3290-92-4	$\geq 2.5 - < 10$	2-769, 2-1062
Filler	Proprietary Ingredient	$\geq 1 - < 10$	Proprietary Ingredient
2,6-Di-tert-butyl-4- dimethylaminomethylphenol	88-27-7	$\geq 0.1 - < 0.25$	3-2865

### 4. FIRST AID MEASURES

If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: None known.
Protection of first-aiders	: No special precautions are necessary for first aid responders.
Notes to physician	: Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version 1.1	Revision Date: 2024/10/21	SDS Number: 11416012-00002	Date of last issue: 2024/07/03 Date of first issue: 2024/07/03
----------------	------------------------------	-------------------------------	---

---

- Hazardous combustion products : Carbon oxides  
Fluorine compounds  
Bromine compounds  
Silicon oxides  
Metal oxides  
Sulphur oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### 7. HANDLING AND STORAGE

#### Handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
1.1	2024/10/21	11416012-00002	Date of first issue: 2024/07/03

- Advice on safe handling : Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : None.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

### Storage

- Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : No special restrictions on storage with other products.
- Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
Wollastonite	13983-17-0	OEL-M (Respirable dust)	1 mg/m <sup>3</sup>	JP OEL JSOH
		OEL-M (Total dust)	4 mg/m <sup>3</sup>	JP OEL JSOH
		TWA (Inhalable particulate matter)	1 mg/m <sup>3</sup>	ACGIH
Filler	Proprietary Ingredient	TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH

- Engineering measures : Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

### Personal protective equipment

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version 1.1	Revision Date: 2024/10/21	SDS Number: 11416012-00002	Date of last issue: 2024/07/03 Date of first issue: 2024/07/03
----------------	------------------------------	-------------------------------	---

---

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Nitrile rubber

Glove thickness : 0.38 mm

Wearing time : 480 min

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often!

Eye protection : Wear the following personal protective equipment:  
Safety glasses

Skin and body protection : Skin should be washed after contact.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : sheets

Colour : white, off-white

Odour : odourless

Odour Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range : No data available

Flammability (solid, gas) : No data available

Lower explosion limit and upper explosion limit / flammability limit  
Upper explosion limit / Upper flammability limit : No data available

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version 1.1	Revision Date: 2024/10/21	SDS Number: 11416012-00002	Date of last issue: 2024/07/03 Date of first issue: 2024/07/03
----------------	------------------------------	-------------------------------	---

---

Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Decomposition temperature	:	No data available
pH	:	No data available
Evaporation rate	:	Not applicable
Auto-ignition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	Not applicable
Vapour pressure	:	Not applicable
Density and / or relative density Density	:	1.75 - 1.90 g/cm <sup>3</sup>
Relative vapour density	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics Particle size	:	No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	None known.
Conditions to avoid	:	None known.
Incompatible materials	:	None.

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
1.1	2024/10/21	11416012-00002	Date of first issue: 2024/07/03

Hazardous decomposition products : No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### Wollastonite:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

##### Propylidynetrimethyl trimethacrylate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### Filler:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

##### 2,6-Di-tert-butyl-4- dimethylaminomethylphenol:

Acute oral toxicity : LD50 (Rat): 365 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 4,000 mg/kg

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
1.1	2024/10/21	11416012-00002	Date of first issue: 2024/07/03

---

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### **Wollastonite:**

Species	:	Rabbit
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

##### **Propylidynetrimethyl trimethacrylate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

##### **Filler:**

Species	:	reconstructed human epidermis (RhE)
Method	:	OECD Test Guideline 439
Remarks	:	Based on data from similar materials
Result	:	No skin irritation

##### **2,6-Di-tert-butyl-4- dimethylaminomethylphenol:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Result	:	No eye irritation
--------	---	-------------------

#### Components:

##### **Wollastonite:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

##### **Propylidynetrimethyl trimethacrylate:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

##### **Filler:**

Species	:	Rabbit
---------	---	--------



# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
1.1	2024/10/21	11416012-00002	Date of first issue: 2024/07/03

---

Result : No eye irritation  
Method : OECD Test Guideline 405

### 2,6-Di-tert-butyl-4- dimethylaminomethylphenol:

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Wollastonite:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : Based on data from similar materials

#### Propylidynetrimethyl trimethacrylate:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

#### Filler:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : Based on data from similar materials

### 2,6-Di-tert-butyl-4- dimethylaminomethylphenol:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version 1.1	Revision Date: 2024/10/21	SDS Number: 11416012-00002	Date of last issue: 2024/07/03 Date of first issue: 2024/07/03
----------------	------------------------------	-------------------------------	---

---

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### **Wollastonite:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative  Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative  Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

#### **Propylidynetrimethyl trimethacrylate:**

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	: Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Rat Application Route: Ingestion Method: OECD Test Guideline 486 Result: negative

#### **Filler:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials  Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials  Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
-----------------------	---

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
1.1	2024/10/21	11416012-00002	Date of first issue: 2024/07/03

---

### 2,6-Di-tert-butyl-4- dimethylaminomethylphenol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### Carcinogenicity

Not classified based on available information.

### Components:

#### Wollastonite:

Species : Rat  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 24 Months  
Result : negative

#### Propylidynetrimethyl trimethacrylate:

Species : Mouse  
Application Route : Skin contact  
Exposure time : 80 weeks  
Result : negative

#### Filler:

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Wollastonite:

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version 1.1	Revision Date: 2024/10/21	SDS Number: 11416012-00002	Date of last issue: 2024/07/03 Date of first issue: 2024/07/03
----------------	------------------------------	-------------------------------	---

---

Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### Propylidynetrimethyl trimethacrylate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

### Filler:

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

### 2,6-Di-tert-butyl-4- dimethylaminomethylphenol:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 421  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### STOT - single exposure

Not classified based on available information.

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
1.1	2024/10/21	11416012-00002	Date of first issue: 2024/07/03

---

### STOT - repeated exposure

Not classified based on available information.

### Components:

#### Filler:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

#### 2,6-Di-tert-butyl-4- dimethylaminomethylphenol:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### Repeated dose toxicity

### Components:

#### Wollastonite:

Species : Rat  
NOAEL : 2,500 mg/kg  
LOAEL : 3,750 mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr  
Remarks : Based on data from similar materials

#### Propylidynetrimethyl trimethacrylate:

Species : Rat  
NOAEL : > 900 mg/kg  
Application Route : Ingestion  
Exposure time : 5 Weeks  
Method : OECD Test Guideline 422

Species : Rabbit  
NOAEL : 300 mg/kg  
Application Route : Skin contact  
Exposure time : 2 Weeks

#### Filler:

Species : Rat  
NOAEL : 61.1 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

#### 2,6-Di-tert-butyl-4- dimethylaminomethylphenol:

Species : Rat  
NOAEL : 150 mg/kg  
Application Route : Ingestion

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version 1.1	Revision Date: 2024/10/21	SDS Number: 11416012-00002	Date of last issue: 2024/07/03 Date of first issue: 2024/07/03
----------------	------------------------------	-------------------------------	---

Exposure time : 28 Days

### Aspiration toxicity

Not classified based on available information.

### Further information

#### Product:

Remarks : According to data on similar materials, and from modeling assessment, the product is not considered to require classification as dangerous to health.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

#### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

#### Components:

#### Wollastonite:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EL10 (Desmodesmus subspicatus (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	2024/10/21	11416012-00002	2024/07/03
			Date of first issue: 2024/07/03

---

### Propylidynetrimethyl trimethacrylate:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 9.22 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 3.88 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.138 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

### Filler:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials  ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC50: > 600 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
1.1	2024/10/21	11416012-00002	Date of first issue: 2024/07/03

---

NOEC: > 600 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### 2,6-Di-tert-butyl-4- dimethylaminomethylphenol:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.1 - 1 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : IC50: > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### Propylidynetrimethyl trimethacrylate:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 53 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### 2,6-Di-tert-butyl-4- dimethylaminomethylphenol:

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301C  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

##### Propylidynetrimethyl trimethacrylate:

Partition coefficient: n-octanol/water : log Pow: 2.749 - 4.193

#### Filler:



# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version 1.1	Revision Date: 2024/10/21	SDS Number: 11416012-00002	Date of last issue: 2024/07/03 Date of first issue: 2024/07/03
----------------	------------------------------	-------------------------------	---

---

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): < 500

Partition coefficient: n-octanol/water : log Pow: -1.03  
Remarks: Calculation

### 2,6-Di-tert-butyl-4- dimethylaminomethylphenol:

Partition coefficient: n-octanol/water : log Pow: 4.24  
Remarks: Calculation

### Mobility in soil

No data available

### Hazardous to the ozone layer

Not applicable

### Other adverse effects

#### Product:

Additional ecological information : According to data on similar materials, and from modelling assessment, the product is not considered to require classification as dangerous to the environment.

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : Not applicable  
Proper shipping name : Not applicable

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
1.1	2024/10/21	11416012-00002	Date of first issue: 2024/07/03

---

Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

Refer to section 15 for specific national regulation.

### Special precautions for user

Not applicable

---

## 15. REGULATORY INFORMATION

### Related Regulations

#### Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

#### Industrial Safety and Health Law

#### Harmful Substances Prohibited from Manufacture

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### Substances Prevented From Impairment of Health

Not applicable

#### Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
1.1	2024/10/21	11416012-00002	Date of first issue: 2024/07/03

### Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

#### Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
barium sulfate	$\geq 1$ - $< 10$ (Proprietary Ingredient)	From April 1st, 2025

#### Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
barium sulfate	From April 1st, 2025

#### Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2)

Not applicable

#### Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

#### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

#### Ordinance on Prevention of Lead Poisoning

Not applicable

#### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

#### Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

#### Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

#### Poisonous and Deleterious Substances Control Law

Not applicable

#### Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

#### High Pressure Gas Safety Act

Not applicable

#### Explosive Control Law

Not applicable

#### Vessel Safety Law

Not regulated as a dangerous good

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
1.1	2024/10/21	11416012-00002	Date of first issue: 2024/07/03

---

### Aviation Law

Not regulated as a dangerous good

### Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Not classified as marine pollutant

### Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

### Waste Disposal and Public Cleansing Law

Industrial waste

---

## 16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Other information : Chemours™ and the Chemours Logo are trademarks of The Chemours Company.  
Before use read Chemours safety information.  
For further information contact the local Chemours office or nominated distributors.

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average  
JP OEL JSOH / OEL-M : Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

# SAFETY DATA SHEET



## Viton™ VTR-9301 fluoroelastomer

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/03
1.1	2024/10/21	11416012-00002	Date of first issue: 2024/07/03

---

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN