

SAFETY DATA SHEET



Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 2024/10/16
9.0	2025/05/07	1331762-00046	Date of first issue: 2017/02/27

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Vazo™ 52G

SDS-Identcode : 130000030497

Other means of identification : None

Recommended use of the chemical and restrictions on use

Recommended use : Intermediate

Restrictions on use : For industrial use only.

Manufacturer or supplier's details

Company : The Chemours (Taiwan) Company Limited

Address : 7F., No. 167, Dunhua N. Rd., Songshan Dist., Taipei City 105, Taiwan

Telephone : 0080-112-7758

Emergency telephone number : 0800 055 119 (in case of chemical spill, fire or poisoning accident)

Telefax : 02-2719-8516

2. HAZARDS IDENTIFICATION

GHS Classification

Self-reactive substances and mixtures : Type D

Skin sensitisation : Sub-category 1A

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

SAFETY DATA SHEET



Vazo™ 52G

Version 9.0	Revision Date: 2025/05/07	SDS Number: 1331762-00046	Date of last issue: 2024/10/16 Date of first issue: 2017/02/27
----------------	------------------------------	------------------------------	-------------------------------------------------------------------

Hazard pictograms



Signal word

: Danger

Hazard statements

: H242 Heating may cause a fire.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.
No smoking.
P220 Keep/ Store away from clothing/ combustible materials.
P234 Keep only in original container.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
P411 Store at temperatures not exceeding 10 °C/ 50 °F.
P420 Store away from other materials.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Risk of explosion if heated under confinement.
Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Substance

Substance name

: 2,2'-Azodi[2,4-Dimethylvaleronitrile]

SAFETY DATA SHEET



Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 2024/10/16
9.0	2025/05/07	1331762-00046	Date of first issue: 2017/02/27

CAS-No. : 4419-11-8

Synonyms : None

Components

Hazardous ingredients	CAS-No.	Concentration (% w/w)
2,2'-Azodi[2,4-Dimethylvaleronitrile]	4419-11-8	>= 90 -<= 100

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

First aid measures for different exposure routes

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Skin contact may provoke the following symptoms:
Discomfort
Itching
Redness
Swelling of tissue
Eye contact may provoke the following symptoms
Irritation
tearing
Redness
Discomfort
Ingestion may provoke the following symptoms:
Gastrointestinal disturbance
Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.
May cause an allergic skin reaction.

SAFETY DATA SHEET



Vazo™ 52G

Version 9.0	Revision Date: 2025/05/07	SDS Number: 1331762-00046	Date of last issue: 2024/10/16 Date of first issue: 2017/02/27
----------------	------------------------------	------------------------------	-------------------------------------------------------------------

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Do not use a solid water stream as it may scatter and spread fire.
The product burns violently.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Nitrogen oxides (NO_x)
Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

SAFETY DATA SHEET



Vazo™ 52G

Version 9.0	Revision Date: 2025/05/07	SDS Number: 1331762-00046	Date of last issue: 2024/10/16 Date of first issue: 2017/02/27
----------------	------------------------------	------------------------------	-------------------------------------------------------------------

Methods and materials for containment and cleaning up : Clear spills immediately.
Take any precaution to avoid mixing with combustibles.
Soak up with inert absorbent material.
Remove mechanically and with care (e.g. with clean polyethylene plastic shovel).
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Isolate waste and do not reuse.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: Use only with adequate ventilation. If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.
Advice on safe handling	: Do not breathe decomposition products.

Do not get on skin or clothing.
Avoid breathing dust, fume, gas, mist, vapours or spray.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Non-sparking tools should be used.
Prevent pressure build-up
Protect from contamination.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Keep only in original packaging.

SAFETY DATA SHEET



Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue:
9.0	2025/05/07	1331762-00046	2024/10/16
			Date of first issue: 2017/02/27

Take care to prevent spills, waste and minimize release to the environment.

Storage

Conditions for safe storage : Keep in properly labelled containers.
Keep in a dry, cool and well-ventilated place.
Protect from sunlight.
Adhere to recommended storage temperature.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition.

Store in original container.

Materials to avoid : Do not store with the following product types:
Oxidizing solids
Spontaneously combustible substances and water- reactive materials
Oxidizing liquids

Recommended storage temperature : < 10 °C

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2,2'-Azodi[2,4-Dimethylvaleronitrile]	4419-11-8	TWA	5 mg/m3 (Cyanide)	TW OEL
	Further information: Skin			
		STEL	10 mg/m3 (Cyanide)	TW OEL
	Further information: Skin			

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hydrogen cyanide	74-90-8	STEL	15 ppm 16.5 mg/m3	TW OEL
	Further information: Skin			
		TWA	10 ppm 11 mg/m3	TW OEL
	Further information: Skin			
		C	4.7 ppm (Cyanide)	ACGIH
Carbon monoxide	630-08-0	TWA	35 ppm	TW OEL

SAFETY DATA SHEET



Vazo™ 52G

Version 9.0 Revision Date: 2025/05/07 SDS Number: 1331762-00046 Date of last issue: 2024/10/16
Date of first issue: 2017/02/27

			40 mg/m3	
		STEL	52.5 ppm 60 mg/m3	TW OEL
		TWA	25 ppm	ACGIH
Carbon dioxide	124-38-9	TWA	5,000 ppm 9,000 mg/m3	TW OEL
		STEL	5,000 ppm 9,000 mg/m3	TW OEL
		TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH

Biological occupational exposure limits

Contains no substances with biological exposure indices.

Engineering measures : Processing may form hazardous compounds (see section 10).
Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.
Apply measures to prevent dust explosions.
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Self-contained breathing apparatus

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure

SAFETY DATA SHEET



Vazo™ 52G

Version 9.0	Revision Date: 2025/05/07	SDS Number: 1331762-00046	Date of last issue: 2024/10/16 Date of first issue: 2017/02/27
----------------	------------------------------	------------------------------	-------------------------------------------------------------------

potential.

Wear the following personal protective equipment:

If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing.

Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: solid
Colour	: white
Odour	: odourless
Odour Threshold	: No data available
pH	: 7
Melting point/freezing point	: > 50 °C Do not attempt to verify melting point; decomposition can be violent.
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: 0 (Butyl Acetate=1.0)
Flammability (solid, gas)	: May form explosive dust-air mixture.
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: 0.03 %(V)

SAFETY DATA SHEET



Vazo™ 52G

Version 9.0	Revision Date: 2025/05/07	SDS Number: 1331762-00046	Date of last issue: 2024/10/16 Date of first issue: 2017/02/27
----------------	------------------------------	------------------------------	-------------------------------------------------------------------

Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: 0.969
Bulk density	: 400 kg/m ³
Solubility(ies) Water solubility	: ≥ 0.00937 g/l (20 °C)
Partition coefficient: n-octanol/water	: log Pow: 3.319 (20 °C)
Auto-ignition temperature	: 225 °C
Decomposition temperature	: The product is a self-reactive substance or mixture classified as type D.
Self-Accelerating decomposition temperature (SADT)	: 25 °C
Viscosity Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Particle characteristics Particle size	: No data available

10. STABILITY AND REACTIVITY

Reactivity	: Heating may cause a fire.
Chemical stability	: Follow precautionary advice and avoid incompatible materials and conditions
Possibility of hazardous reactions	: May form explosive dust-air mixture. Oxidizing material can cause a reaction. Hazardous decomposition products will be formed at elevated temperatures. May explode under confinement.
Conditions to avoid	: Heat, flames and sparks. Protect from contamination. Avoid dust formation. Temperatures greater than recommended storage temperature.

SAFETY DATA SHEET



Vazo™ 52G

Version 9.0	Revision Date: 2025/05/07	SDS Number: 1331762-00046	Date of last issue: 2024/10/16 Date of first issue: 2017/02/27
----------------	------------------------------	------------------------------	-------------------------------------------------------------------

Contact with incompatible substances can cause decomposition at or below SADT.

Incompatible materials : Oxidizing agents
Avoid impurities (e.g. rust, dust, ash), risk of decomposition.
Flammable materials

Hazardous decomposition products

Thermal decomposition : Hydrogen cyanide
Nitrogen
Carbon monoxide
Carbon dioxide

11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Symptoms of Overexposure : Skin contact may provoke the following symptoms:
Discomfort
Itching
Redness
Swelling of tissue
Eye contact may provoke the following symptoms
Irritation
tearing
Redness
Discomfort
Ingestion may provoke the following symptoms:
Gastrointestinal disturbance

Acute toxicity

Not classified based on available information.

Components:

2,2'-Azodi[2,4-Dimethylvaleronitrile]:

Acute oral toxicity	: LD50 (Mouse): > 6,000 mg/kg Method: Expert judgement
Acute inhalation toxicity	: Approximate Lethal Concentration (Rat): 9.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity

SAFETY DATA SHEET



Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 2024/10/16
9.0	2025/05/07	1331762-00046	Date of first issue: 2017/02/27

II

Skin corrosion/irritation

Not classified based on available information.

Components:

2,2'-Azodi[2,4-Dimethylvaleronitrile]:

Species	: Tissue Culture
Method	: OECD Test Guideline 439
Result	: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

2,2'-Azodi[2,4-Dimethylvaleronitrile]:

Species	: Bovine cornea
Result	: No eye irritation
Method	: OECD Test Guideline 437

Species	: Not tested on animals
Result	: No eye irritation
Method	: OECD Test Guideline 492

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Assessment	: Probability or evidence of high skin sensitisation rate in humans
------------	---------------------------------------------------------------------

Components:

2,2'-Azodi[2,4-Dimethylvaleronitrile]:

Test Type	: Direct Peptide Reactivity Assay (DPRA)
Exposure routes	: Skin contact
Species	: Not tested on animals
Method	: OECD Test Guideline 442C
Result	: positive

Test Type	: KeratinoSens assay
Exposure routes	: Skin contact
Species	: Tissue Culture
Method	: OECD Test Guideline 442D
Result	: positive

SAFETY DATA SHEET



Vazo™ 52G

Version 9.0	Revision Date: 2025/05/07	SDS Number: 1331762-00046	Date of last issue: 2024/10/16 Date of first issue: 2017/02/27
----------------	------------------------------	------------------------------	-------------------------------------------------------------------

Assessment : Probability or evidence of high skin sensitisation rate in humans

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

2,2'-Azodi[2,4-Dimethylvaleronitrile]:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: in vitro micronucleus test
Method: OECD Test Guideline 487
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

2,2'-Azodi[2,4-Dimethylvaleronitrile]:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Not classified based on available information.

SAFETY DATA SHEET



Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 2024/10/16
9.0	2025/05/07	1331762-00046	Date of first issue: 2017/02/27

STOT - repeated exposure

Not classified based on available information.

Components:

2,2'-Azodi[2,4-Dimethylvaleronitrile]:

Exposure routes	: Ingestion
Assessment	: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

2,2'-Azodi[2,4-Dimethylvaleronitrile]:

Species	: Rat, male and female
NOAEL	: 250 mg/kg
LOAEL	: > 250 mg/kg
Application Route	: Ingestion
Exposure time	: 8 Weeks
Method	: OECD Test Guideline 422

Aspiration toxicity

Not classified based on available information.

Components:

2,2'-Azodi[2,4-Dimethylvaleronitrile]:

|| No aspiration toxicity classification

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2,2'-Azodi[2,4-Dimethylvaleronitrile]:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 2.11 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1.17 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): 1.48 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Desmodesmus subspicatus (green algae)): 1.19 mg/l Exposure time: 72 h

SAFETY DATA SHEET



Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 2024/10/16
9.0	2025/05/07	1331762-00046	Date of first issue: 2017/02/27

Method: OECD Test Guideline 201

Persistence and degradability

Components:

2,2'-Azodi[2,4-Dimethylvaleronitrile]:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

2,2'-Azodi[2,4-Dimethylvaleronitrile]:

Partition coefficient: n-octanol/water : log Pow: 3.319 (25 °C)

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3236
Proper shipping name : SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED (2,2' -AZODI(2,4-DIMETHYL-VALERONITRILE))
Class : 4.1
Packing group : Not assigned by regulation
Labels : 4.1
Environmentally hazardous : no

IATA-DGR

SAFETY DATA SHEET



Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 2024/10/16
9.0	2025/05/07	1331762-00046	Date of first issue: 2017/02/27

Not permitted for transport

IMDG-Code

UN number	: UN 3236
Proper shipping name	: SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED (2,2'-AZODI(2,4-DIMETHYLVALERONITRILE)) (2,2'-Azodi[2,4-Dimethylvaleronitrile])
Class	: 4.1
Packing group	: Not assigned by regulation
Labels	: 4.1
EmS Code	: F-F, S-K
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Regulations on Occupational Safety and Health Facilities	: applicable
Standards for the Storage, Cleanup, Handling and Disposal of Industrial Waste	: applicable
Regulations on Labelling and Hazard Communication of Hazardous Chemicals	: applicable
Rules on Road Traffic Safety	: applicable
Standards of Permissible Exposure Limits in Workplace	: applicable
Rules on the Prevention of Poisoning from Organic Solvents.	: Not applicable
Standard for the Control of Designated Hazardous and Dangerous Chemicals	: Not applicable
Establishment Standards and Safety Control Regulations for Manufacturing, Storing, Processing Public Hazardous Substances and Flammable Pressurized Gases Places	: Quantity subject to control
Toxic and Concerned Chemical Substances Control Act	
Toxic chemical substances	: Not applicable
Concerned chemical substances	: Not applicable
Regulations for Governing Designating and Handling of Priority Management Chemicals	: Not applicable
Rules on Labour Health Protection	: Not applicable

16. OTHER INFORMATION

SAFETY DATA SHEET



Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue:
9.0	2025/05/07	1331762-00046	2024/10/16
			Date of first issue: 2017/02/27

Other information : Vazo™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.
Chemours™ and the Chemours Logo are trademarks of The Chemours Company.
Before use read Chemours safety information.
For further information contact the local Chemours office or nominated distributors.

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Responsible Department : 130000030497
The Chemours (Taiwan) Company Limited
Product Sustainability Department
7F., No. 167, Dunhua N. Rd., Songshan Dist., Taipei City 105, Taiwan

Prepared by : 0080-112-7758
Zhenwen Tu / Product Stewardship and Regulatory Compliance Expert

Revision Date : 2025/05/07

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
TW OEL : Standards of Permissible Exposure Limits in Workplace

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
ACGIH / C : Ceiling limit
TW OEL / TWA : 8-hour time weighted average
TW OEL / STEL : time weighted average for short term exposure

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

SAFETY DATA SHEET



Vazo™ 52G

Version	Revision Date:	SDS Number:	Date of last issue: 2024/10/16
9.0	2025/05/07	1331762-00046	Date of first issue: 2017/02/27

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

TW / EN